

Sanitary Systems

Shower enclosures | Bathtubs | Shower trays



**Catalogue
2022**



The prices listed in the catalogue are recommended and without VAT.

Shower for life



About us

The precise processing of our products has been celebrating success since 1991 (under the name Roltechnik) not only in the Czech Republic, but also in the most demanding markets, such as Germany, Austria, Switzerland and others.

In 2016, Roltechnik became a member of the Roth Industries group. Roth Industries is a family-owned company based in Germany with a 70-year history and more than 1,300 employees worldwide. Roth is a multinational manufacturer of energy and sanitary systems with a worldwide presence.

You can find more information at www.roth-industries.de

Above all, this connection taught us higher precision, tightening even the smallest details to perfection and the art of succeeding on the world market. From 1 January 2020 Roltechnik took over the new name **Roth Czech**. By the renaming of Roltechnik name and brand was completed the integration process into the Roth group. Our products are enjoyed by satisfied customers in 25 countries around the world. And more are coming. We care about every detail. We also meet any requirement for an atypical solution. We will always try to accommodate you. We innovate product design in cooperation with the best designers and our technologies certify the most demanding German authorities.



Shower enclosures

■ Hitech Neo Line	
HI PI2	12
HI FXP	14
HI SET	15
HI 2B2	16
■ Kinedoor Line	
KID2	20
KID2+KIB	22
■ Elegant Line	
GR2	50
GDOL1+GDOP1	52
GDOL1+GBP	54
GDNL1	55
GDN2	56
■ Tower Line	
TR1	84
TR2	86
TR2 LIGHT	87
TD01 + TD01	88
TD01 + TB	90
TC01 + TB	91
■ Ambient Line	
AMR2N	110
AMD2	112
AMD2 + AMB	113
■ Exclusive Line	
ECR2N	118
ECS2L + ECS2P	120
ECD01N	122
ECD2L	124
ECD01N + ECDBN	126
ECD2L + ECDBN	127
■ Atypical customized solution	168
■ Additional profiles	170
■ Walk In Line	
CI TWF	26
PHILLY LOFT SKY	28
PHILLY LOFT HORIZON	30
WALK G	31
WALK H	32
ECWALK	34
■ Elegant Neo Line	
GR2N	38
GDO1N + GDO1N	40
GDO1N + GBN	42
GDO1N + GZN	43
BI PF2 + BI FXP	44
BI PF2 + BI SET	46
■ Cariba Line NOVELTY	
CI P55	60
CI EPF + CI EPF	62
CI PIG + CI PIG	64
CI 2CL + CI 2CR	66
CI FXG	68
CI 2BT	69
CI PIF	70
CI PIV	71
CI PIL / CI PIR	72
CI RFR / CI RFL	73
CI FXO	74
CI D2L / CI D2R	76
CI C2L + CI C2R	78
TCN2	80
■ Proxima Line	
PXR2N	130
PXS2L + PXS2P	132
PXDO1N	134
PXBN	135
PXD2N	136
■ Lega Line	
LLR2	154
LLS2	156
LLOD1	158
LLOD2	159
LLOD1 + LLB	160
LLOD2 + LLB	161
LLD2	162
LLD4	163
PD3N	164
PD3N + LLBD	166
■ Limaya Line	
LYR4	140
LYP2	142
LYP2 + LYSW1AP2	143
LYE4 + LY4	144
LYE4 + LYSW1S	146
LYE4 + LZ	147
LYE2 + LYE2	148
■ RothETC	172
SHELF UNI	173
Cleaning blade	173
■ Profiles and glass	174

Shower trays

■ Cast marble	
PRESTOL	176
MARMO NEO	178
DREAM-M	180
TAHITI-M	180
ALOHA-M	181
MACAO-M	181
RECTAN-M	182
■ Acrylic	
FLAT ROUND	184
HAWAII	184
HAWAII-P	185
FLAT KVADRO	185
COLA	186
COLA-P	186
FLAT KVADRO	187
■ Accessories	
Shower tray legs	188
Shower tray siphons	220
Mounting kit for trays	221
Cleaners	221

Bathtubs

■ Cast marble	
ALEGRIA SILK	191
■ Acrylic	
KUBIC NEO	192
KUBIC NEO SLIM	193
MALIBU NEO	194
KUBIC NEO 120 / 130	195
KUBIC 190	195
SAVONA NEO	196
■ Bath screens	
BV2	205
CI BAE	206
CI BAF	207
CI 2PL / CI 2PR	208
TZVL2	210
TV2	211
■ Vinata®	222
■ Vipanel	234
■ Accessories	
Bathtub legs	201
KUBIC ASYMMETRIC	202
AMORE	202
FLORA NEO	203
SABRINA NEO	203
LLV2	218
LLVB	219

Project Line

■ Shower enclosures	
EI TWF	248
EI TWA, EI TWP	249
AUSTIN	250
DENVER	250
HOUSTON NEO	252
PORTLAND NEO	252
ORLANDO NEO	253
FLOWER NEO	254
MADISON NEO	254
OBR2, OBS2	255
OBD2, OBD01	256
OBB	257
OBZD2, OBZB	258
LD3, LSB	259
■ Shower trays	
DREAM-P	260
DREAM FLAT	260
ALOHA-P	261
ALOHA FLAT	261
SEMIDEEP NEO	262
VIKI LUX	262
■ Shower boxes	
SIMPLE	265
SIMPLE SQUARE	265
■ Shower sets	
FLORIDA (COMBI)	266
SELMA (COMBI)	266
■ Bathtubs and bath screens	
CLASSIC PRO	263
TULLIP	263
SCREEN	264
SCREEN PRO	264
■ Info	
General informations	267
Guarantee conditions	268
Technical specifications	269

Shower enclosures summary

TYPE / OPENING	Hitech Neo	Kinedoor	Walk In	Elegant Neo	Elegant	Cariba	Tower	Ambient	Exclusive	Proxima	Limaya	Lega	Project
QUADRANT													
							110	118	130		154	252 254 255	
							84						
						60	86			140			
					38	50						250	
SQUARE AND RECTANGULAR													
						80		120	132		156	253 255	
					22		79	113	127	135	161	256 258	
					12		64	92		148			
					14		65		126		150	160	
						62	88		144				
					44		63	90		146			
					40	52							
					42	54		135			143	161	256
						75	103					161	

TYPE / OPENING	Hitech Neo	Kinedoor	Walk In	Elegant Neo	Elegant	Cariba	Tower	Ambient	Exclusive	Proxima	Limaya	Lega	Project
SQUARE AND RECTANGULAR													
												166	259
										66	96		
NICHE DOORS													
	15									71	100	122	151 158
												134	256
	46									70	101		147
										43	55		
	17										69	102	142 159
										56			
											104		
										72	98		
										76	95		
										77	94		
	20									78	112 124	136	162 256 258
													163
												164	259
WALK IN TYPE													
								26 - 35			106		248

Roth Czech

about us




Roth Czech

The Roltechnik company, which has been producing sanitary products since 1991, has merged into a strong brand with the German manufacturer Roth, which, among other things, developed the world's first shower box in 1967. It has thus become a member of this family business, which brings customers a guarantee of long-term reliability and stability in the partnership,

as well as an emphasis on quality and innovation in the future. The result of this connection is the production of practical and attractive innovations for the bathroom, the house and the use of rainwater. Roth's first product saw the light of day in 1947. Since then, the company has come a very long way. Today, it is one of the world leaders in the segments

of energy conservation, surface heating, cooling and composite technologies. Roth also regularly sets new standards in modern construction technology. In-house research and development brings products that are carefully tailored to customer requirements. In practice, they are appreciated by many customers not only from between professionals.



■ Roth service - qualified, comprehensive and fast

Our Roth service experts are available to answer any questions you may have about Roth sanitary products after you purchase them! Our nationwide sales force will quickly advise you on business and technical issues - right at your doorstep.

Roth's quality service offering includes a guarantee of availability spare parts, short response times and fast delivery times.



■ Development for the future

Roth's extensive team works on research and development as well as design to bring innovative solutions to innovation. This helps society survive the crisis and seize the chances for growth. It also builds a leading position in the market.

The world of the Roth brand composes technologies for solutions full of energy

■ The world of the Roth brand composes technologies for solutions full of energy

This inspiring vision is the cornerstone of responsible business, which Roth cares about. The internationally active Roth company with more than 1,300 employees is a manufacturer of leading branded products that are used in the field of construction and industrial engineering.



Hitech Neo Line

A series characterized by modern design and technical improvements.


This is the absolute top among shower enclosures.

The new Roth models we bring to your bathroom are not just fashion trends. It is about precision and functionality in combination with a modern concept.

- door hinges are recessed to the glass level from the inside for greater convenience when cleaning

- easy entry through the opening doors in both directions, in and out

- solid handle that highlights the unique design of this series



Hitech Neo Line
power of ideas

one door can solve
a lot of situations

HI PI2

single shower door

8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



universal left
and right solution

■ one type of door for all combinations

- corner entrance with double opening doors
- single opening door with side wall
- single opening door for installation in a niche



■ Robust chromed hinges underline the unique design of the series



■ Door hinges are recessed to the glass level for greater convenience when cleaning

HI PI2 (single shower door)



type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
HI PI2/800	HI PI2 08020 VPE	782-798	2006*	663	brilliant	transparent	0	530 €
HI PI2/900	HI PI2 09020 VPE	882-898	2006*	763	brilliant	transparent	0	564 €
HI PI2/1000	HI PI2 10020 VPE	982-998	2006*	863	brilliant	transparent	0	604 €

h* - height including supporting elements


HI PI2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
HI PI2	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z

■ HI PI2 - universal LEFT and RIGHT solution



■ HI PI2 + HI PI2 - square or rectangular shower enclosure with a double opening doors



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

one door can solve
a lot of situations



HI PI2 + HI FXP

square or rectangular shower enclosure
with a single opening door and a side panel

- up to 9 combinations of size variants
- square or rectangular solution
- the solid handle fits perfectly in the hand and underlines the design of this product line



8 mm ESG Tempered glass
Transparent



Profile colour
Brillant

universal left
and right solution



HI FXP (side panel to a door HI PI2)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
HI FXP/800	HI FXP 08020 VPE	777-793	1981*	-	brilliant	transparent	0	397 €
HI FXP/900	HI FXP 09020 VPE	877-893	1981*	-	brilliant	transparent	0	431 €
HI FXP/1000	HI FXP 10020 VPE	977-993	1981*	-	brilliant	transparent	0	464 €

h* - height including supporting elements / side panel HI FXP including the support bar - max. length 1200 mm



HI FXP (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
HI FXP	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z




■ Door hinges are recessed to the glass level
for greater convenience when cleaning

Nominal sizes of shower enclosures are designed for
INSTALLATION ON THE TRAY and they are always assembled
with indentation from the edge of the tray. With INSTALLATION
ON THE TILES there is a risk, that the size of shower enclosure
will be smaller than measured width of the tiles. It is necessary to follow
the size charts on "TECHNICAL SPECIFICATION" pages
at the end of our catalogue (p. 269-292).

■ HI FXP - universal LEFT and RIGHT solution



■ HI PI2 + HI FXP



HI SET (set of profiles)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
HI SET	HI SET 2000 VE	31,5-47,5	1981*	-	brilliant	-	0	91 €

h* - height including supporting elements

HI SET (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
HI SET	-	up to 2000 mm	brilliant	-	Z

■ HI PI2 + HI SET - single shower door
to a niche



■ HI SET - set of profiles

! Nominal sizes of shower enclosures are designed for
INSTALLATION ON THE TRAY and they are always
assembled with indentation from the edge of the tray.
With INSTALLATION ON THE TILES there is a risk,
that the size of shower enclosure will be smaller than
measured width of the tiles. It is necessary to follow
the size charts on "TECHNICAL SPECIFICATION"
pages at the end of our catalogue (p. 269-292).

installation to a niche	installation width (y)
HI PI2/800 + HI SET	783-815
HI PI2/900 + HI SET	883-915
HI PI2/1000 + HI SET	983-1015


Hitech Neo Line

power of ideas

HI 2B2

double opening shower door
for installation to a niche

- opening in both directions - in / out
- door hinges are recessed to the glass level for greater convenience when cleaning
- standard door dimensions from 800 to 1 200 mm



8 mm ESG Tempered glass
Transparent



Profile colour
Brillant



■ Robust chromed hinges underline the unique design of the series



■ Door hinges are recessed to the glass level
for greater convenience when cleaning



HI 2B2 (double shower door to a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
HI 2B2/800	HI 2B2 08020 VPE	783-815	2006*	320	brilliant	transparent	0	703 €
HI 2B2/900	HI 2B2 09020 VPE	883-915	2006*	370	brilliant	transparent	0	731 €
HI 2B2/1000	HI 2B2 10020 VPE	983-1015	2006*	420	brilliant	transparent	0	759 €
HI 2B2/1200	HI 2B2 12020 VPE	1183-1215	2006*	520	brilliant	transparent	0	825 €

h* - height including supporting elements

HI 2B2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
HI 2B2	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292)..



Under the guidance of our designers, we have created completely new **Hitech Neo Line** models for your bathroom. **Hitech** design is not just about the look of products. It is about precision, functionality and a modern concept.



Kinedoor Line

ease of movement

Kinedoor Line

It is characterized by robust rollers and magnificent space. It combines perfect design with everyday practicality.

All shower enclosure lines have their own technical limits – this was true until now. Thanks to dimensioning of an innovative solution for the largest and the most comfortable spaces, we can fearlessly say – this, what is not possible anywhere else, here will be possible for sure.

■ universal sliding door to a niche or in combination with a side panel

■ standard door dimensions from 1 300 to 2 000 mm

■ closing with magnetic sealing ensures improved tightness



Kinedoor Line ease of movement

universal left
and right solution



KID2

2-sectional sliding door for a niche
or for combination with side panel KIB


- standard door dimensions from 1 300 to 2000 mm
- universally installable sliding door for niche with smooth movement thanks to robust rollers



8 mm ESG Tempered glass
Transparent 02



Profile colour
Brillant 00



■ New bottom components for improve water-tightness



■ Solid steel multifunctional handle

KID2 (2-sectional sliding door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
KID2/1300	970-1300000-00-02	1150–1310	2000	410–560	brilliant	transparent	S	1 176 €
KID2/1500	970-1500000-00-02	1300–1510	2000	460–660	brilliant	transparent	S	1 244 €
KID2/1800	970-1800000-00-02	1500–1810	2000	510–810	brilliant	transparent	S	1 324 €
KID2/2000	970-2000000-00-02	1800–2010	2000	710–910	brilliant	transparent	0	1 397 €

universal LEFT and RIGHT solution

KID2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
KID2	up to 2800 mm	up to 2400 mm	brilliant	transparent	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269–292).

For Kinedoor Line products, we recommend installation by the Roth Czech s.r.o. service department, or an authorized service company.



KID2

Kinedoor Line ease of movement

KIB

side panel for combination
with sliding door KID2



universal left
and right solution

8 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO



easy maintenance thanks
to the minimum of profiles

- universal left or right installation
- standard height 2000 mm
- the use of 8 mm safety glass ensures excellent stability



■ Magnetic seal for perfect water-tightness



■ For the U-shape combination, two side walls can be attached on both sides of the door - **KIB + KID2 + KIB**

KIB (side panel for combination with sliding door KID2)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
KIB/900	971-9000000-00-02	860-885	2000	—	brillant	transparent	S	362 €
KIB/1000	971-1000000-00-02	960-985	2000	—	brillant	transparent	O	421 €

universal LEFT and RIGHT solution

KIB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
KIB	up to 1200 mm	up to 2400 mm	brillant	transparent	Z

■ Profile anchoring on the side wall



!
Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

For Kinedoor Line products, we recommend installation by the Roth Czech s.r.o. service department, or an authorized service company.

Walk in Line
free space



Enjoy the comfort
of free space

Walk in Line

Free space enhanced by the use of large glass panels
of 8mm safety glass treated with RothETC surface
finishing. Make a choice from a broad range of existing
shapes and sizes or simply ask for your individual
shower solution.



■ protective aluminium profile
at the bottom glass edge

■ angle pieces are embedded
from the inside

■ the possibility to order any glass
with „mirror effect“ option

Calida Walk In extra safe

CI TWF

large shower area solution

special safety element
- protective foil on glass

- all types with extra protective foil
- available in modern colour Black elox
- modern RothETC glass treatment for easy maintenance

6 mm ESG Tempered glass
with safety foil
Transparent / Printing



Profile colour
Brilliant / Black elox



modern look of glass
with printing



■ CI TWF VPF
- Brilliant / Transparent safety foil



■ CI TWF NPF
- Black elox / Transparent safety foil



■ CI TWF VIF
- Brilliant / Printed safety foil

CI TWF (large frameless shower screen)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
CI TWF/800	CI TWF 08020 VPF			brilliant	transparent	0	332 €
CI TWF/800	CI TWF 08020 NPF	773-800	2020*	black elox	transparent	0	348 €
CI TWF/800	CI TWF 08020 VIF			brilliant	printing	0	352 €
CI TWF/800	CI TWF 08020 NIF			black elox	printing	0	359 €
CI TWF/900	CI TWF 09020 VPF			brilliant	transparent	0	364 €
CI TWF/900	CI TWF 09020 NPF	873-900	2020*	black elox	transparent	0	370 €
CI TWF/900	CI TWF 09020 VIF			brilliant	printing	0	375 €
CI TWF/900	CI TWF 09020 NIF			black elox	printing	0	382 €
CI TWF/1000	CI TWF 10020 VPF			brilliant	transparent	0	394 €
CI TWF/1000	CI TWF 10020 NPF	973-1000	2020*	black elox	transparent	0	401 €
CI TWF/1000	CI TWF 10020 VIF			brilliant	printing	0	406 €
CI TWF/1000	CI TWF 10020 NIF			black elox	printing	0	414 €
CI TWF/1100	CI TWF 11020 VPF			brilliant	transparent	0	425 €
CI TWF/1100	CI TWF 11020 NPF	1073-1100	2020*	black elox	transparent	0	433 €
CI TWF/1100	CI TWF 11020 VIF			brilliant	printing	0	439 €
CI TWF/1100	CI TWF 11020 NIF			black elox	printing	0	446 €
CI TWF/1200	CI TWF 12020 VPF			brilliant	transparent	0	456 €
CI TWF/1200	CI TWF 12020 NPF	1173-1200	2020*	black elox	transparent	0	464 €
CI TWF/1200	CI TWF 12020 VIF			brilliant	printing	0	471 €
CI TWF/1200	CI TWF 12020 NIF			black elox	printing	0	479 €
CI TWF/1400	CI TWF 14020 VPF			brilliant	transparent	0	519 €
CI TWF/1400	CI TWF 14020 NPF	1373-1400	2020*	black elox	transparent	0	528 €
CI TWF/1400	CI TWF 14020 VIF			brilliant	printing	0	536 €
CI TWF/1400	CI TWF 14020 NIF			black elox	printing	0	545 €

h* - height including supporting elements




■ Vertical aluminium wall profiles



■ Support bar of the screen (max. 1 200 mm)

■ CI TWF - universal LEFT and RIGHT solution




Philly Loft

industrial design

PHILLY LOFT SKY

large space shower screen

- modern industrial design with profiles in Black elox colour
- RothETC glass treatment for easy maintenance
- easy installation and reliable functionality



6 mm ESG Tempered glass
Transparent



Profile colour
Black elox



■ Vertical aluminum profiles on the outside of the glass



■ Support bar (max. 1200 mm) in Black elox finishing

PHILLY LOFT SKY (large shower area solution)

type	number and dimensions of segments	configuration
800/2	2 x 400	
900/3	3 x 300	
1200/3	3 x 400	
1200/4	4 x 300	
1500/5	5 x 300	
1600/4	4 x 400	


PHILLY LOFT SKY (large shower area solution)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
PHILLY LOFT SKY 800/2	PLS 08020 NP2	780-790	2003*	black elox	transparent	0	354 €
PHILLY LOFT SKY 900/3	PLS 09020 NP3	880-890	2003*	black elox	transparent	0	396 €
PHILLY LOFT SKY 1200/3	PLS 12020 NP3	1180-1190	2003*	black elox	transparent	0	477 €
PHILLY LOFT SKY 1200/4	PLS 12020 NP4	1180-1190	2003*	black elox	transparent	0	493 €
PHILLY LOFT SKY 1500/5	PLS 15020 NP5	1480-1490	2003*	black elox	transparent	0	597 €
PHILLY LOFT SKY 1600/4	PLS 16020 NP4	1580-1590	2003*	black elox	transparent	0	609 €

* - height including supporting elements



Philly Loft Sky and Philly Loft Horizon offer a distinctive industrial-style design. The Philly Loft Sky design features vertical black aluminum profiles. This series includes variants from two to five segments with a width of 300 or 400 millimeters. The Horizon version is a variant with horizontal black profiles on the outside of the glass.



Philly Loft industrial design

convenient entrance
without door



■ PHILLY LOFT HORIZON

PHILLY LOFT HORIZON

large space shower screen

- modern industrial design with profiles in Black elox colour
- RothETC glass treatment for easy maintenance
- easy installation and reliable functionality



6 mm ESG Tempered glass
Transparent



Profile colour
Black elox

spacious shower
completely without barriers



■ WALK G

WALK G

large frameless shower screen
for corner installation

- RothETC glass treatment for easy maintenance
- „mirror effect“ option for any glass - see page 114 - 115



8 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant O0

PHILLY LOFT HORIZON (large shower area solution)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
PHILLY LOFT HORIZON 800	PLH 08020 NPE	780–790	2003*	black elox	transparent	0	377 €
PHILLY LOFT HORIZON 900	PLH 09020 NPE	880–890	2003*	black elox	transparent	0	404 €
PHILLY LOFT HORIZON 1000	PLH 10020 NPE	980–990	2003*	black elox	transparent	0	431 €
PHILLY LOFT HORIZON 1200	PLH 12020 NPE	1180–1190	2003*	black elox	transparent	0	486 €
PHILLY LOFT HORIZON 1400	PLH 14020 NPE	1380–1390	2003*	black elox	transparent	0	542 €


h* - height including supporting elements



■ Horizontal aluminum profiles on the outside of the glass and support bar (max. 1200 mm) in Black elox finishing




■ universal LEFT and RIGHT solution



WALK G (frameless shower screen)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
WALK G/900	940-900000-00-02	876–886	2026*	brilliant	transparent	S	406 €
WALK G/1000	940-100000-00-02	976–986	2026*	brilliant	transparent	S	441 €
WALK G/1200	940-120000-00-02	1176–1186	2026*	brilliant	transparent	S	512 €
WALK G/1400	940-140000-00-02	1376–1386	2026*	brilliant	transparent	S	582 €
WALK G/1500	940-150000-00-02	1476–1486	2026*	brilliant	transparent	0	618 €

h* - height including supporting elements




WALK G (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
WALK G	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z

Support bar - if you need a longer bar than the standard 100 cm, you can order this longer version (200 cm) and shorten it to the required length during assembly

type	ordering No.	profile	delivery method	Price
SUPPORT BAR - length 2000 mm	ND01-3543	brilliant	S	29 €



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269–292).



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269–292).

Walk In Line

free space



standard support bar length
maximum 1 000 mm



WALK H

large frameless shower screen
for installation along the wall

- RothETC glass treatment for easy maintenance
- „mirror effect“ option for any glass - see page 114 - 115



8 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO



WALK IN

we offer large frameless shower screens
in many custom combinations

- choose from the drawings a combination according to your needs
- Roth Czech - precise custom production
- RothETC glass treatment for easy maintenance



8 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO

WALK H (frameless shower screen)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
WALK H/1000	941-1000000-00-02	970	2026*	brilliant	transparent	0	518 €
WALK H/1200	941-1200000-00-02	1170	2026*	brilliant	transparent	0	588 €
WALK H/1400	941-1400000-00-02	1370	2026*	brilliant	transparent	0	659 €
WALK H/1500	941-1500000-00-02	1470	2026*	brilliant	transparent	0	694 €


h* - height including supporting elements

WALK H (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
WALK H	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK H	up to 1500 mm	from 2001 up to 2400 mm	brilliant	transparent	Z




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).




WALK A



WALK B



WALK C




WALK A, B, C, F (atypical customized solution)

type	width (x/y)	height (h)	profile	glass	delivery method
WALK A	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK B	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK C	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK F	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z

Support bar - if you need a longer bar than the standard 100 cm, you can order this longer version (200 cm) and shorten it to the required length during assembly

type	ordering No.	profile	delivery method	Price
SUPPORT BAR - length 2000 mm	ND01-3543	brilliant	S	29 €



The hinge screws are embedded in the glass level

Walk In Line

free space

convenient entrance
without door

ECWALK

large frameless shower screen

■ modern industrial design
in two profile colours

■ standard height 2050 mm

6 mm ESG Tempered glass
Transparent 02



Profile colour
Brilliant 00 / Black elox 05



■ ECWALK Black elox

standard support bar length
maximum 1 200 mm



■ ECWALK Brilliant



■ Bracket in Black elox finish (bar length to 1 200 mm)



■ Bracket in Brilliant finish (bar length to 1 200 mm)

ECWALK (frameless shower screen)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
ECWALK/900	585-9000000-05-02	888-912	2075*	black elox	transparent	0	391 €
ECWALK/1000	585-1000000-05-02	988-1012	2075*	black elox	transparent	0	412 €
ECWALK/1200	585-1200000-05-02	1188-1212	2075*	black elox	transparent	0	462 €
ECWALK/1400	585-1400000-05-02	1388-1412	2075*	black elox	transparent	0	503 €
ECWALK/900	585-9000000-00-02	888-912	2075*	brilliant	transparent	0	391 €
ECWALK/1000	585-1000000-00-02	988-1012	2075*	brilliant	transparent	0	412 €
ECWALK/1200	585-1200000-00-02	1188-1212	2075*	brilliant	transparent	0	462 €
ECWALK/1400	585-1400000-00-02	1388-1412	2075*	brilliant	transparent	0	503 €


h* - height including supporting elements



■ Protective aluminum profile on the bottom of the glass

ECWALK (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
ECWALK	up to 1500 mm	up to 2050 mm	black elox	transparent	Z



■ ECWALK - universal LEFT and RIGHT solution

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Elegant Neo Line

lightness and elegance

Elegant Neo Line

Lightness, purity and elegance - the main attributes underlining the airy design of glass

Do you want have pure lines, quality materials in your bathroom, and do not want to be limited by a small range of installation dimensions?

The ELEGANT NEO series will fulfill these requirements without any compromise. Timeless design of hinges and handles made of high quality steel underlined by the integrated minimalist braces to ensure perfect stability.

■ unrivaled range of installation dimensions

■ one type of door for all combinations

■ integrated door bracing profiles



Elegant Neo Line lightness and elegance

GR2N

quadrant shower enclosure
with a double-door opening


- high quality stainless steel hinges
- integrated door bracing profiles
- standard height 2 000 mm



6 mm ESG Tempered glass
Transparent 02



Profile colour
Brilliant OO



■ Chrome-plated fittings allows easy glass movement and setting installation dimensions up to 100 mm




■ Elegant design of the metal handle



GR2N (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
GR2N / 900-1000	187-1000000-00-02	885–985	2015*	710–900	290	brilliant	transparent	S	1 296 €
GR2N / 1000-1100	187-1100000-00-02	985–1085	2015*	860–1050	290	brilliant	transparent	S	1 373 €

R - standard radius R550, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269–292).

unrivaled range
of installation dimensions



Products from **ELEGANT NEO** series allows you to use standard - produced dimensions with high flexibility of nominal dimensions from 700 to 1 200 mm.



Elegant Neo Line
lightness and elegance

GDO1N

single shower door with fixed element

one door will
solve a lot of situations

universal left
and right solution

6 mm ESG Tempered glass
Transparent 02



Profile colour
Brilliant 00



■ one type of door for all combinations


- corner entry with a double door opening
- single door opening with a side panel
- single shower door for a niche



GDO1N + GDO1N



■ Integrated bracing profile together with hinges in chrome finish ensures perfect door stability



■ Fittings allows easy glass movement and setting installation dimensions up to 100 mm

GDO1N (hinged shower door)



type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
GDO1N/800	188-8000000-00-02	685-785	2015*	380-480	290	brilliant	transparent	S	462 €
GDO1N/900	188-9000000-00-02	785-885	2015*	480-580	290	brilliant	transparent	S	497 €
GDO1N/1000	188-1000000-00-02	885-985	2015*	580-680	290	brilliant	transparent	S	532 €
GDO1N/1100	188-1100000-00-02	985-1085	2015*	680-780	290	brilliant	transparent	S	568 €
GDO1N/1200	188-1200000-00-02	1085-1185	2015*	780-880	290	brilliant	transparent	S	602 €

h* - height including supporting elements


GDO1N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
GDO1N	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z

■ GDO1N - universal LEFT and RIGHT solution



■ GDO1N + GDO1N - square or rectangular shower with a double door opening



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Elegant Neo Line lightness and elegance

one door will solve
a lot of situations

universal left
and right solution



GDO1N + GBN

square or rectangular shower enclosure
with a single opening door and a side panel

- up to 15 combinations of size variants
- great variability of door installation settings
- stabilizing components made of quality stainless steel underline the clean design of the series



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brillant OO



GDO1N + GZ

single opening shower door with a set of profiles GZ
for installation to a niche

- great variability of door installation settings
- quality processing of functional elements
- universally oriented installation and convenient maintenance thanks to the glass treatment



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brillant OO

GBN (side panel to GDO1N)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
GBN/800	189-8000000-00-02	775-785	2005*	-	brilliant	transparent	S	353 €
GBN/900	189-9000000-00-02	875-885	2005*	-	brilliant	transparent	S	382 €
GBN/1000	189-1000000-00-02	975-985	2005*	-	brilliant	transparent	S	418 €

h* - height including supporting elements




GBN (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
GBN	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z



■ GBN - universal LEFT and RIGHT solution



■ GDO1N + GBN

■ Flexible side wall support bar allows you to set different angles and also solves any wall irregularities

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

GZ (set of profiles)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
GZ	N-191-0000000-00	26	1994	-	brilliant	-	S	105 €

GZ (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
GZ	-	up to 2000 mm	brilliant	-	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

■ GDO1N + GZ - single shower door
for a niche

■ GZ - set of profiles



niche solution	installation width (Y)
GDO1N/800 + GZ	685-785
GDO1N/900 + GZ	785-885
GDO1N/1000 + GZ	885-985
GDO1N/1100 + GZ	985-1085
GDO1N/1200 + GZ	1085-1185

Elegant Neo Line
lightness and elegance

BI PF2 + BI FXP

square or rectangular shower enclosure
with a single opening door and a side panel BI FXP



easy movement of the door
with opening in both directions

8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



universal left
and right solution

- standard door sizes from 800 to 1 200 mm
- more than 12 combinations of size variants
- available in modern colour Black elox
- quality lifting mechanism for comfortable opening in and out



- Chrome fittings allow easy movement of the door



- Rectangular combination of BI PF2 + BI FXP in modern Black elox finish


BI PF2 (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
BI PF2/800	BI PF2 08020 VPE	782-807	2019*	487	272-297	brilliant	transparent	0	480 €
BI PF2/800	BI PF2 08020 NPE					black elox	transparent	0	495 €
BI PF2/900	BI PF2 09020 VPE	882-907	2019*	587	272-297	brilliant	transparent	0	518 €
BI PF2/900	BI PF2 09020 NPE					black elox	transparent	0	534 €
BI PF2/1000	BI PF2 10020 VPE	982-1007	2019*	587	372-397	brilliant	transparent	0	542 €
BI PF2/1000	BI PF2 10020 NPE					black elox	transparent	0	559 €
BI PF2/1200	BI PF2 12020 VPE	1182-1207	2019*	637	522-547	brilliant	transparent	0	617 €
BI PF2/1200	BI PF2 12020 NPE					black elox	transparent	0	636 €

BI FXP (side panel to door BI PF2)

BI FXP/800	BI FXP 08020 VPE	772-797	2020*	—	—	brilliant	transparent	0	317 €
BI FXP/800	BI FXP 08020 NPE					black elox	transparent	0	323 €
BI FXP/900	BI FXP 09020 VPE	872-897	2020*	—	—	brilliant	transparent	0	351 €
BI FXP/900	BI FXP 09020 NPE					black elox	transparent	0	359 €
BI FXP/1000	BI FXP 10020 VPE	972-997	2020*	—	—	brilliant	transparent	0	386 €
BI FXP/1000	BI FXP 10020 NPE					black elox	transparent	0	395 €

h* - height including supporting elements





BI PF2 / BI FXP (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
BI PF2	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z
BI PF2	up to 1200 mm	up to 2000 mm	black elox	transparent	Z
BI FXP	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z
BI FXP	up to 1000 mm	up to 2000 mm	black elox	transparent	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



Elegant Neo Line

lightness and elegance

easy movement of the door
with opening in both directions

BI PF2 + BI SET

single opening shower door with a set of profiles BI SET
for installation to a niche

- convenient opening in and out
- standard height 2 000 mm
- universal installation and convenient maintenance
thanks to special glass treatment RothETC



8 mm ESG Tempered glass
Transparent



Profile colour
Brillant / Black elox



■ Chrome fittings allow easy movement of the door in both directions



■ Elegant design of chrome handle

BI PF2 (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
BI PF2/800	BI PF2 08020 VPE	782-807	2019*	487	240	brilliant	transparent	0	480 €
BI PF2/800	BI PF2 08020 NPE					black elox	transparent	0	495 €
BI PF2/900	BI PF2 09020 VPE	882-907	2019*	587	240	brilliant	transparent	0	518 €
BI PF2/900	BI PF2 09020 NPE					black elox	transparent	0	534 €
BI PF2/1000	BI PF2 10020 VPE	982-1007	2019*	587	340	brilliant	transparent	0	542 €
BI PF2/1000	BI PF2 10020 NPE					black elox	transparent	0	559 €
BI PF2/1200	BI PF2 12020 VPE	1182-1207	2019*	637	490	brilliant	transparent	0	617 €
BI PF2/1200	BI PF2 12020 NPE					black elox	transparent	0	636 €

BI SET (set of profiles)

BI SET	BI SET 2000 VE	15-25	2002	—	—	brilliant	transparent	0	89 €
BI SET	BI SET 2000 NE					black elox	transparent	0	93 €


h* - height including supporting elements

BI SET (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
BI SET	—	up to 2000 mm	brilliant	transparent	Z
BI SET	—	up to 2000 mm	black elox	transparent	Z

installation to a niche	installation width (Y)
BI PF2/800 + BI SET	775-810
BI PF2/900 + BI SET	875-910
BI PF2/1000 + BI SET	975-1010
BI PF2/1200 + BI SET	1175-1210

■ BI PF2 + BI SET
single shower door to a niche



■ BI SET - set of profiles



RothETC

■ BI PF2 + BI SET

Elegant Line
chrome classic



It gives you the opportunity to find
an inspiration for weekdays

Elegant Line

New standard variations of doors up to 1 500 mm
will let you use the space in your bathroom
to the maximum and it makes this line
the true leader in its category.

■ hinges with reliable lifting
mechanism

■ EASY INSTALL=easy installation
of fixed glass in 3 steps

■ chrome-plated brass details

Elegant Line chrome classic

GR2

quadrant shower enclosure
with a double-door opening

- elegant solutions with a combination of 8 mm and 6 mm safety glass on chrome-plated brass hinges
- standard radius R550



6+8 mm ESG Tempered glass
Transparent O2
6 mm door glass + 8 mm fixed panel



Profile colour
Brilliant OO



■ Design-matched handles with chrome finish



■ Flexible support bar for better stability




■ Hinges in chrome finish

GR2 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
GR2/800	131-8000000-00-02	775-795	2017*	455	175-200	brilliant	transparent	0	997 €
GR2/900	131-9000000-00-02	875-895	2017*	500	225-250	brilliant	transparent	S	1 025 €
GR2/1000	131-1000000-00-02	975-995	2017*	500	325-350	brilliant	transparent	0	1 053 €

R - standard radius R550, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



EASY INSTALL wall profile for easy installation

The proven **Elegant Line** series offers very durable products with reliable quality. However, thanks to the frameless design, it acts lightly, despite the use of 8 and 6 mm safety glass.



Elegant Line
chrome classic

GDOL1 + GDOP1

square or rectangular shower enclosure
with a double-door opening



EASY INSTALL wall profile
for easy installation

6+8 mm ESG Tempered glass
Transparent O2
6 mm door glass + 8 mm fixed panel



Profile colour
Brilliant OO



standard door variants up to 1 500 mm
for great use of your bathroom space

■ EASY INSTALL – easy installation of fixed glass in 3 steps

- fix the profile to the wall
- insert the safety glass and fix it easily with adjustable screws
- click in a covering profile



■ EASY INSTALL profiles and adjustable support bar for perfect stability




■ Lifting mechanism of hinges, threshold components and seals for perfect functionality


GDOL1 / GDOP1 (hinged shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
GDOL1/800	132-800000L-00-02	775-800	2017*	525	225-250	brilliant	transparent	0	544 €
GDOL1/900	132-900000L-00-02	875-900	2017*	625	225-250	brilliant	transparent	S	581 €
GDOL1/1000	132-100000L-00-02	975-1000	2017*	625	325-350	brilliant	transparent	0	619 €
GDOL1/1100	132-110000L-00-02	1075-1100	2017*	725	325-350	brilliant	transparent	0	656 €
GDOL1/1200	132-120000L-00-02	1175-1200	2017*	725	425-450	brilliant	transparent	0	694 €
GDOL1/1300	132-130000L-00-02	1275-1300	2017*	825	425-450	brilliant	transparent	0	731 €
GDOL1/1400	132-140000L-00-02	1375-1400	2017*	825	525-550	brilliant	transparent	0	769 €
GDOL1/1500	132-150000L-00-02	1475-1500	2017*	925	525-550	brilliant	transparent	0	806 €
GDOP1/800	132-800000P-00-02	775-800	2017*	525	225-250	brilliant	transparent	0	544 €
GDOP1/900	132-900000P-00-02	875-900	2017*	625	225-250	brilliant	transparent	S	581 €
GDOP1/1000	132-100000P-00-02	975-1000	2017*	625	325-350	brilliant	transparent	0	619 €
GDOP1/1100	132-110000P-00-02	1075-1100	2017*	725	325-350	brilliant	transparent	0	656 €
GDOP1/1200	132-120000P-00-02	1175-1200	2017*	725	425-450	brilliant	transparent	0	694 €
GDOP1/1300	132-130000P-00-02	1275-1300	2017*	825	425-450	brilliant	transparent	0	731 €
GDOP1/1400	132-140000P-00-02	1375-1400	2017*	825	525-550	brilliant	transparent	0	769 €
GDOP1/1500	132-150000P-00-02	1475-1500	2017*	925	525-550	brilliant	transparent	0	806 €


h* - height including supporting elements



■ GDOL1



■ GDOP1



■ GDOL1 + GDOP1

GDOL1 / GDOP1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
GDOL1 / GDOP1	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
GDOL1 / GDOP1	up to 1500 mm	up to 2000 mm	brilliant	chinchilla	Z
GDOL1 / GDOP1	up to 1500 mm	up to 2000 mm	brilliant	rauch	Z
GDOL1 / GDOP1	up to 1500 mm	up to 2000 mm	brilliant	satinato	Z

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Elegant Line chrome classic

EASY INSTALL wall profile
for easy installation

standard door variants up to 1 500 mm
for great use of your bathroom space



■ GDOL1 + GBP

GDOL1 + GBP GDOP1 + GBL

square or rectangular shower enclosure
with a single opening door and a side panel

- up to 48 final shower enclosure variants
- hinges with lifting mechanism
- RothETC glass surface treatment for easy maintenance



6+8 mm ESG Tempered glass
Transparent O2
6 mm door glass + 8 mm fixed panel



Profile colour
Brilliant O0

GBL / GBP (side walls to GDOP1 and GDOL1)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
GBL/800	133-800000L-00-02	775-800	2017*	—	brilliant	transparent	0	342 €
GBL/900	133-900000L-00-02	875-900	2017*	—	brilliant	transparent	S	356 €
GBL/1000	133-100000L-00-02	975-1000	2017*	—	brilliant	transparent	0	364 €
GBP/800	133-800000P-00-02	775-800	2017*	—	brilliant	transparent	0	342 €
GBP/900	133-900000P-00-02	875-900	2017*	—	brilliant	transparent	S	356 €
GBP/1000	133-100000P-00-02	975-1000	2017*	—	brilliant	transparent	0	364 €





h* - height including supporting elements

GBL / GBP (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
GBL / GBP	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
GBL / GBP	up to 1500 mm	up to 2000 mm	brilliant	chinchilla	Z
GBL / GBP	up to 1500 mm	up to 2000 mm	brilliant	rauch	Z
GBL / GBP	up to 1500 mm	up to 2000 mm	brilliant	satinato	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



■ GDNL1

GDNL1 / GDNP1

single shower door with fixed element
for installation to a niche

- large offer of standard door sizes
- RothETC glass surface treatment for easy maintenance
- easy assembly due to EASY INSTALL profile



6+8 mm ESG Tempered glass
Transparent O2
6 mm door glass + 8 mm fixed panel




Profile colour
Brilliant O0

GDNL1 / GDNP1 (hinged shower door for a niche)


type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
GDNL1/800	134-800000L-00-02	780-820	2017*	510	225-250	brilliant	transparent	0	584 €
GDNL1/900	134-900000L-00-02	880-920	2017*	610	225-250	brilliant	transparent	0	625 €
GDNL1/1000	134-100000L-00-02	980-1020	2017*	610	325-350	brilliant	transparent	0	666 €
GDNL1/1100	134-110000L-00-02	1080-1120	2017*	710	325-350	brilliant	transparent	0	706 €
GDNL1/1200	134-120000L-00-02	1180-1220	2017*	710	425-450	brilliant	transparent	0	747 €
GDNL1/1300	134-130000L-00-02	1280-1320	2017*	810	425-450	brilliant	transparent	0	788 €
GDNL1/1400	134-140000L-00-02	1380-1420	2017*	810	525-550	brilliant	transparent	0	828 €
GDNL1/1500	134-150000L-00-02	1480-1520	2017*	910	525-550	brilliant	transparent	0	869 €
GDNP1/800	134-800000P-00-02	780-820	2017*	510	225-250	brilliant	transparent	0	584 €
GDNP1/900	134-900000P-00-02	880-920	2017*	610	225-250	brilliant	transparent	0	625 €
GDNP1/1000	134-100000P-00-02	980-1020	2017*	610	325-350	brilliant	transparent	0	666 €
GDNP1/1100	134-110000P-00-02	1080-1120	2017*	710	325-350	brilliant	transparent	0	706 €
GDNP1/1200	134-120000P-00-02	1180-1220	2017*	710	425-450	brilliant	transparent	0	747 €
GDNP1/1300	134-130000P-00-02	1280-1320	2017*	810	425-450	brilliant	transparent	0	788 €
GDNP1/1400	134-140000P-00-02	1380-1420	2017*	810	525-550	brilliant	transparent	0	828 €
GDNP1/1500	134-150000P-00-02	1480-1520	2017*	910	525-550	brilliant	transparent	0	869 €

h* - height including supporting elements

■ GDNL1



■ GDNP1



GDNL1 / GDNP1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
GDNL1 / GDNP1	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
GDNL1 / GDNP1	up to 1500 mm	up to 2000 mm	brilliant	chinchilla	Z
GDNL1 / GDNP1	up to 1500 mm	up to 2000 mm	brilliant	rauch	Z
GDNL1 / GDNP1	up to 1500 mm	up to 2000 mm	brilliant	satinato	Z

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



Elegant Line chrome classic

GDN2

double shower door for installation to a niche



■ GDN2

EASY INSTALL wall profile for easy installation

6+8 mm ESG Tempered glass
Transparent 02
6 mm door glass + 8 mm fixed panel



Profile colour
Brilliant 00



standard door variants up to 1 500 mm
for great use of your bathroom space

- hinges with lifting mechanism
- RothETC glass surface treatment for easy maintenance



■ EASY INSTALL profiles and adjustable support bar for perfect stability



■ Lifting mechanism of hinges, threshold components and seals for perfect functionality


GDN2 (double shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
GDN2/1100	138-1100000-00-02	1060-1110	2017*	355	175-200	brilliant	transparent	0	1 050 €
GDN2/1200	138-1200000-00-02	1160-1210	2017*	405	175-200	brilliant	transparent	0	1 088 €
GDN2/1300	138-1300000-00-02	1260-1310	2017*	405	225-250	brilliant	transparent	0	1 125 €
GDN2/1400	138-1400000-00-02	1360-1410	2017*	505	175-200	brilliant	transparent	0	1 163 €
GDN2/1500	138-1500000-00-02	1460-1510	2017*	505	225-250	brilliant	transparent	0	1 200 €

h* - height including supporting elements

GDN2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
GDN2	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
GDN2	up to 1500 mm	up to 2000 mm	brilliant	chinchilla	Z
GDN2	up to 1500 mm	up to 2000 mm	brilliant	rauch	Z
GDN2	up to 1500 mm	up to 2000 mm	brilliant	satinato	Z
GDN2	from 1501 up to 2000 mm	up to 2000 mm	brilliant	transparent	Z
GDN2	from 1501 up to 2000 mm	up to 2000 mm	brilliant	chinchilla	Z
GDN2	from 1501 up to 2000 mm	up to 2000 mm	brilliant	rauch	Z
GDN2	from 1501 up to 2000 mm	up to 2000 mm	brilliant	satinato	Z



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Cariba
solutions for every bathroom

NEW

Diversity that inspires.
The widest selection of shapes and variants in one series.

Cariba Line

Tuned look down to the smallest detail in perfect harmony of metal and glass. Let yourself be carried away by the wave of relaxation, dreaming and well-being ... Don't rush, you have just discovered it. The Cariba series brings the right solution for every bathroom.

■ Thanks to its simple shape the symmetrical handle fits perfectly in the hand

■ High-quality lifting mechanism for comfortable double-sided opening

■ Easy maintenance thanks to sophisticated technical elements



QUADRANT



CORNER



NICHE



„U“ CABIN

Cariba Line

solutions for every bathroom

innovated lifting
mechanism for opening



CI P55

quadrant shower enclosure
with a double-door opening with fixed part

- convenient entry through double-sided opening in and out
- standard height 2 000 mm
- precise design



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



■ The innovated lifting mechanism ensures easy door opening


■ Robust chrome finished metal handle

CI P55 (quadrant shower enclosure with a double-door opening)

NOVELTY
available from June 2022

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
CI P55/900	CI P55 090200 VPE	867-892	2023*	455	275-300	brilliant	transparent	0	883 €
CI P55/1000	CI P55 100200 VPE	967-992	2023*	455	375-400	brilliant	transparent	0	905 €

R - standard radius R550, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292)..



CI P55

Cariba Line
solutions for every bathroom

CI EPF + CI EPF

square or rectangular shower enclosure
with a double-door opening with fixed part



62

innovated lifting
mechanism for opening

6 mm ESG Tempered glass
Transparent



Profile colour
Brillant



focused on
easy maintenance

- standard height 2 000 mm
- metal functional elements ensuring a long product life
- convenient entry through double-sided opening in and out



- Flexible support bar allows you to set different angles and also solves any wall irregularities



■ **CI EPF + CI FXG** - combination of the single opening door and the side wall CI FXG

CI EPF (single opening shower door)


NOVELTY
available from June 2022

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
CI EPF/800	CI EPF 080200 VPE	767-792	2023*	475	275-300	brillant	transparent	0	423 €
CI EPF/900	CI EPF 090200 VPE	867-892	2023*	575	275-300	brillant	transparent	0	434 €
CI EPF/1000	CI EPF 100200 VPE	967-992	2023*	625	325-350	brillant	transparent	0	445 €
CI EPF/1100	CI EPF 110200 VPE	1067-1092	2023*	725	325-350	brillant	transparent	0	457 €
CI EPF/1200	CI EPF 120200 VPE	1167-1192	2023*	725	425-450	brillant	transparent	0	470 €


h* - height including supporting elements

CI EPF (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI EPF	up to 1400 mm	up to 2000 mm	brillant	transparent	Z
CI EPF	up to 1400 mm	up to 2000 mm	brillant	rauch	Z
CI EPF	up to 1400 mm	up to 2000 mm	brillant	satinato	Z




■ **CI EPF** - universal LEFT and RIGHT solution




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

■ **CI EPF + CI EPF**



■ **CI EPF + CI FXG**



63

Cariba Line
solutions for every bathroom

CI PIG + CI PIG

square or rectangular shower enclosure
with a double-door opening

innovated lifting
mechanism for opening

6 mm ESG Tempered glass
Transparent



Profile colour
Brillant



focused on
easy maintenance

- quality lifting mechanism for convenient opening inside and outside
- standard height 2 000 mm
- RothETC glass surface treatment for easy maintenance



■ Threshold strip with bottom seal ensures perfect tightness



■ **CI PIG + CI FXG** - combination of the single opening door and the side wall CI FXG

CI PIG (hinged shower door)


NOVELTY
available from June 2022

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
CI PIG/800	CI PIG 080200 VPE	767-792	2002*	675	brillant	transparent	0	378 €
CI PIG/900	CI PIG 090200 VPE	867-892	2002*	775	brillant	transparent	0	389 €
CI PIG/1000	CI PIG 100200 VPE	967-992	2002*	875	brillant	transparent	0	400 €


h* - height including supporting elements

CI PIG (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
CI PIG	up to 1000 mm	up to 2000 mm	brillant	transparent	Z
CI PIG	up to 1000 mm	up to 2000 mm	brillant	rauch	Z
CI PIG	up to 1000 mm	up to 2000 mm	brillant	satinato	Z




■ **CI PIG** - universal LEFT and RIGHT solution



■ **CI PIG + CI PIG**



■ **CI PIG + CI FXG**



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Cariba Line

solutions for every bathroom

CI 2CL + CI 2CR

square or rectangular shower enclosure
with folding shower door and pivot system




innovated lifting
mechanism for opening

6 mm ESG Tempered glass
Transparent



Profile colour
Brillant



quality processing
to the last detail

- possibility to fold the door completely to the wall
- quality sealing elements and convenient maintenance



- Embedded door hinges on the inside for easy cleaning



CI 2CL/ CI 2CR (folding shower door with pivot system)

NOVELTY
available from June 2022


type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method	Price
CI 2CL/800	CI 2CL 080200 VPE	767-792	2002*	335	340	brillant	transparent	0	594 €
CI 2CL/900	CI 2CL 090200 VPE	867-892	2002*	385	390	brillant	transparent	0	605 €
CI 2CL/1000	CI 2CL 100200 VPE	967-992	2002*	435	440	brillant	transparent	0	616 €
CI 2CR/800	CI 2CR 080200 VPE	767-792	2002*	335	340	brillant	transparent	0	594 €
CI 2CR/900	CI 2CR 090200 VPE	867-892	2002*	385	390	brillant	transparent	0	605 €
CI 2CR/1000	CI 2CR 100200 VPE	967-992	2002*	435	440	brillant	transparent	0	616 €

h* - height including supporting elements


CI 2CL/ CI 2CR (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI 2CL/CI 2CR	up to 1200 mm	up to 2000 mm	brillant	transparent	Z
CI 2CL/CI 2CR	up to 1200 mm	up to 2000 mm	brillant	rauch	Z
CI 2CL/CI 2CR	up to 1200 mm	up to 2000 mm	brillant	satinato	Z



■ CI 2CL + CI 2CR



■ CI 2CL+ CI FXG



■ CI FXG + CI 2CR



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Cariba Line

solutions for every bathroom

tuned design
of metal elements

focused on
easy maintenance



CI FXG

side wall for combination with opening
door CI EPF, CI PIG or CI 2CL/2CR

- RothETC glass surface treatment for easy maintenance
- universal LEFT and RIGHT solution
- glass height 1 978 mm



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



CI 2BT

double shower door for niche installation

- generous entrance with double-sided opening inside and outside
- quality sealing components and easy maintenance
- standard height 2 000 mm and a large selection of offered variants



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



CI FXG (side panel)								NOVELTY available from June 2022	
type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price	
CI FXG/800	CI FXG 080200 VPE	768-793	2001*	—	brilliant	transparent	0	280 €	
CI FXG/900	CI FXG 090200 VPE	868-893	2001*	—	brilliant	transparent	0	291 €	
CI FXG/1000	CI FXG 100200 VPE	968-993	2001*	—	brilliant	transparent	0	303 €	

h* - height including supporting elements



CI FXG (atypical customized solution)					
type	width (y)	height (h)	profile	glass	delivery method
CI FXG	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z
CI FXG	up to 1200 mm	up to 2000 mm	brilliant	rauch	Z
CI FXG	up to 1200 mm	up to 2000 mm	brilliant	satinato	Z

■ CI FXG - universal LEFT and RIGHT solution



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

CI 2BT (double pivot door for a niche)								NOVELTY available from June 2022	
type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price	
CI 2BT/800	CI 2BT 080200 VPE	760-810	2002*	305	brilliant	transparent	0	624 €	
CI 2BT/900	CI 2BT 090200 VPE	860-910	2002*	355	brilliant	transparent	0	635 €	
CI 2BT/1000	CI 2BT 100200 VPE	960-1010	2002*	405	brilliant	transparent	0	646 €	
CI 2BT/1100	CI 2BT 110200 VPE	1060-1110	2002*	455	brilliant	transparent	0	658 €	
CI 2BT/1200	CI 2BT 120200 VPE	1160-1210	2002*	505	brilliant	transparent	0	668 €	


h* - height including supporting elements



CI 2BT (atypical customized solution)					
type	width (y)	height (h)	profile	glass	delivery method
CI 2BT	up to 1800 mm	up to 2000 mm	brilliant	transparent	Z
CI 2BT	up to 1800 mm	up to 2000 mm	brilliant	rauch	Z
CI 2BT	up to 1800 mm	up to 2000 mm	brilliant	satinato	Z

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

CI 2BT



Cariba Line

solutions for every bathroom

innovated lifting
mechanism for opening

quality processing
to the last detail



CI PIF

single opening shower door with fixed element
for niche installation

- easy installation and reliable functionality
- RothETC glass surface treatment for easy maintenance
- convenient entry through double-sided opening in and out



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



CI PIV

single opening shower door
for niche installation

- standard height 2 000 mm
- quality lifting mechanism for convenient opening inside and outside
- RothETC glass surface treatment for easy maintenance



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

CI PIF (single shower door for a niche)

NOVELTY
available from June 2022




type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
CI PIF/800	CI PIF 080200 VPE	760-810	2023*	440	275-300	brilliant	transparent	0	519 €
CI PIF/900	CI PIF 090200 VPE	860-910	2023*	540	275-300	brilliant	transparent	0	530 €
CI PIF/1000	CI PIF 100200 VPE	960-1010	2023*	590	325-350	brilliant	transparent	0	542 €
CI PIF/1100	CI PIF 110200 VPE	1060-1110	2023*	690	325-350	brilliant	transparent	0	553 €
CI PIF/1200	CI PIF 120200 VPE	1160-1210	2023*	690	425-450	brilliant	transparent	0	564 €

h* - height including supporting elements

CI PIF (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI PIF	up to 1400 mm	up to 2000 mm	brilliant	transparent	Z
CI PIF	up to 1400 mm	up to 2000 mm	brilliant	rauch	Z
CI PIF	up to 1400 mm	up to 2000 mm	brilliant	satinato	Z

■ CI PIF - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

CI PIV (single shower door for a niche)

NOVELTY
available from June 2022




type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
CI PIV/800	CI PIV 080200 VPE	760-810	2002*	640	brilliant	transparent	0	419 €
CI PIV/900	CI PIV 090200 VPE	860-910	2002*	740	brilliant	transparent	0	430 €
CI PIV/1000	CI PIV 100200 VPE	960-1010	2002*	840	brilliant	transparent	0	441 €

h* - height including supporting elements

CI PIV (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI PIV	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z
CI PIV	up to 1000 mm	up to 2000 mm	brilliant	rauch	Z
CI PIV	up to 1000 mm	up to 2000 mm	brilliant	satinato	Z

■ CI PIV - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Cariba Line

solutions for every bathroom

innovated lifting
mechanism for opening



■ CI PIL

CI PIL / CI PIR

solution for niche installation
with folding door and pivot system

- possibility to fold the door completely to the wall
- quality sealing components and easy maintenance
- convenient entry through double-sided opening in and out



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

focused on
easy maintenance



■ CI RFL

CI RFL / CI RFR

solution for niche installation with fixed element
with folding door and pivot system

- standard height 2 000 mm
- popular folding doors extended by a fixed part for a generous niche door solution
- large selection of offered variants



6 mm ESG Tempered glass
Transparent




Profile colour
Brilliant

CI PIL / CI PIR (folding shower door for a niche)

NOVELTY
available from June 2022

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method	Price
CI PIL/800	CI PIL 080200 VPE	760-810	2002*	320	322	brilliant	transparent	0	665 €
CI PIL/900	CI PIL 090200 VPE	860-910	2002*	370	372	brilliant	transparent	0	676 €
CI PIL/1000	CI PIL 100200 VPE	960-1010	2002*	420	422	brilliant	transparent	0	687 €
CI PIL/1200	CI PIL 120200 VPE	1160-1210	2002*	520	522	brilliant	transparent	0	709 €
CI PIR/800	CI PIR 080200 VPE	760-810	2002*	320	322	brilliant	transparent	0	665 €
CI PIR/900	CI PIR 090200 VPE	860-910	2002*	370	372	brilliant	transparent	0	676 €
CI PIR/1000	CI PIR 100200 VPE	960-1010	2002*	420	422	brilliant	transparent	0	687 €
CI PIR/1200	CI PIR 120200 VPE	1160-1210	2002*	520	522	brilliant	transparent	0	709 €

h* - height including supporting elements



■ CI PIR



CI PIL / CI PIR (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI PIL/CI PIR	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z
CI PIL/CI PIR	up to 1200 mm	up to 2000 mm	brilliant	rauch	Z
CI PIL/CI PIR	up to 1200 mm	up to 2000 mm	brilliant	satinato	Z




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

CI RFL / CI RFR (folding shower door for a niche)

NOVELTY
available from June 2022

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	width (s)	profile	glass	delivery method	Price
CI RFL/1100	CI RFL 110200 VPE	1060-1110	2023*	370	372	275-300	brilliant	transparent	0	773 €
CI RFL/1200	CI RFL 120200 VPE	1160-1210	2023*	420	422	275-300	brilliant	transparent	0	784 €
CI RFL/1400	CI RFL 140200 VPE	1360-1410	2023*	420	422	475-500	brilliant	transparent	0	807 €
CI RFL/1600	CI RFL 160200 VPE	1560-1610	2023*	520	522	475-500	brilliant	transparent	0	829 €
CI RFR/1100	CI RFR 110200 VPE	1060-1110	2023*	370	372	275-300	brilliant	transparent	0	773 €
CI RFR/1200	CI RFR 120200 VPE	1160-1210	2023*	420	422	275-300	brilliant	transparent	0	784 €
CI RFR/1400	CI RFR 140200 VPE	1360-1410	2023*	420	422	475-500	brilliant	transparent	0	807 €
CI RFR/1600	CI RFR 160200 VPE	1560-1610	2023*	520	522	475-500	brilliant	transparent	0	829 €

h* - height including supporting elements



CI RFL / CI RFR (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI RFL/CI RFR	up to 1600 mm	up to 2000 mm	brilliant	transparent	Z
CI RFL/CI RFR	up to 1600 mm	up to 2000 mm	brilliant	rauch	Z
CI RFL/CI RFR	up to 1600 mm	up to 2000 mm	brilliant	satinato	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Cariba Line

solutions for every bathroom

tuned design
of metal elements



CI FXP

side wall with corner profile

- universal LEFT and RIGHT solution
- side wall for combination with a niche door
- or create a "U" cabin solution



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

CI FXP (side wall with corner profile)

NOVELTY
available from June 2022





type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
CI FXP/700	CI FXP 070200 VPE	652-702	2023*	—	brilliant	transparent	0	335 €
CI FXP/750	CI FXP 075200 VPE	702-752	2023*	—	brilliant	transparent	0	341 €
CI FXP/800	CI FXP 080200 VPE	752-802	2023*	—	brilliant	transparent	0	347 €
CI FXP/900	CI FXP 090200 VPE	852-902	2023*	—	brilliant	transparent	0	359 €
CI FXP/1000	CI FXP 100200 VPE	952-1002	2023*	—	brilliant	transparent	0	376 €

h* - height including supporting elements

CI FXP (atypical customized solution)

■ CI FXP - universal LEFT and RIGHT solution

type	width (y)	height (h)	profile	glass	delivery method
CI FXP	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z
CI FXP	up to 1200 mm	up to 2000 mm	brilliant	rauch	Z
CI FXP	up to 1200 mm	up to 2000 mm	brilliant	satinato	Z




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).


combination of door with CI FXP side wall




■ CI FXP + CI 2BT




■ CI FXP + CI 2BT + CI FXP




■ CI FXP + CI PIV




■ CI FXP + CI PIV




■ CI FXP + CI PIV + CI FXP




■ CI FXP + CI PIF




■ CI FXP + CI PIL(R)




■ CI FXP + CI PIL(R) + CI FXP



■ CI FXP + CI RFL(R)



■ CI FXP + CI C2L + CI C2R



■ CI FXP + CI PIV + CI FXP



■ CI PIF + CI FXP



CI FXO

additional side wall for installation
of CI PIG or CI EPF doors to a niche

- variable solution for easy creation of niche shower door
- create a width of shower door from 960 mm up to 1 810 mm
- universal LEFT and RIGHT solution



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



■ CI PIG + CI FXO



■ CI FXO + CI EPF

Choose the dimension you need!

By using this universal in-line side wall you can create truly perfect door for niche from the standard doors

CI PIG or **CI EPF...**

- Flexible support bar allows you to set different angles and also solves any wall irregularities



FXO (additional side panel to CI PIG or CI EPF)

NOVELTY
available from June 2022

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
CI FXO/230	CI FXO 023200 VPE	209 - 234	2023*	brillant	transparent	0	202 €
CI FXO/330	CI FXO 033200 VPE	309 - 334	2023*	brillant	transparent	0	214 €
CI FXO/430	CI FXO 043200 VPE	409 - 434	2023*	brillant	transparent	0	225 €
CI FXO/530	CI FXO 053200 VPE	509 - 534	2023*	brillant	transparent	0	236 €
CI FXO/630	CI FXO 063200 VPE	609 - 634	2023*	brillant	transparent	0	252 €

h* - height including supporting elements



■ Universal bottom door seal for installation with or without a threshold strip



FXO (atypical customized solution)



type	width (y)	height (h)	profile	glass	delivery method
CI FXO	up to 1000 mm	up to 2000 mm	brillant	transparent	Z
CI FXO	up to 1000 mm	up to 2000 mm	brillant	rauch	Z
CI FXO	up to 1000 mm	up to 2000 mm	brillant	satinato	Z



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).




Y (min-max)	CI EPF/800	CI EPF/900	CI EPF/1000	CI EPF/1100	CI EPF/1200	
	B	B	B	B	B	
CI FXO/230	A 209-234	960-1010	1060-1110	1160-1210	1260-1310	1360-1410
CI FXO/330	A 309-334	1060-1110	1160-1210	1260-1310	1360-1410	1460-1510
CI FXO/430	A 409-434	1160-1210	1260-1310	1360-1410	1460-1510	1560-1610
CI FXO/530	A 509-534	1260-1310	1360-1410	1460-1510	1560-1610	1660-1710
CI FXO/630	A 609-634	1360-1410	1460-1510	1560-1610	1660-1710	1760-1810

■ CI FXO - universal LEFT and RIGHT solution



Y (min-max)	CI PIG/800	CI PIG/900	CI PIG/1000	
	B	B	B	
CI FXO/230	A 209-234	960-1010	1060-1110	1160-1210
CI FXO/330	A 309-334	1060-1110	1160-1210	1260-1310
CI FXO/430	A 409-434	1160-1210	1260-1310	1360-1410
CI FXO/530	A 509-534	1260-1310	1360-1410	1460-1510
CI FXO/630	A 609-634	1360-1410	1460-1510	1560-1610

■ CI FXO - universal LEFT and RIGHT solution



Cariba Line
solutions for every bathroom

CI D2L / CI D2R

sliding shower door for niche installation
or for combination with side panel CI FXP



■ CI D2L

innovative sliding
door system

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



quality processing
to the last detail

- modern solution with barrier-free entrance
- tilting system of the bottom part allows easy maintenance
- quiet door movement thanks to modernized rollers



■ Innovated rollers for quiet and smooth door operation



■ CI D2L + CI FXP - sliding shower door with the side wall CI FXP

CI D2L/ CI D2R (sliding shower door)



NOVELTY
available from June 2022

type	ordering No.	installation width (y)	height (h)	entrance width (c)	side part width (s)	profile	glass	delivery method	Price
CI D2L/1200	CI D2L 120200 VPE	1160-1210	2002*	485	530-555	brilliant	transparent	0	531 €
CI D2L/1300	CI D2L 130200 VPE	1260-1310	2002*	535	580-605	brilliant	transparent	0	548 €
CI D2L/1400	CI D2L 140200 VPE	1360-1410	2002*	585	630-655	brilliant	transparent	0	559 €
CI D2L/1500	CI D2L 150200 VPE	1460-1510	2002*	635	680-705	brilliant	transparent	0	570 €
CI D2L/1600	CI D2L 160200 VPE	1560-1610	2002*	685	730-755	brilliant	transparent	0	591 €
CI D2R/1200	CI D2R 120200 VPE	1160-1210	2002*	485	530-555	brilliant	transparent	0	531 €
CI D2R/1300	CI D2R 130200 VPE	1260-1310	2002*	535	580-605	brilliant	transparent	0	548 €
CI D2R/1400	CI D2R 140200 VPE	1360-1410	2002*	585	630-655	brilliant	transparent	0	559 €
CI D2R/1500	CI D2R 150200 VPE	1460-1510	2002*	635	680-705	brilliant	transparent	0	570 €
CI D2R/1600	CI D2R 160200 VPE	1560-1610	2002*	685	730-755	brilliant	transparent	0	591 €

CI D2L/ CI D2R (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI D2L/CI D2R	up to 1600 mm	up to 2000 mm	brilliant	transparent	Z
CI D2L/CI D2R	up to 1600 mm	up to 2000 mm	brilliant	rauch	Z
CI D2L/CI D2R	up to 1600 mm	up to 2000 mm	brilliant	satinato	Z

■ CI D2L ■ CI D2R



■ CI D2L + CI FXP



■ CI D2R + CI FXP



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Cariba Line

solutions for every bathroom

CI C2L + CI C2R

square or rectangular shower enclosure
with two sliding doors

innovative sliding
door system

6 mm ESG Tempered glass
Transparent



Profile colour
Brillant



focused on
easy maintenance

- tilting system of the bottom part allows easy maintenance
- modern solution with barrier-free entrance
- square or rectangular solution with a suitable combination of left and right part



■ CI C2L + CI C2R



■ The solid bottom slider for easy tilting of the door allows easy maintenance even in inaccessible places



■ The upper rollers ensure smooth operation of the door



CI C2L / CI C2R (sliding shower door - left / right part)

NOVELTY
available from June 2022


type	ordering No.	installation width (y)	height (h)	entrance width (c)	side part width (s)	profile	glass	delivery method	Price
CI C2L - left part									
CI C2L/800	CI C2L 080200 VPE	775-800	2002*	428	340-365	brillant	transparent	0	429 €
CI C2L/900	CI C2L 090200 VPE	875-900	2002*	498	390-415	brillant	transparent	0	444 €
CI C2L/1000	CI C2L 100200 VPE	975-1000	2002*	569	440-465	brillant	transparent	0	404 €
CI C2L/1100	CI C2L 110200 VPE	1075-1100	2002*	640	490-515	brillant	transparent	0	459 €
CI C2L/1200	CI C2L 120200 VPE	1175-1200	2002*	710	540-565	brillant	transparent	0	488 €
CI C2R - right part									
CI C2R/800	CI C2R 080200 VPE	775-800	2002*	428	340-365	brillant	transparent	0	429 €
CI C2R/900	CI C2R 090200 VPE	875-900	2002*	498	390-415	brillant	transparent	0	444 €
CI C2R/1000	CI C2R 100200 VPE	975-1000	2002*	569	440-465	brillant	transparent	0	404 €
CI C2R/1100	CI C2R 110200 VPE	1075-1100	2002*	640	490-515	brillant	transparent	0	459 €
CI C2R/1200	CI C2R 120200 VPE	1175-1200	2002*	710	540-565	brillant	transparent	0	488 €



CI C2L / CI C2R (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI C2L/CI C2R	up to 1200 mm	up to 2000 mm	brillant	transparent	Z
CI C2L/CI C2R	up to 1200 mm	up to 2000 mm	brillant	rauch	Z
CI C2L/CI C2R	up to 1200 mm	up to 2000 mm	brillant	satinato	Z


■ CI C2L



■ CI C2R




■ CI C2L + CI C2R



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Tower Line

you can rely on



Tower Line

A photograph of three generations of women: a young woman, a young girl, and an older woman, all wearing white robes and smiling. They appear to be in a bathroom or spa setting, with towels and toiletries visible in the background.

Right in this series you will find a solution for every situation in the place of your daily relaxation

Opening through a special lifting mechanism both ways - inside and outside - in combination with high quality profiles in 2 variations of surface finishing, will find supporters everywhere, where it is necessary to solve the space variably and to use every free space.

■ easy entrance through a completely openable door, both inside and outside

■ universal left and right solution

■ superior lifting mechanism is a basic condition for easy door opening, sufficient tightness and long lasting durability of the enclosure

Tower Line

you can rely on

proven lifting system
of the door opening



TR1

quadrant shower enclosure
with a double-door opening

- easy entry through fully openable door, with opening in and out
- standard height 2000 mm
- high quality sealing elements and easy maintenance




6 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO / Silver (Elox) O1



■ The magnetic seal for secure closing



■ Threshold strip and bottom door seal




■ Ergonomic handle made of solid aluminum

TR1 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TR1/900	722-900000-00-02	870-890	2012*	660	—	brilliant	transparent	S	771 €
TR1/900	722-900000-01-02	870-890	2012*	660	—	silver	transparent	S	756 €
TR1/1000	722-100000-00-02	970-990	2012*	760	—	brilliant	transparent	O	841 €
TR1/1000	722-100000-01-02	970-990	2012*	760	—	silver	transparent	O	821 €

R - standard radius R550, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



Tower Line
you can rely on

proven lifting system
of the door opening


TR2 a TR2 Light

quadrant shower enclosure
with a double-door opening with fixed elements

6 mm ESG Tempered glass
Transparent 02



Profile colour
Brilliant 00 / Silver (Elox) 01



easy maintenance thanks
to the minimum of profiles

- easy entry through fully openable door, with opening in and out
- standard height 2000 mm
- high quality sealing elements and easy maintenance



■ Support bar of fixed part and lifting profile



■ The light version uses a different set of profiles and door handles - **TR2 Light**

TR2 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TR2/800	723-8000000-00-02	770-790	2019*	420	195-220	brilliant	transparent	0	935 €
TR2/800	723-8000000-01-02	770-790	2019*	420	195-220	silver	transparent	0	921 €
TR2/900	723-9000000-00-02	870-890	2019*	420	295-320	brilliant	transparent	S	944 €
TR2/900	723-9000000-01-02	870-890	2019*	420	295-320	silver	transparent	S	935 €
TR2/1000	723-1000000-00-02	970-990	2019*	420	395-420	brilliant	transparent	0	953 €
TR2/1000	723-1000000-01-02	970-990	2019*	420	395-420	silver	transparent	0	944 €


R - standard radius R550, h* - height including supporting elements

TR2 Light (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TR2 LIGHT 900	738-9000000-00-02	870-890	2017*	420	300-320	brilliant	transparent	S	862 €


R - standard radius R550, h* - height including supporting elements

■ TR2




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

■ TR2 Light



■ TR2 i TR2 Light



Tower Line

you can rely on

proven lifting system
of the door opening

TDO1 + TDO1

square or rectangular shower enclosure
with a double-door opening with fixed part




■ Adjustable brace for safe door stability



■ Aluminum handle in a modern design



■ Lifting profile with threshold strip and bottom seal




easy maintenance thanks
to the minimum of profiles

- quality lifting mechanism for convenient opening inside and outside
- standard height 2000 mm
- perfect tightness and long service life

TDO1 (hinged shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TDO1/800	724-800000-00-02	775-790	2019*	450	295-320	brilliant	transparent	S	474 €
TDO1/800	724-800000-01-02	775-790	2019*	450	295-320	silver	transparent	O	453 €
TDO1/900	724-900000-00-02	875-890	2019*	550	295-320	brilliant	transparent	S	494 €
TDO1/900	724-900000-01-02	875-890	2019*	550	295-320	silver	transparent	S	468 €
TDO1/1000	724-100000-00-02	975-990	2019*	650	295-320	brilliant	transparent	S	515 €
TDO1/1000	724-100000-01-02	975-990	2019*	650	295-320	silver	transparent	S	482 €
TDO1/1100	724-110000-00-02	1075-1090	2019*	650	395-420	brilliant	transparent	O	535 €
TDO1/1100	724-110000-01-02	1075-1090	2019*	650	395-420	silver	transparent	O	497 €
TDO1/1200	724-120000-00-02	1175-1190	2019*	750	395-420	brilliant	transparent	S	556 €
TDO1/1200	724-120000-01-02	1175-1190	2019*	750	395-420	silver	transparent	O	512 €

h* - height including supporting elements




■ TDO1 - universal LEFT and RIGHT solution!


TDO1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TDO1	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TDO1	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z
TDO1	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z
TDO1	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TDO1	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z

* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



Tower Line

you can rely on

proven lifting system
of the door opening

easy maintenance thanks
to the minimum of profiles



TB

side wall for combination with single opening door TDO1 or TCO1


- square or rectangular solution
- huge amount of combinations by size, profile, glass and door types
- quality support bar and sealing components for long service life



6 mm ESG Tempered glass
Transparent O2 / Intimglass 20



Profile colour
Brilliant OO / Silver (Elox) O1



TBL / TBP

side wall for combination with single opening door TDO1 or TCO1 in INTIMGLASS version

- in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solution


■ Corner profile with magnetic closing seal



TB (side panel to TDO1 or TCO1)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TB/700	725-7000000-00-02	675-690	2008*	—	brilliant	transparent	0	381 €
TB/700	725-7000000-01-02	675-690	2008*	—	silver	transparent	0	367 €
TB/750	725-7500000-00-02	725-740	2008*	—	brilliant	transparent	0	389 €
TB/750	725-7500000-01-02	725-740	2008*	—	silver	transparent	0	375 €
TB/800	725-8000000-00-02	775-790	2008*	—	brilliant	transparent	S	397 €
TB/800	725-8000000-01-02	775-790	2008*	—	silver	transparent	S	383 €
TB/900	725-9000000-00-02	875-890	2008*	—	brilliant	transparent	S	417 €
TB/900	725-9000000-01-02	875-890	2008*	—	silver	transparent	S	403 €
TB/1000	725-1000000-00-02	975-990	2008*	—	brilliant	transparent	S	439 €
TB/1000	725-1000000-01-02	975-990	2008*	—	silver	transparent	S	425 €

h* - height including supporting elements



TB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z

* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

TBL / TBP (side panel to TDO1 or TCO1 in Intimglass version)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TBL/800	725-800000L-00-20	775-790	2008*	—	brilliant	intimglass	0	536 €
TBL/800	725-800000L-01-20	775-790	2008*	—	silver	intimglass	0	522 €
TBL/900	725-900000L-00-20	875-890	2008*	—	brilliant	intimglass	0	556 €
TBL/900	725-900000L-01-20	875-890	2008*	—	silver	intimglass	0	542 €
TBL/1000	725-100000L-00-20	975-990	2008*	—	brilliant	intimglass	0	578 €
TBL/1000	725-100000L-01-20	975-990	2008*	—	silver	intimglass	0	564 €
TBP/800	725-800000P-00-20	775-790	2008*	—	brilliant	intimglass	0	536 €
TBP/800	725-800000P-01-20	775-790	2008*	—	silver	intimglass	0	522 €
TBP/900	725-900000P-00-20	875-890	2008*	—	brilliant	intimglass	0	556 €
TBP/900	725-900000P-01-20	875-890	2008*	—	silver	intimglass	0	542 €
TBP/1000	725-100000P-00-20	975-990	2008*	—	brilliant	intimglass	0	578 €
TBP/1000	725-100000P-01-20	975-990	2008*	—	silver	intimglass	0	564 €

h* - height including supporting elements / * in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solution


TDO1 + TB




TB + TDO1




TCO1 + TB




TB + TCO1



TBP



TBL



Tower Line
you can rely on

proven lifting system
of the door opening

easy maintenance thanks
to the minimum of profiles



TCO1 + TCO1

square or rectangular shower enclosure
with a double-door opening


- choose from a large number of door variants or combine a door with a TB wall
- standard height 2000 mm
- quality lifting mechanism for convenient opening inside and outside



6 mm ESG Tempered glass
Transparent O2 / Intimglass 20



Profile colour
Brilliant OO / Silver (Elox) O1



■ Lifting profile with high quality lifting mechanism




■ Handle made with precision and attention to detail

TCO1 (hinged shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TC01/800	727-8000000-00-02	775-795	2012*	710	brilliant	transparent	S	374 €
TC01/800	727-8000000-00-20	775-795	2012*	710	brilliant	intimglass	O	565 €
TC01/800	727-8000000-01-02	775-795	2012*	710	silver	transparent	O	350 €
TC01/800	727-8000000-01-20	775-795	2012*	710	silver	intimglass	O	541 €
TC01/900	727-9000000-00-02	875-895	2012*	810	brilliant	transparent	S	394 €
TC01/900	727-9000000-00-20	875-895	2012*	810	brilliant	intimglass	O	585 €
TC01/900	727-9000000-01-02	875-895	2012*	810	silver	transparent	S	371 €
TC01/900	727-9000000-01-20	875-895	2012*	810	silver	intimglass	O	562 €
TC01/1000	727-1000000-00-02	975-995	2012*	910	brilliant	transparent	S	415 €
TC01/1000	727-1000000-00-20	975-995	2012*	910	brilliant	intimglass	O	606 €
TC01/1000	727-1000000-01-02	975-995	2012*	910	silver	transparent	S	391 €
TC01/1000	727-1000000-01-20	975-995	2012*	910	silver	intimglass	O	582 €
TC01/1100	727-1100000-00-02	1075-1095	2012*	1010	brilliant	transparent	O	435 €
TC01/1100	727-1100000-00-20	1075-1095	2012*	1010	brilliant	intimglass	O	626 €
TC01/1100	727-1100000-01-02	1075-1095	2012*	1010	silver	transparent	O	412 €
TC01/1100	727-1100000-01-20	1075-1095	2012*	1010	silver	intimglass	O	603 €
TC01/1200	727-1200000-00-02	1175-1195	2012*	1110	brilliant	transparent	O	456 €
TC01/1200	727-1200000-00-20	1175-1195	2012*	1110	brilliant	intimglass	O	647 €
TC01/1200	727-1200000-01-02	1175-1195	2012*	1110	silver	transparent	O	432 €
TC01/1200	727-1200000-01-20	1175-1195	2012*	1110	silver	intimglass	O	624 €

h* - height including supporting elements





TCO1 (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
TC01	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TC01	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass	Z
TC01	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla	Z
TC01	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TC01	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato	Z

TCO1 + TCO1

TCO1 - universal LEFT and RIGHT solution



■ Lifting profile with threshold strip and bottom seal



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Tower Line you can rely on

easy maintenance thanks
to the minimum of profiles



■ TBD + TDO1

TBD

universal in-line side wall for TDO1 or TCO1 door
for niche installation

- variable solution for easy creation of niche shower door
- create a width of shower door from 955 mm up to 1 905 mm



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant O0 / Silver (Elox) O1



■ TBD + TCO1

Choose the dimension you need! By using this universal in-line side wall you can create truly perfect door for niche from the standard doors TDO1 or TCO1.

- High quality lifting mechanism for easy opening



TBD (universal in-line side wall for TDO1 or TCO1)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
TBD/240	744-0180000-00-02	212-237	2008*	brilliant	transparent	0	174 €
TBD/440	744-0380000-00-02	412-437	2008*	brilliant	transparent	0	203 €
TBD/640	744-0580000-00-02	612-637	2008*	brilliant	transparent	0	212 €
TBD/740	744-0680000-00-02	712-737	2008*	brilliant	transparent	0	285 €

* height including supporting elements



■ The flexible support bar ensures safe stability



TBD (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TBD	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z
TBD	up to 1000 mm	up to 2000 mm	brilliant	intimglass*	Z
TBD	up to 1000 mm	up to 2000 mm	brilliant	chinchilla	Z
TBD	up to 1000 mm	up to 2000 mm	brilliant	rauch	Z
TBD	up to 1000 mm	up to 2000 mm	brilliant	satinato	Z



* in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solutions



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).





Y (min-max)	TDO1/800	TDO1/900	TDO1/1000	TDO1/1100	TDO1/1200
	B	B	B	B	B
TBD/240 A	743-768	843-868	943-968	1043-1068	1143-1168
TBD/440 A	955-1005	1055-1105	1155-1205	1255-1305	1355-1405
TBD/640 A	1155-1205	1255-1305	1355-1405	1455-1505	1555-1605
TBD/740 A	1355-1405	1455-1505	1555-1605	1655-1705	1755-1805

■ TBD - universal LEFT and RIGHT solution



Y (min-max)	TCO1/800	TCO1/900	TCO1/1000	TCO1/1100	TCO1/1200
	B	B	B	B	B
TBD/240 A	756-771	856-871	956-971	1056-1071	1156-1171
TBD/440 A	968-1008	1068-1108	1168-1208	1268-1308	1368-1408
TBD/640 A	1168-1208	1268-1308	1368-1408	1468-1508	1568-1608
TBD/740 A	1368-1408	1468-1508	1568-1608	1668-1708	1768-1808

■ TBD - universal LEFT and RIGHT solution



Tower Line
you can rely on

proven lifting system
of the door opening

TZOL1 + TZOP1

square or rectangular shower enclosure
with folding shower door and pivot system

6 mm ESG Tempered glass
Transparent 02



Profile colour
Brilliant 00



TZOL1 + TZOP1

easy maintenance thanks
to the minimum of profiles

- easy entry through fully openable door, with opening inside and outside
- possibility to fold the door completely to the wall
- quality sealing components and easy maintenance



■ Embedded door hinges on the inside for easy cleaning



■ The square combination **TZOL1 + TZOP1** is nice, but you can assemble any combination of sizes


TZOP1 / TZOL1 (folding shower door with pivot system)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TZOP1/800	737-800000P-00-02	775-795	2012*	470	292-312	brilliant	transparent	0	538 €
TZOP1/900	737-900000P-00-02	875-895	2012*	470	392-412	brilliant	transparent	0	556 €
TZOP1/1000	737-100000P-00-02	975-995	2012*	570	392-412	brilliant	transparent	0	574 €
TZOP1/1100	737-110000P-00-02	1075-1095	2012*	570	492-512	brilliant	transparent	0	591 €
TZOP1/1200	737-120000P-00-02	1175-1195	2012*	670	492-512	brilliant	transparent	0	609 €
TZOL1/800	737-800000L-00-02	775-795	2012*	470	292-312	brilliant	transparent	0	538 €
TZOL1/900	737-900000L-00-02	875-895	2012*	470	392-412	brilliant	transparent	0	556 €
TZOL1/1000	737-100000L-00-02	975-995	2012*	570	392-412	brilliant	transparent	0	574 €
TZOL1/1100	737-110000L-00-02	1075-1095	2012*	570	492-512	brilliant	transparent	0	591 €
TZOL1/1200	737-120000L-00-02	1175-1195	2012*	670	492-512	brilliant	transparent	0	609 €

h* - height including supporting elements



TZOP1 / TZOL1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	intimglass	Z
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	rauch	Z
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	satinato	Z



■ TZOL1 + TZOP1

■ TB + TZOP1



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Tower Line you can rely on

easy maintenance thanks
to the minimum of profiles

proven lifting system
of the door opening



TZNL1 / TZNP1

shower door for niche installation
with folding parts and pivot system

- possibility to fold the door completely to the wall
- quality sealing components and easy maintenance
- RothETC glass surface treatment for easy maintenance



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO



TDN1

single opening shower door with fixed element
for niche installation

- easy entry thanks to both-way opening inside and outside
- RothETC glass surface treatment for easy maintenance
- easy installation and reliable functionality



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO / Silver (Elox) O1


TZNL1 / TZNP1 (folding shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	fixed part width (s)	profile	glass	delivery method	Price
TZNL1/800	739-800000L-00-02	775-810	2012*	470	267-292	brilliant	transparent	0	474 €
TZNL1/900	739-900000L-00-02	875-910	2012*	470	367-392	brilliant	transparent	0	515 €
TZNL1/1000	739-100000L-00-02	975-1010	2012*	570	367-392	brilliant	transparent	0	556 €
TZNL1/1100	739-110000L-00-02	1075-1110	2012*	570	467-492	brilliant	transparent	0	597 €
TZNL1/1200	739-120000L-00-02	1175-1210	2012*	670	467-492	brilliant	transparent	0	638 €
TZNP1/800	739-80000P-00-02	775-810	2012*	470	267-292	brilliant	transparent	0	474 €
TZNP1/900	739-90000P-00-02	875-910	2012*	470	367-392	brilliant	transparent	0	515 €
TZNP1/1000	739-100000P-00-02	975-1010	2012*	570	367-392	brilliant	transparent	0	556 €
TZNP1/1100	739-110000P-00-02	1075-1110	2012*	570	467-492	brilliant	transparent	0	597 €
TZNP1/1200	739-120000P-00-02	1175-1210	2012*	670	467-492	brilliant	transparent	0	638 €


h* - height including supporting elements



TZNL1



TZNP1



TZNL1 / TZNP1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TZNL1 / TZNP1	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z
TZNL1 / TZNP1	up to 1200 mm	up to 2000 mm	brilliant	chinchilla	Z
TZNL1 / TZNP1	up to 1200 mm	up to 2000 mm	brilliant	rauch	Z
TZNL1 / TZNP1	up to 1200 mm	up to 2000 mm	brilliant	satinato	Z



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

TDN1 (single shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TDN1/800	726-8000000-00-02	775-810	2019*	425	295-320	brilliant	transparent	0	541 €
TDN1/800	726-8000000-01-02	775-810	2019*	425	295-320	silver	transparent	0	518 €
TDN1/900	726-9000000-00-02	875-910	2019*	525	295-320	brilliant	transparent	S	576 €
TDN1/900	726-9000000-01-02	875-910	2019*	525	295-320	silver	transparent	S	553 €
TDN1/1000	726-1000000-00-02	975-1010	2019*	625	295-320	brilliant	transparent	S	612 €
TDN1/1000	726-1000000-01-02	975-1010	2019*	625	295-320	silver	transparent	S	588 €
TDN1/1100	726-1100000-00-02	1075-1110	2019*	625	395-420	brilliant	transparent	0	647 €
TDN1/1100	726-1100000-01-02	1075-1110	2019*	625	395-420	silver	transparent	0	624 €
TDN1/1200	726-1200000-00-02	1175-1210	2019*	725	395-420	brilliant	transparent	0	679 €
TDN1/1200	726-1200000-01-02	1175-1210	2019*	725	395-420	silver	transparent	0	656 €

h* - height including supporting elements

TDN1 - universal LEFT and RIGHT solution



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

TDN1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z

* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions

Tower Line
you can rely on

proven lifting system
of the door opening


TCN1

single opening shower door for niche installation
or for combination with side panel TCB

6 mm ESG Tempered glass
Transparent 02 / Intimglass 20



Profile colour
Brilliant 00 / Silver (Elox) 01



easy maintenance thanks
to the minimum of profiles

- standard height 2000 mm and large selection of offered variants
- quality lifting mechanism for convenient opening inside and outside
- RothETC glass surface treatment for easy maintenance



■ The upper part of the TCN1 lifting and wall profile assembly

TCN1 (single shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TCN1/800	728-8000000-00-02	775-810	2012*	680	brilliant	transparent	S	450 €
TCN1/800	728-8000000-00-20	775-810	2012*	680	brilliant	intimglass	0	641 €
TCN1/800	728-8000000-01-02	775-810	2012*	680	silver	transparent	0	429 €
TCN1/800	728-8000000-01-20	775-810	2012*	680	silver	intimglass	0	621 €
TCN1/900	728-9000000-00-02	875-910	2012*	780	brilliant	transparent	S	476 €
TCN1/900	728-9000000-00-20	875-910	2012*	780	brilliant	intimglass	0	668 €
TCN1/900	728-9000000-01-02	875-910	2012*	780	silver	transparent	S	456 €
TCN1/900	728-9000000-01-20	875-910	2012*	780	silver	intimglass	0	647 €
TCN1/1000	728-1000000-00-02	975-1010	2012*	880	brilliant	transparent	S	503 €
TCN1/1000	728-1000000-00-20	975-1010	2012*	880	brilliant	intimglass	0	694 €
TCN1/1000	728-1000000-01-02	975-1010	2012*	880	silver	transparent	S	482 €
TCN1/1000	728-1000000-01-20	975-1010	2012*	880	silver	intimglass	0	674 €
TCN1/1100	728-1100000-00-02	1075-1110	2012*	980	brilliant	transparent	0	529 €
TCN1/1100	728-1100000-00-20	1075-1110	2012*	980	brilliant	intimglass	0	721 €
TCN1/1100	728-1100000-01-02	1075-1110	2012*	980	silver	transparent	0	509 €
TCN1/1100	728-1100000-01-20	1075-1110	2012*	980	silver	intimglass	0	700 €
TCN1/1200	728-1200000-00-02	1175-1210	2012*	1080	brilliant	transparent	0	556 €
TCN1/1200	728-1200000-00-20	1175-1210	2012*	1080	brilliant	intimglass	0	747 €
TCN1/1200	728-1200000-01-02	1175-1210	2012*	1080	silver	transparent	0	535 €
TCN1/1200	728-1200000-01-20	1175-1210	2012*	1080	silver	intimglass	0	726 €

h* - height including supporting elements



TCN1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass	Z
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla	Z
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato	Z

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



■ TCN1 - universal LEFT and RIGHT solution



Tower Line

you can rely on

proven lifting system
of the door opening

easy maintenance thanks
to the minimum of profiles



TCN2

double opening shower door for niche installation
or for combination with side panel TCB

- generous entrance with double-sided opening inside and outside
- quality sealing components and easy maintenance
- RothETC glass surface treatment for easy maintenance



6 mm ESG Tempered glass
Transparent O2 / Intimglass 20




Profile colour
Brillant O0 / Silver (Elox) O1

TCN2 (double pivot door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TCN2/800	731-8000000-00-02	785-820	2012*	320	brilliant	transparent	S	512 €
TCN2/800	731-8000000-00-20	785-820	2012*	320	brilliant	intimglass	O	703 €
TCN2/800	731-8000000-01-02	785-820	2012*	320	silver	transparent	O	491 €
TCN2/800	731-8000000-01-20	785-820	2012*	320	silver	intimglass	O	682 €
TCN2/900	731-9000000-00-02	885-920	2012*	370	brilliant	transparent	S	526 €
TCN2/900	731-9000000-00-20	885-920	2012*	370	brilliant	intimglass	O	718 €
TCN2/900	731-9000000-01-02	885-920	2012*	370	silver	transparent	S	506 €
TCN2/900	731-9000000-01-20	885-920	2012*	370	silver	intimglass	O	697 €
TCN2/1000	731-1000000-00-02	985-1020	2012*	420	brilliant	transparent	S	541 €
TCN2/1000	731-1000000-00-20	985-1020	2012*	420	brilliant	intimglass	O	732 €
TCN2/1000	731-1000000-01-02	985-1020	2012*	420	silver	transparent	S	521 €
TCN2/1000	731-1000000-01-20	985-1020	2012*	420	silver	intimglass	O	712 €
TCN2/1100	731-1100000-00-02	1085-1120	2012*	470	brilliant	transparent	O	556 €
TCN2/1100	731-1100000-00-20	1085-1120	2012*	470	brilliant	intimglass	O	747 €
TCN2/1100	731-1100000-01-02	1085-1120	2012*	470	silver	transparent	O	535 €
TCN2/1100	731-1100000-01-20	1085-1120	2012*	470	silver	intimglass	O	726 €
TCN2/1200	731-1200000-00-02	1185-1220	2012*	520	brilliant	transparent	S	571 €
TCN2/1200	731-1200000-00-20	1185-1220	2012*	520	brilliant	intimglass	O	762 €
TCN2/1200	731-1200000-01-02	1185-1220	2012*	520	silver	transparent	O	550 €
TCN2/1200	731-1200000-01-20	1185-1220	2012*	520	silver	intimglass	O	741 €

h* - height including supporting elements

 Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



TCB

side panel for combination with opening doors
TCN1 or TCN2

- RothETC glass surface treatment for easy maintenance
- universal left and right solution




6 mm ESG Tempered glass
Transparent O2




Profile colour
Brillant O0 / Silver (Elox) O1

■ TCN1 + TCB



■ TCN2 + TCB



TCB (side panel to TCN2 / TCN1)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TCB/800	741-8000000-00-02	775-800	2025*	—	brilliant	transparent	O	415 €
TCB/800	741-8000000-01-02	775-800	2025*	—	silver	transparent	O	394 €
TCB/900	741-9000000-00-02	875-900	2025*	—	brilliant	transparent	S	429 €
TCB/900	741-9000000-01-02	875-900	2025*	—	silver	transparent	O	400 €
TCB/1000	741-1000000-00-02	975-1000	2025*	—	brilliant	transparent	O	444 €
TCB/1000	741-1000000-01-02	975-1000	2025*	—	silver	transparent	O	424 €

h* - height including supporting elements

TCB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z

* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions

TCN2 (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	transparent	Z
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	intimglass	Z
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	chinchilla	Z
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	rauch	Z
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	satinato	Z

 Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Tower Line
you can rely on

TDN2

double shower door with fixed part for niche installation



proven lifting system
of the door opening

6 mm ESG Tempered glass
Transparent O2




Profile colour
Brilliant OO / Silver (Elox) O1



easy maintenance thanks
to the minimum of profiles

- RothETC glass surface treatment for easy maintenance
- quality lifting mechanism for convenient opening inside and outside

■ TDN2



■ Door profile with quality lifting mechanism

TDN2 (double pivot door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TDN2/1100	721-1100000-00-02	1060–1110	2012*	330	195–220	brilliant	transparent	0	776 €
TDN2/1100	721-1100000-01-02	1060–1110	2012*	330	195–220	silver	transparent	0	756 €
TDN2/1200	721-1200000-00-02	1160–1210	2012*	330	245–270	brilliant	transparent	0	809 €
TDN2/1200	721-1200000-01-02	1160–1210	2012*	330	245–270	silver	transparent	0	788 €
TDN2/1300	721-1300000-00-02	1260–1310	2012*	430	195–220	brilliant	transparent	0	844 €
TDN2/1300	721-1300000-01-02	1260–1310	2012*	430	195–220	silver	transparent	0	824 €
TDN2/1400	721-1400000-00-02	1360–1410	2012*	430	245–270	brilliant	transparent	0	879 €
TDN2/1400	721-1400000-01-02	1360–1410	2012*	430	245–270	silver	transparent	0	859 €
TDN2/1500	721-1500000-00-02	1460–1510	2012*	530	195–220	brilliant	transparent	0	915 €
TDN2/1500	721-1500000-01-02	1460–1510	2012*	530	195–220	silver	transparent	0	894 €

h* - height including supporting elements

TDN2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	transparent	Z
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	intimglass	Z
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	chinchilla	Z
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	rauch	Z
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	satinato	Z
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	transparent	Z
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	intimglass	Z
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	chinchilla	Z
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	rauch	Z
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	satinato	Z

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269–292).

Tower Line
you can rely on

inspiration for unusual
shower space solutions



TCW1 + TBS

single fixed wall with one pivoting element
and selfstanding side panel

- short pivoting door functions as a smart solution against spray of water
- single fixed wall is stabilised with telescopic support bar
- selfstanding side panel TBS offers a wide range of possibilities




6 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO

easy maintenance thanks
to the minimum of profiles



■ Separately used product **TCW1**



■ Telescopic support bar lenght up to 1 500 mm

TCW1 (single fixed panel with one pivoting element)

type	ordering No.	installation width (y)	height (h)	pivoting element width (c)	profile	glass	delivery method	Price
TCW1/800	745-8000000-00-02	765-790	2025*	383	brillant	transparent	0	612 €
TCW1/900	745-9000000-00-02	865-890	2025*	383	brillant	transparent	0	638 €
TCW1/1000	745-1000000-00-02	965-990	2025*	383	brillant	transparent	0	668 €
TCW1/1200	745-1200000-00-02	1165-1190	2025*	383	brillant	transparent	0	726 €
TCW1/1400	745-1400000-00-02	1365-1390	2025*	383	brillant	transparent	0	785 €

h* - height including supporting elements



EasyLockclean glass protection

TBS (selfstanding side wall)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
TBS/800	746-8000000-00-02	760-785	2008*	brillant	transparent	0	262 €
TBS/900	746-9000000-00-02	860-885	2008*	brillant	transparent	0	271 €
TBS/1000	746-1000000-00-02	960-985	2008*	brillant	transparent	0	279 €

h* - height including supporting elements


It is suitable to use the side wall TBS as an additional product to TCW1. This gives a variable solution to your shower enclosure regardless of its installation size. TBS you can place at any distance from the corner.

TCW1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TCW1	up to 1600 mm	up to 2000 mm	brillant	transparent	Z
TCW1	up to 1600 mm	up to 2000 mm	brillant	intimglass*	Z
TCW1	up to 1600 mm	up to 2000 mm	brillant	rauch	Z
TCW1	up to 1600 mm	up to 2000 mm	brillant	satinato	Z

* in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solutions

TCW1 - universal LEFT and RIGHT solution



TBS (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TBS	up to 1200 mm	up to 2000 mm	brillant	transparent	Z
TBS	up to 1200 mm	up to 2000 mm	brillant	intimglass*	Z
TBS	up to 1200 mm	up to 2000 mm	brillant	rauch	Z
TBS	up to 1200 mm	up to 2000 mm	brillant	satinato	Z

* in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solutions



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).


Ambient Line
purity of shapes



Purity of shapes and revolutionary design combined with an exceptional sliding mechanism

Ambient Line

By the use of high quality components made out of chrome-plated brass we achieved an unbeatably quiet operation. Standard height of 2 metres with a possibility of any door size combination will truly alleviate your worries about planning of your place for relaxation and wellness.



■ universal sliding door for a niche or in combination with a side panel

■ standard door dimensions from 1 200 to 1 500 mm

■ magnetic seal closure ensures improved tightness

Ambient Line

purity of shapes

unbeatably quiet
rollers operation



AMR2N

quadrant shower enclosure
with double sliding doors

- high quality components made out of chrome-plated brass have unbeatably quiet operation
- modern design with visible rollers
- RothETC glass surface treatment for easy maintenance



8 mm ESG Tempered glass
Transparent 02



Profile colour
Brillant 00



■ Magnetic seal closure with bottom door seal for perfect water-tightness




■ Quality stainless steel rollers for quiet operation

AMR2N (quadrant shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
AMR2N/900	624-9000000-00-02	885–895	2000	510	brilliant	transparent	S	1 050 €
AMR2N/1000	624-1000000-00-02	985–995	2000	510	brilliant	transparent	O	1 097 €

R - standard radius R550



AMR2N

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269–292).

Ambient Line

purity of shapes

unbeatably quiet
rollers operation



AMD2

sliding shower door for niche installation
or in combination with a side panel AMB

- standard door dimensions from 1 200 to 1 500 mm
- modern design with visible rollers
- the possibility to order any glass with „mirror effect“ finishing option - see next double page



8 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO



AMB

side panel for combination
with sliding door AMD2

- magnetic seal closure to ensure improved water tightness
- RothETC glass surface treatment for easy maintenance
- the possibility of „mirror effect“ option - see next double page



8 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO

AMD2 (sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
AMD2/1200	620-1200000-00-02	1100-1200	2000	410-510	brilliant	transparent	S	665 €
AMD2/1300	620-1300000-00-02	1200-1300	2000	460-560	brilliant	transparent	S	694 €
AMD2/1400	620-1400000-00-02	1300-1400	2000	510-610	brilliant	transparent	S	724 €
AMD2/1500	620-1500000-00-02	1400-1500	2000	560-660	brilliant	transparent	S	756 €



AMD2 (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
AMD2	up to 1800 mm	up to 2000 mm	brilliant	transparent	Z



■ Stainless steel ball bearing rollers

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

■ AMD2 - universal LEFT and RIGHT solution



AMB (side panel for combination with sliding door AMD2)

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
AMB/800	621-8000000-00-02	780-790	2000	-	brilliant	transparent	S	288 €
AMB/900	621-9000000-00-02	880-890	2000	-	brilliant	transparent	S	326 €




AMB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
AMB	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z

■ AMD2 + AMB

■ AMB + AMD2

■ AMB + AMD2 + AMB



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

■ AMB + AMD2 + AMB



In addition - practical
mirror right on the enclosure

Mirror effect

Do you want to have a large mirror that really shows you from head to toe? Or would you like to optically enlarge the space of your bathroom? You can get both straight as part of your new shower.

When you order the shower enclosure, you can also order the mirror effect. Your selected glass will be coated by special layer allowing you to have a practical mirror in your bathroom.

The bathroom area will look more attractive, bigger and it will get another dimension. The mirror effect can be ordered for all models of WALK IN LINE and for AMBIENT LINE - models AMD2 and AMB.



■ WALK G - offers a truly large mirror format


■ AMD2 with both glass panes in „mirror effect“ finishing in combination with side panel AMB



Choose, where the mirror effect will be placed

XXX-XXXXXX-XX-XX	941-1400000-00-51
GLASS TYPE	model profile colour glass type

WALK H / 1400
OO - Brillant
51 - I. Mirror




■ WALK IN LINE
AMBIENT LINE

mirror effect
surcharge for 1 piece of glass selected according to the offer

MIRROR EFFECT	delivery method	PRICE
MIRROR EFFECT	glass size: 0 - 1500 mm	Z 250 €

XXX-XXXXXX-XX-XX	620-130000L-00-54
MODEL NO.	LEFT / RIGHT PROFILE COLOUR GLASS TYPE

AMD2 / 1300
L - Left
OO - Brillant
54 - I. Transparent + II. Mirror



AMD2

AMD2 - left

Door glass



mirror effect	I.	II.	Glass type ID	left/right ID
mirror effect	●	●	52	L
	●	●	53	L
	●	●	54	L

AMD2

AMD2 - right

Door glass

mirror effect	I.	II.	Glass type ID	left/right ID
mirror effect	●	●	52	P
	●	●	53	P
	●	●	54	P



Exclusive Line
in a modern style




A new generation of our traditional line brings features, which make it unique

Exclusive Line

Extra height exceeding 2 metres, frameless bottom part, a solid and practical handle - this all determines this line to be successful and meet the requirements of modern lifestyle.

- extra height exceeding 2 metres
- robust pivoting hinge completes the solid design and ensures reliability of the pivot solution
- tilting system of frameless bottom part combines the barrier free solution with cleaning possibilities



Exclusive Line
in a modern style

ECR2N

quadrant shower enclosure
with two sliding doors

- extra height exceeding 2 metres
- solid handle complements the precise design and ensures the convenience of door opening
- tilting system of the bottom part for easy maintenance



6 mm ESG Tempered glass
Transparent 02



Profile colour
Brilliant 00 / Black elox 05



■ Solid handle made out of polished stainless steel



■ Durable rollers with a diameter of 30 mm



■ Tilting system of the bottom part allows easy maintenance




■ Protective aluminium profile

ECR2N (quadrant shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
ECR2N/900	561-9000000-00-02	875-900	2050	520	brilliant	transparent	S	828 €
ECR2N/900	561-9000000-05-02	875-900	2050	520	black elox	transparent	0	828 €
ECR2N/1000	561-1000000-00-02	975-1000	2050	520	brilliant	transparent	0	864 €
ECR2N/1000	561-1000000-05-02	975-1000	2050	520	black elox	transparent	0	864 €

R - standard radius R550, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



precise design
and reliability

Extra height exceeding
2 metres, frameless bottom part,
solid and practical handle.



ECR2N

Exclusive Line in a modern style

ECS2L + ECS2P

square or rectangular shower enclosure
with two sliding door

- choice of two types of profile
Brilliant or Black elox
- extra height over 2 metres
- 5-year extended warranty



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brillant O0 / Black elox O5



robust frame
ensures stability

black elegance
in a new design



ECS2L, ECS2P (sliding shower door - left / right part)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
ECS2L - left part								
ECS2L/800	560-800000L-00-02	775-800	2050	420	brilliant	transparent	S	351 €
ECS2L/800	560-800000L-05-02	775-800	2050	420	black elox	transparent	O	351 €
ECS2L/900	560-900000L-00-02	875-900	2050	485	brilliant	transparent	S	379 €
ECS2L/900	560-900000L-05-02	875-900	2050	485	black elox	transparent	O	379 €
ECS2L/1000	560-100000L-00-02	975-1000	2050	550	brilliant	transparent	O	407 €
ECS2L/1000	560-100000L-05-02	975-1000	2050	550	black elox	transparent	O	407 €
ECS2L/1100	560-110000L-00-02	1075-1100	2050	620	brilliant	transparent	O	435 €
ECS2L/1100	560-110000L-05-02	1075-1100	2050	620	black elox	transparent	O	435 €
ECS2L/1200	560-120000L-00-02	1175-1200	2050	690	brilliant	transparent	O	463 €
ECS2L/1200	560-120000L-05-02	1175-1200	2050	690	black elox	transparent	O	463 €
ECS2P - right part								
ECS2P/800	560-800000P-00-02	775-800	2050	420	brilliant	transparent	S	351 €
ECS2P/800	560-800000P-05-02	775-800	2050	420	black elox	transparent	O	351 €
ECS2P/900	560-900000P-00-02	875-900	2050	485	brilliant	transparent	S	379 €
ECS2P/900	560-900000P-05-02	875-900	2050	485	black elox	transparent	O	379 €
ECS2P/1000	560-100000P-00-02	975-1000	2050	550	brilliant	transparent	O	407 €
ECS2P/1000	560-100000P-05-02	975-1000	2050	550	black elox	transparent	O	407 €
ECS2P/1100	560-110000P-00-02	1075-1100	2050	620	brilliant	transparent	O	435 €
ECS2P/1100	560-110000P-05-02	1075-1100	2050	620	black elox	transparent	O	435 €
ECS2P/1200	560-120000P-00-02	1175-1200	2050	690	brilliant	transparent	O	463 €
ECS2P/1200	560-120000P-05-02	1175-1200	2050	690	black elox	transparent	O	463 €



h* - height including supporting elements

ECS2L, ECS2P (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
ECS2L	up to 1200 mm	up to 2050 mm	brilliant / black elox	transparent	Z
ECS2P	up to 1200 mm	up to 2050 mm	brilliant / black elox	transparent	Z

h* - height including supporting elements

■ ECS2L



■ ECS2P



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Exclusive Line
in a modern style

ECDO1N

single opening shower door for a niche
or in combination with a side panel ECDBN

polished or black
aluminium profile

6 mm ESG Tempered glass
Transparent 02



Profile colour
Brilliant 00 / Black elox 05



first class tightness
and extra height

- robust pivoting hinge completes the solid design and ensures reliability of the pivot solution
- solid multifunctional handle
- standard height 2 050 mm



■ New design profile in Black elox finishing

■ Robust handle for easy grip underlining the lightness of the Exclusive Line series

■ Pivoting mechanism ensures both-ways opening in chrome surface finishing




■ ECDO1N

ECDO1 (double shower door for a niche)


type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
ECDO1N/800	562-8000000-00-02	775-815	2050	525	brilliant	transparent	S	511 €
ECDO1N/800	562-8000000-05-02	775-815	2050	525	black elox	transparent	0	511 €
ECDO1N/900	562-9000000-00-02	875-915	2050	625	brilliant	transparent	S	525 €
ECDO1N/900	562-9000000-05-02	875-915	2050	625	black elox	transparent	0	525 €
ECDO1N/1000	562-1000000-00-02	975-1015	2050	725	brilliant	transparent	S	542 €
ECDO1N/1000	562-1000000-05-02	975-1015	2050	725	black elox	transparent	0	542 €
ECDO1N/1100	562-1100000-00-02	1075-1115	2050	725	brilliant	transparent	0	558 €
ECDO1N/1100	562-1100000-05-02	1075-1115	2050	725	black elox	transparent	0	558 €

■ ECDO1N- universal
LEFT and RIGHT solution



ECDO1N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
ECDO1N	up to 1100 mm	up to 2050 mm	brilliant	transparent	Z
ECDO1N	up to 1100 mm	up to 2050 mm	black elox	transparent	Z



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Exclusive Line
in a modern style

easy and practical
maintenance



ECD2L / ECD2P

sliding shower door for niche installation
or for combination with side panel ECDBN

- standard height 2 050 mm
- large rollers with diameter of 30 mm
with stainless steel ball bearers for smooth movement



6 mm ESG Tempered glass
Transparent 02



Profile colour
Brillant 00 / Black elox 05




■ Bottom tilting for easy maintenance

ECD2L / ECD2P (sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
ECD2L - left								
ECD2L / 1200	564-120000L-00-02	1170 – 1215	2050	490	brilliant	transparent	0	539 €
ECD2L / 1200	564-120000L-05-02	1170 – 1215	2050	490	black elox	transparent	0	539 €
ECD2L / 1300	564-130000L-00-02	1270 – 1315	2050	540	brilliant	transparent	0	567 €
ECD2L / 1300	564-130000L-05-02	1270 – 1315	2050	540	black elox	transparent	0	567 €
ECD2L / 1400	564-140000L-00-02	1370 – 1415	2050	590	brilliant	transparent	0	594 €
ECD2L / 1400	564-140000L-05-02	1370 – 1415	2050	590	black elox	transparent	0	594 €
ECD2L / 1500	564-150000L-00-02	1470 – 1515	2050	640	brilliant	transparent	0	622 €
ECD2L / 1500	564-150000L-05-02	1470 – 1515	2050	640	black elox	transparent	0	622 €
ECD2P - right								
ECD2P / 1200	565-120000P-00-02	1170 – 1215	2050	490	brilliant	transparent	5	539 €
ECD2P / 1200	565-120000P-05-02	1170 – 1215	2050	490	black elox	transparent	0	539 €
ECD2P / 1300	565-130000P-00-02	1270 – 1315	2050	540	brilliant	transparent	0	567 €
ECD2P / 1300	565-130000P-05-02	1270 – 1315	2050	540	black elox	transparent	0	567 €
ECD2P / 1400	565-140000P-00-02	1370 – 1415	2050	590	brilliant	transparent	0	594 €
ECD2P / 1400	565-140000P-05-02	1370 – 1415	2050	590	black elox	transparent	0	594 €
ECD2P / 1500	565-150000P-00-02	1470 – 1515	2050	640	brilliant	transparent	0	622 €
ECD2P / 1500	565-150000P-05-02	1470 – 1515	2050	640	black elox	transparent	0	622 €

h* - height including supporting elements



ECD2L / ECD2P (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
ECD2L	up to 1500 mm	up to 2050 mm	brilliant / black elox	transparent	Z
ECD2P	up to 1500 mm	up to 2050 mm	brilliant / black elox	transparent	Z

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269–292).



Exclusive Line
in a modern style

ECDBN

side panel for combination
with door ECDO1N or ECD2L(P)



varied selection
of door types


6 mm ESG Tempered glass
Transparent O2



Profile colour
Brillant O0 / Black elox O5



colour finishing
of profiles




ECDBN (side panel to shower door ECDO1N, ECD2L(P))

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
ECDBN / 800	563-8000000-00-02	775-815	2050	brillant	transparent	S	279 €
ECDBN / 800	563-8000000-05-02	775-815	2050	black elox	transparent	O	279 €
ECDBN / 900	563-9000000-00-02	875-915	2050	brillant	transparent	S	326 €
ECDBN / 900	563-9000000-05-02	875-915	2050	black elox	transparent	O	326 €
ECDBN / 1000	563-1000000-00-02	975-1015	2050	brillant	transparent	S	344 €
ECDBN / 1000	563-1000000-05-02	975-1015	2050	black elox	transparent	O	344 €


ECDBN (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
ECDBN	to 1100 mm	to 2050 mm	brillant	transparent	Z
ECDBN	to 1100 mm	to 2050 mm	black elox	transparent	Z


■ ECDO1N + ECDBN




■ ECDBN + ECDO1N



■ ECD2P + ECDBN



■ ECDBN + ECD2L



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Proxima Line

success is guaranteed

The most successful line of recent years
has been complemented with new models

Proxima Line

6 mm safety glass, RothETC glass protection
together with a newly specified standard
height of 2 metres, allows extensive
combinations with designed acrylic
or cast marble trays.

■ adjustable pivot door hinges
ensure easy installation

■ long durability rollers with
bottom tilt function for easier
shower enclosure cleaning

■ functional towel holder
on PXD2N model



Proxima Line
success is guaranteed

large selection of glass types
and profile colours



PXR2N

quadrant shower enclosure
with two sliding doors

- PXR2N model available in two heights
1 850 or 2 000 mm



6 mm ESG Tempered glass
Transparent 02 / Satinato 15 /
Chinchilla 03



Profile colour
Brilliant 00



■ Handle in Brilliant surface finishing



■ Polished aluminium profiles



■ Ball bearing rollers with long service life




■ Bottom tilt function for easy maintenance

PXR2N (quadrant shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
PXR2N - height 1 850 mm								
PXR2N/800	531-800R55N-00-02	780-805	1850	380	brilliant	transparent	S	565 €
PXR2N/800	531-800R55N-00-15	780-805	1850	380	brilliant	satinato	O	658 €
PXR2N/900	531-900R55N-00-02	880-905	1850	520	brilliant	transparent	S	630 €
PXR2N/900	531-900R55N-00-15	880-905	1850	520	brilliant	satinato	S	723 €
PXR2N/900	531-900R55N-00-03	880-905	1850	520	brilliant	chinchilla	S	903 €
PXR2N/1000	531-100R55N-00-02	980-1005	1850	520	brilliant	transparent	S	693 €
PXR2N/1000	531-100R55N-00-15	980-1005	1850	520	brilliant	satinato	O	778 €
PXR2N - height 2 000 mm								
PXR2N/800	532-800R55N-00-02	780-805	2000	380	brilliant	transparent	S	600 €
PXR2N/900	532-900R55N-00-02	880-905	2000	520	brilliant	transparent	S	633 €
PXR2N/900	532-900R55N-00-03	880-905	2000	520	brilliant	chinchilla	S	893 €
PXR2N/1000	532-100R55N-00-02	980-1005	2000	520	brilliant	transparent	O	665 €

R - standard radius R550, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).




■ PXR2N

Proxima Line
success is guaranteed

ball bearing rollers
with long service life

PXS2L + PXS2P

square or rectangular shower enclosure
with two sliding doors



132

■ PXS2L + PXS2P

6 mm ESG Tempered glass
Transparent 02 / Satinato 15



Profile colour
Brillant 00



bottom tilting
for easy maintenance

- 6mm safety glass
- RothETC glass protection against limescale deposits



■ Ball bearing rollers with long service life and bottom tilt function for easy maintenance



■ Perfect details processing


PXS2L, PXS2P 2-sectional sliding door (left / right side)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
PXS2L - left side / height 1 850 mm								
PXS2L/800	537-8000000-00-02	785-810	1850	385	brillant	transparent	S	295 €
PXS2L/800	537-8000000-00-15	785-810	1850	385	brillant	satinato	O	310 €
PXS2L/900	537-9000000-00-02	885-910	1850	455	brillant	transparent	S	328 €
PXS2L/900	537-9000000-00-15	885-910	1850	455	brillant	satinato	O	343 €
PXS2L/1000	537-1000000-00-02	985-1010	1850	525	brillant	transparent	S	360 €
PXS2L/1000	537-1000000-00-15	985-1010	1850	525	brillant	satinato	O	375 €
PXS2LP - right side / height 1 850 mm								
PXS2P/800	538-8000000-00-02	785-810	1850	385	brillant	transparent	S	295 €
PXS2P/800	538-8000000-00-15	785-810	1850	385	brillant	satinato	O	310 €
PXS2P/900	538-9000000-00-02	885-910	1850	455	brillant	transparent	S	328 €
PXS2P/900	538-9000000-00-15	885-910	1850	455	brillant	satinato	O	343 €
PXS2P/1000	538-1000000-00-02	985-1010	1850	525	brillant	transparent	S	360 €
PXS2P/1000	538-1000000-00-15	985-1010	1850	525	brillant	satinato	O	375 €
PXS2L - left side / height 2 000 mm								
PXS2L/800	528-8000000-00-02	785-810	2000	385	brillant	transparent	S	305 €
PXS2L/900	528-9000000-00-02	885-910	2000	455	brillant	transparent	S	338 €
PXS2L/1000	528-1000000-00-02	985-1010	2000	525	brillant	transparent	S	370 €
PXS2P - right side / height 2 000 mm								
PXS2P/800	529-8000000-00-02	785-810	2000	385	brillant	transparent	S	305 €
PXS2P/900	529-9000000-00-02	885-910	2000	455	brillant	transparent	S	338 €
PXS2P/1000	529-1000000-00-02	985-1010	2000	525	brillant	transparent	S	370 €

h* - height including supporting elements

PXS2L, PXS2P (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXS2L	up to 1000 mm	up to 2000 mm	brillant	transparent	Z
PXS2L	up to 1000 mm	up to 2000 mm	brillant	satinato	Z
PXS2P	up to 1000 mm	up to 2000 mm	brillant	transparent	Z
PXS2P	up to 1000 mm	up to 2000 mm	brillant	satinato	Z



133

Proxima Line
success is guaranteed

elegant and pure
design


for combination to sliding door
or single opening door



PXDO1N

single opening shower door for niche installation

- RothETC glass surface treatment for easy maintenance
- universal LEFT and RIGHT solution
- 6mm safety glass



- Adjustable pivot door hinges ensure easy installation



6 mm ESG Tempered glass
Transparent O2 / Satinato 15





Profile colour
Brillant OO

PXDO1N (single shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
PXDO1N/800	525-8000000-00-02	772-822	2000	510	brilliant	transparent	S	438 €
PXDO1N/800	525-8000000-00-15	772-822	2000	510	brilliant	satinato	O	450 €
PXDO1N/900	525-9000000-00-02	872-922	2000	610	brilliant	transparent	S	468 €
PXDO1N/900	525-9000000-00-15	872-922	2000	610	brilliant	satinato	O	480 €
PXDO1N/1000	525-1000000-00-02	972-1022	2000	710	brilliant	transparent	O	498 €
PXDO1N/1000	525-1000000-00-15	972-1022	2000	710	brilliant	satinato	O	510 €
PXDO1N/1100	525-1100000-00-02	1072-1122	2000	810	brilliant	transparent	O	528 €
PXDO1N/1100	525-1100000-00-15	1072-1122	2000	810	brilliant	satinato	O	540 €

PXDO1N - universal LEFT and RIGHT solution



PXDO1N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXDO1N	up to 1100 mm	up to 2000 mm	brilliant	transparent	Z
PXDO1N	up to 1100 mm	up to 2000 mm	brilliant	satinato	Z

PXBN (side panel to PXDO1N or PXD2N)

type	ordering No.	installation width (y)	height (h)	profile	profile	delivery method	Price
PXBN/700	527-7000000-00-02	680-705	2000	brilliant	transparent	O	225 €
PXBN/700	527-7000000-00-15	680-705	2000	brilliant	satinato	O	270 €
PXBN/800	527-8000000-00-02	780-805	2000	brilliant	transparent	S	230 €
PXBN/800	527-8000000-00-15	780-805	2000	brilliant	satinato	O	295 €
PXBN/900	527-9000000-00-02	880-905	2000	brilliant	transparent	S	245 €
PXBN/900	527-9000000-00-15	880-905	2000	brilliant	satinato	O	320 €
PXBN/1000	527-1000000-00-02	980-1005	2000	brilliant	transparent	S	260 €
PXBN/1000	527-1000000-00-15	980-1005	2000	brilliant	satinato	O	345 €




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

PXBN (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXBN	up to 1100 mm	up to 2000 mm	brilliant	transparent	Z
PXBN	up to 1100 mm	up to 2000 mm	brilliant	satinato	Z

PXBN - universal LEFT and RIGHT solution




PXD2N + PXBN

Proxima Line
success is guaranteed

PXD2N

sliding shower door for niche installation
or for combination with side panel PXBN



practical design
and comfort accessories

6 mm ESG Tempered glass
Transparent 02 / Satinato 15



Profile colour
Brillant 00



easy maintenance
with tilting of bottom rollers



- functional towel holder
- solid and practical handle
- standard height 2 000 mm
- version with LEFT entry - product must be turned during installation and the rollers replaced (lower to upper)



■ Ball bearing rollers with long service life and bottom tilt function for easy maintenance



■ Robust profile and improved details



■ Multifunctional towel holder on fixed glass of PXD2N


PXD2N (2-sectional sliding door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
PXD2N/1200	526-1200000-00-02	1180-1230	2000	450	brillant	transparent	S	413 €
PXD2N/1200	526-1200000-00-15	1180-1230	2000	450	brillant	satinato	O	580 €
PXD2N/1300	526-1300000-00-02	1280-1330	2000	500	brillant	transparent	S	448 €
PXD2N/1300	526-1300000-00-15	1280-1330	2000	500	brillant	satinato	O	620 €
PXD2N/1400	526-1400000-00-02	1380-1430	2000	550	brillant	transparent	S	483 €
PXD2N/1400	526-1400000-00-15	1380-1430	2000	550	brillant	satinato	O	660 €
PXD2N/1500	526-1500000-00-02	1480-1530	2000	600	brillant	transparent	S	518 €
PXD2N/1500	526-1500000-00-15	1480-1530	2000	600	brillant	satinato	O	700 €
PXD2N/1600	526-1600000-00-02	1580-1630	2000	650	brillant	transparent	S	553 €
PXD2N/1600	526-1600000-00-15	1580-1630	2000	650	brillant	satinato	O	740 €

PXD2N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXD2N	up to 1600 mm	up to 2000 mm	brillant	transparent	Z
PXD2N	up to 1600 mm	up to 2000 mm	brillant	satinato	Z



■ PXD2N - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



■ PXD2N + PXBN



Limaya Line

easy to be

A completely new semi-framed line
with lifting mechanism
represents a new generation
of shower enclosures.

Limaya Line

just one door type for all combinations
of your shower area
square or rectangular shower enclosure
with double opening doors
square or rectangular shower enclosure
with single opening door and side panel
single opening shower door for niche installation



- high quality lifting mechanism
- easy entrance thanks to a both-way opening - in and out
- standard height 1950 mm

Limaya Line easy to be

comfortable and convenient
space for entry



LYR4

quadrant shower enclosure
with a double-door opening

- quality lifting mechanism
- easy entrance thanks to a both-way opening - in and out
- standard height 1 950 mm



5 mm ESG Tempered glass
Transparent



Profile colour
Brillant



■ Polished aluminium handle



■ Profile with quality lifting mechanism for easy opening




■ Flexible support bar allows the setting of different angles and can solve the wall inaccuracies

LYR4 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	fixed part width (s)	profile	glass	delivery method	Price
LYR4/800	1135008265	767-792	1959*	395	243-268	brilliant	transparent	S	675 €
LYR4/900	1135008267	867-892	1959*	395	343-368	brilliant	transparent	S	709 €
LYR4/1000	1135008269	967-992	1959*	395	443-468	brilliant	transparent	S	747 €

R - standard radius R550, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



LYR4

Limaya Line

easy to be

maximum tightness
and pure design

easy operating
both-sided opening doors



LYP2

double shower door
for installation to a niche

- standard door dimensions from 800 to 1 200 mm
- quality lifting mechanism
- both-way opening - in and out



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



NEW

LYP2 + LYSW1AP2

square or rectangular shower enclosure
with a side panel **LYSW1AP2**

- easy to assembly wall profile
- the possibility of creating a U-shaped shower enclosure by a combination of the door and two side panels
- protection of glass against limescale by a special treatment RothETC



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

LYP2 (double shower door for a niche)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LYP2/800	1135008220	760-810	1958*	320	brilliant	transparent	S	514 €
LYP2/900	1135008222	860-910	1958*	375	brilliant	transparent	S	544 €
LYP2/1000	1135008224	960-1010	1958*	425	brilliant	transparent	S	575 €
LYP2/1100	1135009844	1060-1110	1958*	475	brilliant	transparent	S	606 €
LYP2/1200	1135008226	1160-1210	1958*	525	brilliant	transparent	S	636 €

h* - height including supporting elements



LYP2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYP2	up to 1500 mm	up to 1950 mm	brilliant	transparent	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

LYSW1AP2 (side panel to shower door LYP2)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LYSW1AP2/750	1135009971	735-760	1970*	-	brilliant	transparent	0	322 €
LYSW1AP2/800	1135009972	785-810	1970*	-	brilliant	transparent	0	328 €
LYSW1AP2/900	1135009973	885-910	1970*	-	brilliant	transparent	0	347 €
LYSW1AP2/1000	1135009974	985-1010	1970*	-	brilliant	transparent	0	367 €

h* - height including supporting elements




LYSW1AP2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYSW1AP2	do 1000 mm	do 1950 mm	brilliant	transparent	Z


■ LYSW1AP2 - universal LEFT and RIGHT solution
support bar length 650 mm



■ LYP2 + LYSW1AP2



■ LYSW1AP2 + LYP2 + LYSW1AP2



Limaya Line
easy to be

LYE4

single opening door with a fixed part



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



■ Opening mechanism with effective seal



■ Lifting profile ensures easy door operation



■ Flexible support bar allows the setting of different angles and can solve the wall inaccuracies

LYE4 (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	fixed part width (s)	profile	glass	delivery method	Price
LYE4/800	1135008253	767-792	1959*	510	243-268	brilliant	transparent	S	442 €
LYE4/900	1135008255	867-892	1959*	510	343-368	brilliant	transparent	S	458 €
LYE4/1000	1135008257	967-992	1959*	510	443-468	brilliant	transparent	S	475 €
LYE4/1100	1135009845	1067-1092	1959*	610	443-468	brilliant	transparent	S	492 €
LYE4/1200	1135008259	1167-1192	1959*	710	443-468	brilliant	transparent	S	564 €



h* - height including supporting elements

LYE4 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYE4	up to 1200 mm	up to 1950 mm	brilliant	transparent	Z

■ LYE4 + LYE4

■ LYE4 - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



Attractive design with elements of elegance, this is the **Limaya Line** series of shower enclosures. Quality lifting system enabling both-way door opening.



■ LYE4 + LYE4

Limaya Line easy to be

flexible support bar solves
wall inaccuracies

practical solution
for every bathroom



LYE4 + LYSW1S

**square or rectangular shower enclosure
with a single opening door and a side panel LYSW1S**

- easy assembly wall profile
- flexible support bar allows the setting of different angles and can solve the wall inaccuracies
- quality seals for a great result



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



LYSW1S (side panel to shower door LYE4)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LYSW1S/800	1135008232	767-792	1949*	-	brilliant	transparent	S	273 €
LYSW1S/900	1135008234	867-892	1949*	-	brilliant	transparent	S	288 €
LYSW1S/1000	1135008236	967-992	1949*	-	brilliant	transparent	S	303 €


h* - height including supporting elements




LYSW1S (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYSW1S	up to 1000 mm	up to 1950 mm	brilliant	transparent	Z

■ **LYSW1S** - universal LEFT and RIGHT solution



■ **LYSW1S+ LYE4**



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

LZ (set of profiles)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LZ	229-1940025-00	25-35	1941	-	brilliant	-	S	75 €

h* - height including supporting elements

LZ (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LZ	-	up to 1950 mm	brilliant	-	Z

■ **LYE4 + LZ**



installation for a niche	installation width (Y)
LYE4/800 + LZ	780-815
LYE4/900 + LZ	880-915
LYE4/1000 + LZ	980-1015
LYE4/1100 + LZ	1080-1115
LYE4/1200 + LZ	1180-1215


Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Limaya Line

easy to be

LYE2

single opening door



simplicity
and variability

5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



one type of door
for all combinations

- corner entry with a double door opening
- single opening door with a side panel
- single opening door for a niche installation

- easy entrance thanks to a both-way opening - in and out
- standard height 1 950 mm



■ Quality lifting profile for easy opening



■ Tempered glass 5 mm with bottom seal



■ Slim door handle underlining the whole concept of this series

LYE2 (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LYE2/800	1135008242	767–792	1958*	690	brilliant	transparent	S	336 €
LYE2/900	1135008244	867–892	1958*	790	brilliant	transparent	S	347 €
LYE2/1000	1135008246	967–992	1958*	890	brilliant	transparent	S	356 €




h* - height including supporting elements

LYE2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYE2	up to 1000 mm	up to 1950 mm	brilliant	transparent	Z

■ LYE2 + LYE2

■ LYE2 - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269–292).

Limaya Line easy to be

pure design line
without compromise



LYE2 + LYSW1S

**square or rectangular shower enclosure
with a single opening door and a side panel LYSW1S**

- easy assembly wall profile
- single opening door with a side panel
- simplicity of the whole assembly



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



LYE2 + LZ

single opening door for niche installation

- set of profiles can solve the wall inaccuracies
- we recommend consulting an expert
- set of profiles increases the door installation width up by 10-25 mm



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

LYSW1S (side panel to shower door LYE2)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LYSW1S/800	1135008232	767-792	1949*	-	brilliant	transparent	S	273 €
LYSW1S/900	1135008234	867-892	1949*	-	brilliant	transparent	S	288 €
LYSW1S/1000	1135008236	967-992	1949*	-	brilliant	transparent	S	303 €


h* - height including supporting elements



LYSW1S (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYSW1S	up to 1000 mm	up to 1950 mm	brilliant	transparent	Z

■ LYSW1S - universal LEFT and RIGHT solution



■ LYE2 + LYSW1S

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

practical solution
of the wall inaccuracies

LZ (set of profiles)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LZ	229-1940025-00	25-35	1941	-	brilliant	-	S	75 €

h* - height including supporting elements

LZ (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
LZ	-	up to 1950 mm	brilliant	-	Z

■ LYE2 + LZ

■ LZ- set of profiles

installation for niche	installation width (Y)
LYE2/800 + LZ	780-815
LYE2/900 + LZ	880-915
LYE2/1000 + LZ	980-1015

0-10 25



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



Lega Line
comfort within reach

Lega Line


Affordable solution for those,
who prefer price-performance
ratio in their lives...

New generation of enclosures practically combining 4 and 5 mm safety glass with focus on customer comfort during the usage. This complete line offers a practical solution for the standard models as well as large area showers which are more and more popular. Simplicity, durability and excellent price-performance ratio determines this line to become a new star in your bathroom.

■ universal pivot mechanism allows
inside and outside opening

■ durable double rollers on the top
assure smooth motion of the door

■ robust handle made of polished
stainless steel



Lega Line

comfort within reach

LLR2

quadrant shower enclosure
with two sliding doors

safety glass
in solid frame

5 + 4 mm ESG Tempered glass
Transparent O2 / Grape 11
5 mm door glass + 4 mm fixed glass



Profile colour
Brilliant OO / White O4



possibility to order a pre-assembled
version for easy installation



- combination of 4 and 5 mm safety glass with RothETC surface treatment
- standard height 1900 mm

■ The best-selling LLR2 model now also in a **white** profile and with the popular **Grape glass**


■ Durable double top and bottom rollers

■ Solid handle made of stainless steel

LLR2 (quadrant shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
LLR2/800	555-8000000-04-02	776-798	1900	410	white	transparent	S	448 €
LLR2/800	555-8000000-04-11	776-798	1900	410	white	grape	S	463 €
LLR2/800	555-8000000-00-02	776-798	1900	410	brilliant	transparent	S	453 €
LLR2/800	555-8000000-00-11	776-798	1900	410	brilliant	grape	S	460 €
LLR2/900	555-9000000-04-02	876-898	1900	560	white	transparent	S	455 €
LLR2/900	555-9000000-04-11	876-898	1900	560	white	grape	S	478 €
LLR2/900	555-9000000-00-02	876-898	1900	560	brilliant	transparent	S	473 €
LLR2/900	555-9000000-00-11	876-898	1900	560	brilliant	grape	S	483 €
LLR2 in EASY ASSEMBLY version								
LLR2/800 *	555-8000005-04-02	776-798	1900	410	white	transparent	S	488 €
LLR2/800 *	555-8000005-04-11	776-798	1900	410	white	grape	S	503 €
LLR2/800 *	555-8000005-00-02	776-798	1900	410	brilliant	transparent	S	493 €
LLR2/800 *	555-8000005-00-11	776-798	1900	410	brilliant	grape	S	500 €
LLR2/900 *	555-9000005-04-02	876-898	1900	560	white	transparent	S	495 €
LLR2/900 *	555-9000005-04-11	876-898	1900	560	white	grape	S	518 €
LLR2/900 *	555-9000005-00-02	876-898	1900	560	brilliant	transparent	S	513 €
LLR2/900 *	555-9000005-00-11	876-898	1900	560	brilliant	grape	S	523 €

R - standard radius R550



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



EASY ASSEMBLY *

Product comes in a pre-assembled version. Just joint the left and right parts, screw to the wall, adjust and seal.

Lega Line

comfort within reach

LLS2

square or rectangular shower enclosure
solution with practical corner entry



5 + 4 mm ESG Tempered glass
Transparent O2 / Intimglass 21
5 mm door glass + 4 mm fixed glass



Profile colour
Brilliant OO



■ Durable double top and bottom rollers for smooth door movement and bottom tilt function for easy maintenance



■ Handle made of polished stainless steel



With special attention paid to the balance between the look and functionality of every detail, the **Lega Line** is ready to take its place in any modern bathroom.



LLS2 (shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
LLS2/800 *	554-8000000-00-02	775-790	1900	430	brilliant	transparent	S	413 €
LLS2/800 *	554-8000000-00-21	775-790	1900	430	brilliant	intimglass	O	563 €
LLS2/900 *	554-9000000-00-02	875-890	1900	460	brilliant	transparent	S	433 €
LLS2/900 *	554-9000000-00-21	875-890	1900	460	brilliant	intimglass	O	583 €
LLS2/1000x800	554-1008000-00-02	(975-990)x(775-790)	1900	505	brilliant	transparent	S	453 €
LLS2/1000x800	554-1008000-00-21	(975-990)x(775-790)	1900	505	brilliant	intimglass	O	603 €
LLS2/1200x800	554-1208000-00-02	(1175-1190)x(775-790)	1900	525	brilliant	transparent	O	473 €
LLS2/1200x800	554-1208000-00-21	(1175-1190)x(775-790)	1900	525	brilliant	intimglass	O	623 €
LLS2/1200x900	554-1209000-00-02	(1175-1190)x(875-890)	1900	535	brilliant	transparent	S	495 €
LLS2/1200x900	554-1209000-00-21	(1175-1190)x(875-890)	1900	535	brilliant	intimglass	O	645 €


LLS2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLS2	up to 1200 mm	up to 1900 mm	brilliant	transparent	Z
LLS2	up to 1200 mm	up to 1900 mm	brilliant	intimglass	Z



EASY ASSEMBLY *

Product comes in a pre-assembled version. Just joint the left and right parts, screw to the wall, adjust and seal.



Leg Line

comfort within reach

RothETC glass surface treatment

universal pivot mechanism
for opening inside and outside



LLD01

single opening shower door for niche installation
or for combination with side panel LLB



5 mm ESG Tempered glass
Transparent O2 / Intimglass 21



Profile colour
Brilliant OO



LLD01 (single shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
LLD01/700 *	551-700000-00-02	675-705	1900	460	brilliant	transparent	S	242 €
LLD01/700 *	551-700000-00-21	675-705	1900	460	brilliant	intimglass	O	297 €
LLD01/800 *	551-800000-00-02	775-805	1900	560	brilliant	transparent	S	269 €
LLD01/800 *	551-800000-00-21	775-805	1900	560	brilliant	intimglass	O	325 €
LLD01/900 *	551-900000-00-02	875-905	1900	660	brilliant	transparent	S	297 €
LLD01/900 *	551-900000-00-21	875-905	1900	660	brilliant	intimglass	O	353 €
LLD01/1000 *	551-100000-00-02	975-1005	1900	760	brilliant	transparent	S	325 €
LLD01/1000 *	551-100000-00-21	975-1005	1900	760	brilliant	intimglass	O	381 €


LLD01 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLD01	up to 1000 mm	up to 1900 mm	brilliant	transparent	Z
LLD01	up to 1000 mm	up to 1900 mm	brilliant	intimglass	Z



EASY ASSEMBLY *

Products LLD01 and LLD2 come in a pre-assembled version. Just screw to the wall, adjust and seal.




LLD02 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLD02	up to 1200 mm	up to 1900 mm	brilliant	transparent	Z
LLD02	up to 1200 mm	up to 1900 mm	brilliant	intimglass	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



Lega Line

comfort within reach

timeless solution
with a decent look



LLB

fixed side panel for combination with shower door
LLD01, LLD02, LLD2 and LLD4

- Brilliant aluminium profile
- 5-year extended warranty
- tempered safety glass




5 mm ESG Tempered glass
Transparent O2 / Intimglass 21



Profile colour
Brilliant OO


■ LLB - universal LEFT and RIGHT solution



■ LLD4 + LLB



■ LLD01 + LLB



LLB (side panel to LLD01, LLD02, LLD2 or LLD4)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
LLB/700 *	553-700000-00-02	679-705	1900	brilliant	transparent	S	161 €
LLB/700 *	553-700000-00-21	679-705	1900	brilliant	intimglass	O	206 €
LLB/750 *	553-750000-00-02	729-755	1900	brilliant	transparent	S	172 €
LLB/750 *	553-750000-00-21	729-755	1900	brilliant	intimglass	O	217 €
LLB/800 *	553-800000-00-02	779-805	1900	brilliant	transparent	S	189 €
LLB/800 *	553-800000-00-21	779-805	1900	brilliant	intimglass	O	233 €
LLB/900 *	553-900000-00-02	879-905	1900	brilliant	transparent	S	206 €
LLB/900 *	553-900000-00-21	879-905	1900	brilliant	intimglass	O	250 €
LLB/1000 *	553-100000-00-02	979-1005	1900	brilliant	transparent	S	222 €
LLB/1000 *	553-100000-00-21	979-1005	1900	brilliant	intimglass	O	294 €

* LLB cannot be used as a self-standing side panel

LLB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLB	up to 1000 mm	up to 1900 mm	brilliant	transparent	Z
LLB	up to 1000 mm	up to 1900 mm	brilliant	intimglass	Z




EASY ASSEMBLY *

Products of Lega Line come in a pre-assembled version. Just screw to the wall, adjust and seal.

combinations of doors
with a side panel LLB


■ LLD02 + LLB



■ LLD2 + LLB



■ LLD2 + LLB



■ LLD4 + LLB



■ LLD4 + LLB

Lega Line

comfort within reach

durable rollers
with bottom tilt function



LLD2

sliding shower door for niche installation
or for combination with a side panel LLB

- RothETC glass surface treatment for easy maintenance
- double rollers
- 5-year extended warranty
- possibility of choosing the glass in Intimglass design



5 + 4 mm ESG Tempered glass
Transparent O2 / Intimglass 21
5 mm door glass + 4 mm fixed panel




Profile colour
Brilliant OO

LLD2 (sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
LLD2/1000 *	556-1000000-00-02	970-1005	1900	385	brilliant	transparent	S	328 €
LLD2/1000 *	556-1000000-00-21	970-1005	1900	385	brilliant	intimglass	O	433 €
LLD2/1200 *	556-1200000-00-02	1170-1205	1900	485	brilliant	transparent	S	367 €
LLD2/1200 *	556-1200000-00-21	1170-1205	1900	485	brilliant	intimglass	O	472 €
LLD2/1300 *	556-1300000-00-02	1270-1305	1900	535	brilliant	transparent	S	358 €
LLD2/1400 *	556-1400000-00-02	1370-1405	1900	585	brilliant	transparent	S	378 €
LLD2/1400 *	556-1400000-00-21	1370-1405	1900	585	brilliant	intimglass	O	483 €
LLD2/1500 *	556-1500000-00-02	1470-1505	1900	585	brilliant	transparent	O	397 €
LLD2/1600 *	556-1600000-00-02	1570-1605	1900	685	brilliant	transparent	S	417 €
LLD2/1600 *	556-1600000-00-21	1570-1605	1900	685	brilliant	intimglass	O	522 €

LLD2 (atypical customized solution)



EASY ASSEMBLY *

Product LLD2 comes in a pre-assembled version. Just screw to the wall, adjust and seal.



practical solution
for large format showers



LLD4

sliding shower door for niche installation
or for combination with a side panel LLB

- four-part shower door
- RothETC glass surface treatment
- great price-performance ratio
- Intimglass design available in atypical solution only



5 + 4 mm ESG Tempered glass
Transparent O2
5 mm door glass + 4 mm fixed panel



Profile colour
Brilliant OO


LLD4 (four-part sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
LLD4/1100	574-1100000-00-02	1080-1110	1900	420	brilliant	transparent	S	444 €
LLD4/1200	574-1200000-00-02	1180-1210	1900	470	brilliant	transparent	S	469 €
LLD4/1300	574-1300000-00-02	1280-1310	1900	520	brilliant	transparent	S	494 €
LLD4/1400	574-1400000-00-02	1380-1410	1900	570	brilliant	transparent	S	519 €
LLD4/1500	574-1500000-00-02	1480-1510	1900	620	brilliant	transparent	S	544 €
LLD4/1600	574-1600000-00-02	1580-1610	1900	670	brilliant	transparent	S	569 €

LLD4 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLD4	up to 2000 mm	up to 1900 mm	brilliant	transparent	Z
LLD4	up to 2000 mm	up to 1900 mm	brilliant	intimglass	Z

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).



Lega Line

comfort within reach

PD3N

sliding shower door with both side entrance
for niche installation

both-side sliding door entrance

4 mm ESG Tempered glass
Transparent 02 / Grape 11
Polystyrol Rugiada 16



Profile colour
Brilliant 00 / White 04



EASY ASSEMBLY version for quick mountage

- magnetic seals closure in the same colour as the profiles
- standard height 1900 mm
- robust aluminium frame



EASY ASSEMBLY

Product PD3N comes in a pre-assembled version. Just screw to the wall, adjust and seal.




■ Bottom tilting for easy maintenance of the shower door

■ Both-side sliding door opening

PD3N (sliding shower door with a both-sided entrance)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
PD3N/800	413-8000000-04-02	750-805	1900	375	white	transparent	S	378 €
PD3N/800	413-8000000-04-11	750-805	1900	375	white	grape	S	418 €
PD3N/800	413-8000000-04-16	750-805	1900	375	white	rugiada	S	375 €
PD3N/800	413-8000000-00-02	750-805	1900	375	brillant	transparent	S	425 €
PD3N/800	413-8000000-00-11	750-805	1900	375	brillant	grape	S	435 €
PD3N/900	413-9000000-04-02	850-905	1900	440	white	transparent	S	400 €
PD3N/900	413-9000000-04-11	850-905	1900	440	white	grape	S	425 €
PD3N/900	413-9000000-04-16	850-905	1900	440	white	rugiada	S	403 €
PD3N/900	413-9000000-00-02	850-905	1900	440	brillant	transparent	S	433 €
PD3N/900	413-9000000-00-11	850-905	1900	440	brillant	grape	S	450 €
PD3N/1000	413-1000000-04-02	950-1005	1900	505	white	transparent	S	423 €
PD3N/1000	413-1000000-04-11	950-1005	1900	505	white	grape	S	433 €
PD3N/1000	413-1000000-04-16	950-1005	1900	505	white	rugiada	S	430 €
PD3N/1000	413-1000000-00-02	950-1005	1900	505	brillant	transparent	S	440 €
PD3N/1000	413-1000000-00-11	950-1005	1900	505	brillant	grape	S	465 €



PD3N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PD3N	up to 1200 mm	up to 2000 mm	white / brillant	transparent	Z
PD3N	up to 1200 mm	up to 2000 mm	white / brillant	grape	Z
PD3N	up to 1200 mm	up to 2000 mm	white	rugiada	Z
PD3N	up to 1200 mm	up to 2000 mm	white / brillant	rauch	Z
PD3N	up to 1200 mm	up to 2000 mm	white / brillant	satinato	Z

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

Lega Line

comfort within reach

LLBD

side panel
to sliding shower door PD3N



wide choice
of glass panels

4 mm ESG Tempered glass
Transparent O2 / Grape 11



Profile colour
Brilliant 00 / White 04



universal left
and right solution

- standard dimensions of side panel from 700 to 1 000 mm
- universal left and right solution
- wide choice of glass panel types

LLBD (side panel to PD3N)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
LLBD/700	412-7000000-04-02	675-695	1900	white	transparent	S	147 €
LLBD/700	412-7000000-04-11	675-690	1900	white	grape	S	183 €
LLBD/700	412-7000000-00-02	675-695	1900	brilliant	transparent	S	156 €
LLBD/700	412-7000000-00-11	675-690	1900	brilliant	grape	S	189 €
LLBD/750	412-7500000-04-02	725-745	1900	white	transparent	S	189 €
LLBD/750	412-7500000-04-11	725-745	1900	white	grape	S	208 €
LLBD/750	412-7500000-00-02	725-745	1900	brilliant	transparent	S	183 €
LLBD/750	412-7500000-00-11	725-745	1900	brilliant	grape	S	215 €
LLBD/800	412-8000000-04-02	775-795	1900	white	transparent	S	183 €
LLBD/800	412-8000000-04-11	775-795	1900	white	grape	S	215 €
LLBD/800	412-8000000-00-02	775-795	1900	brilliant	transparent	S	190 €
LLBD/800	412-8000000-00-11	775-795	1900	brilliant	grape	S	220 €
LLBD/900	412-9000000-04-02	875-895	1900	white	transparent	S	208 €
LLBD/900	412-9000000-04-11	875-895	1900	white	grape	S	240 €
LLBD/900	412-9000000-00-02	875-895	1900	brilliant	transparent	S	215 €
LLBD/900	412-9000000-00-11	875-895	1900	brilliant	grape	S	245 €
LLBD/1000	412-1000000-04-02	975-995	1900	white	transparent	S	265 €
LLBD/1000	412-1000000-04-11	975-995	1900	white	grape	S	263 €
LLBD/1000	412-1000000-00-02	975-995	1900	brilliant	transparent	S	240 €
LLBD/1000	412-1000000-00-11	975-995	1900	brilliant	grape	S	270 €

* LLBD cannot be used as a self-standing side panel

LLBD (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLBD	up to 1000 mm	up to 1900 mm	white / brilliant	transparent	Z
LLBD	up to 1000 mm	up to 1900 mm	white / brilliant	grape	Z
LLBD	up to 1000 mm	up to 1900 mm	white / brilliant	rauch	Z
LLBD	up to 1000 mm	up to 1900 mm	white / brilliant	satinato	Z


■ installation width of PD3N in combination with side panel LLBD

type	installation width (Z)
PD3N/800 + LLBD	774-829
PD3N/900 + LLBD	874-929
PD3N/1000 + LLBD	974-1029




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 269-292).

■ PD3N + LLBD





■ LLBD + PD3N



■ LLBD

universal LEFT and RIGHT solution



Atypical
customized solution

Atypical dimensions

Tailored shower enclosure
within 30 working days!

Do you have a small bathroom or you need a non-standard solution for your shower enclosure? As one of the few manufacturers we will offer you the opportunity to obtain a shower enclosure tailor made.

Extra warranty for 5 years.

We produce shower enclosures tailored to any space. Whether you have limited space or plan the bathroom in an attic or you need a non standard solution we will tune everything into the last millimetre.




■ Details of the connection of shortened side wall to the bathtub





■ Bevel cut on fixed element



„U“ cabins



! Limit (minimum) widths of glass for design with cutout



As standard it is possible to order sliding doors with a side wall from the KINEDOOR, AMBIENT, CARIBA and LIMAYA (LYP2+LYSW1AP2) series for the "U" shower cabin. If you require a "U" cabin in other product lines such as TOWER LINE, EXCLUSIVE LINE or PROXIMA LINE, do not hesitate to contact our sales department with a request. We will be happy to offer you solutions tailored to your needs.

Additional profiles

Extensional profiles and profiles for side connection

ADDITIONAL PROFILES								
PROFILE	series / type	extension width	height (length)	profile	ordering No.	delivery method	Price	
	extensional profile Elegant Line - whole line Tower Line - TR2, TDxx	10 mm	2000 mm 1991 mm	brilliant	P3061	S	23 €	
	extensional profile Tower Line - TB			silver	P3062	S	18 €	
	extensional profile Tower Line TR1, TCxx, TB TZN(L(P)1, TZOL(P)1	10 mm	2000 mm	brilliant	P3063	S	26 €	
				silver	P3064	S	21 €	
	extensional profile Tower Line TCN1, TDN1, TZN(L(P)1	25 mm	1989 mm	brilliant	P5096	S	37 €	
				silver	P5097	S	29 €	
	extensional profile Cariba Line CI P55, CI EPF, CI PIG, CI 2CL(R), CI 2BT, CI PIV, CI PIF, CI PIL(R), CI RFL(R), CI C2L(R)CI D2L(R), CI FXP	25 mm	2000 mm	brilliant	CI EL2 2000 VE	S	32 €	
	extensional profile Exclusive Line ECR2N, ECS2L(P)	25 mm	2050 mm	brilliant	P5840	S	40 €	
	extensional profile Proxima Line PXD01N, PXD2N	20 mm	2000 mm	brilliant	P5092	S	34 €	
	extensional profile Limaya Line LYR4, LYP2, LY4, LY2, LYSW1AP2	25 mm	1948 mm	brilliant	P4066	S	26 €	
	extensional profile Limaya Line LYSW1S, LZ			brilliant	P4067	S	22 €	

Additional profiles enable to solve construction unevenness without the necessity to order an atypical product.

ADDITIONAL PROFILES								
PROFILE	series / type	extension width	height (length)	profile	ordering No.	delivery method	Price	
	extensional profile Lega Line LLR2, LLS2, LLD01, LLD4 LLD02, LLD2, LLB, LLBD	15 mm	1900 mm	brilliant	P5093	S	24 €	
	extensional profile Lega Line PD3N	13 mm	1900 mm	white	P5094	S	25 €	
	extensional profile Project Line LD3, LSB	10 mm	1800 mm	white	P2376	S	10 €	
	profile for side connection Tower Line TDN1, TCN1, TZN(L(P)1	25 mm	1991 mm	brilliant	P5842	S	50 €	
	profile for side connection Cariba Line CI P55, CI EPF, CI PIG, CI 2CL(R), CI 2BT, CI PIV, CI PIF, CI PIL(R), CI RFL(R), CI C2L(R)CI D2L(R), CI FXP	25 mm	2000 mm	brilliant	CI PRO 2000 VE	S	47 €	
	profile for side connection Limaya Line LYR4, LYP2, LY4, LY2, LYSW1AP2	25 mm	1948 mm	brilliant	P5845	S	50 €	
	profile for side connection Limaya Line LYSW1S, LZ	25 mm	1937 mm	brilliant	P5846	S	50 €	
	profile for side connection Lega Line whole line	15 mm	1900 mm	brilliant	P5841	S	35 €	



note:

maximum recommended number of extensional profiles by drawings above (three or two profiles shown in red colour)

RothETC
glass protection

Perfect glass

Protective shield against
dirt and limescale!

Shower enclosures without special glass treatment can suffer from limescale and impurities. With Roth shower enclosures this will not happen. Our unique coating based on nanotechnology RothETC will protect your shower enclosure to look like new all the time.

Protective coating will last 10 years

Persistent water repellent layer RothETC with oleophobic properties guarantees long-life inert surface protection with very good mechanical and chemical consistence. Thanks to these characteristics your shower enclosure will be very easy to clean.



■ Glass with **RothETC** treatment
FREE to all Roth glass panels



■ Untreated glass



RothETC


type	volume	ordering No.	delivery method	Price
RothETC COMPLETE CARE	3x500 ml	5139800	S	122 €
RothETC CLEANER	500 ml	5139810	S	22 €

SHELF UNI

hanging shelf

Get organized in cosmetics in your shower and get rid of hygiene products around the edges of the tray. Buy a new universal shelf, which could be easily hang on a screen of your shower enclosure, so you have everything nicely accessible and organized. Double hanging shelf SHELF UNI is made of quality materials in the chrome finishing, which guarantees 100% protection against corrosion.

Dimension: 750x250 mm



SHELF UNI

type	ordering No.	delivery method	Price
SHELF UNI - hanging shelf	8000279	S	69 €



CLEANING BLADE

MAKE YOUR MAINTENANCE EASIER

Do you want to make your cleaning of shower enclosure easier? We recommend to wipe the glass after every usage with a practical cleaning blade. The width of the wiping surface is 245 mm. The practical chrome handle has a length of 150 mm.



CLEANING BLADE

type	ordering No.	delivery method	Price
CLEANING BLADE	8000201	S	30 €
CLEANING BLADE HOLDER	8000247	S	9 €

Profiles and glass panels of our shower enclosures

Profile colours and types of glass panel finishing

- profiles in 4 colours
- choose from 8 types of glass panels
- RothETC glass protection
- tempered safety glass 3, 4, 5, 6 and 8 mm
- for every shower enclosure the possibility of different glass panel



■ 00 brillant



■ 01 silver (elox)



■ 04 white



■ 05 black elox

For different options
in glass panels look
at the table showing
the shower enclosure
characteristics.



■ 02 transparent



■ 03 chinchilla



■ 14 rauch



■ 11 grape



■ 20 intimglass (Tower line)



■ 21 intimglass (Lega line)



■ 15 satinato



■ 16 rugiada (polystyrol)

Shower trays
of cast marble

Marmo Prestol


- a new generation of durable shower trays using the advantages of cast marble
- top quality processing
- 5-year warranty



PRESTOL

rectangular cast marble shower tray
with integrated double siphon and cover
made out of polished stainless steel

120×80 / 120×90
140×80 / 140×90
150×80 / 150×90



PRESTOL	L	W	H	E	Ø
1200×800	1200	800	35	97	2×60
1200×900	1200	900	35	97	2×60
1400×800	1400	800	35	97	2×60
1400×900	1400	900	35	97	2×60
1500×800	1500	800	35	97	2×60
1500×900	1500	900	35	97	2×60



■ Solid stainless steel cover highlights the design of this product



■ A double self-cleaning siphon drain guarantees better drainage rate which ensures that during showering water will not accumulate anywhere

PRESTOL (cast marble shower tray with stainless steel cover)

type	ordering No.	dimension (mm)	delivery method	Price
PRESTOL 1200×800	8000300	1200×800×35	S	375 €
PRESTOL 1200×900	8000301	1200×900×35	S	378 €
PRESTOL 1400×800	8000302	1400×800×35	S	388 €
PRESTOL 1400×900	8000303	1400×900×35	S	394 €
PRESTOL 1500×800	8000304	1500×800×35	S	406 €
PRESTOL 1500×900	8000305	1500×900×35	S	419 €

prices including 9 pcs of adjustable legs (adjustability 8 ÷ 10 cm) and the stainless steel cover

PRESTOL (double siphon drain)

type	ordering No.	description	delivery method	Price
PRESTOL SIPHON	8100300	double siphon drain Ø 60	S	50 €

Marmo Neo

Cast marble shower trays

- > new series of cast marble shower trays in a modern straight design

- > the perfectly smooth surface of the trays is non-absorbent and accessible over the entire surface for easy cleaning


- > high quality barrier-free solution
easy maintenance



Marmo Neo ROUND

quadrant cast marble shower tray

80x80 / 90x90 / 100x100



Marmo Neo ROUND

Marmo Neo ROUND	L	W	H1	H2	W1	E	S	R	Ø
800x800	800	800	30	110-130	250	45	180	550	90
900x900	900	900	30	110-130	350	45	180	550	90
1000x1000	1000	1000	30	110-130	450	45	180	550	90


type	ordering No.	dimension (mm)	delivery method	Price
Marmo Neo ROUND 800	MAN RO 080080 2E	800x800x30, R550	S	217 €
Marmo Neo ROUND 900	MAN RO 090090 2E	900x900x30, R550	S	247 €
Marmo Neo ROUND 1000	MAN RO 100100 2E	1000x1000x30, R550	S	261 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

Marmo Neo SQUARE

square cast marble shower tray

80x80 / 90x90 / 100x100



Marmo Neo SQUARE	L	W	H1	H2	E	S	Ø
800x800	800	800	30	110-130	45	180	90
900x900	900	900	30	110-130	45	180	90
1000x1000	1000	1000	30	110-130	45	180	90


Marmo Neo SQUARE				
type	ordering No.	dimension (mm)	delivery method	Price
Marmo Neo SQUARE 800	MAN SQ 080080 2E	800x800x30	S	219 €
Marmo Neo SQUARE 900	MAN SQ 090090 2E	900x900x30	S	244 €
Marmo Neo SQUARE 1000	MAN SQ 100100 2E	1000x1000x30	S	278 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

rectangular cast marble shower tray

90x70 / 80x90 / 100x80 / 100x90 / 110x80 / 110x90

120x80 / 120x90 / 140x80 / 140x90 / 160x80 / 160x90



Marmo Neo SQUARE	L	W	H1	H2	E	S1	S2	Ø
900x700	900	700	30	110-130	50	350	180	90
800x900 *	800	900	30	110-130	50	450	180	90
1000x800	1000	800	30	110-130	50	400	180	90
1000x900	1000	900	30	110-130	50	450	180	90
1100x800	1100	800	30	110-130	50	400	180	90
1100x900	1100	900	30	110-130	50	450	180	90
1200x800	1200	800	35	115-135	50	400	180	90
1200x900	1200	900	35	115-135	50	450	180	90
1400x800	1400	800	35	115-135	50	400	180	90
1400x900	1400	900	35	115-135	50	450	180	90
1600x800	1600	800	35	115-135	50	400	180	90
1600x900	1600	900	35	115-135	50	450	180	90

* with the size of the 800 x 900 tray, the siphon is on the longer side

Marmo Neo SQUARE				
type	ordering No.	dimension (mm)	delivery method	Price
Marmo Neo SQUARE 9070	MAN SQ 090070 2E	900x700x30	S	222 €
Marmo Neo SQUARE 8090	MAN SQ 080090 2E	800x900x30	S	247 €
Marmo Neo SQUARE 10080	MAN SQ 100080 2E	1000x800x30	S	244 €
Marmo Neo SQUARE 10090	MAN SQ 100090 2E	1000x900x30	S	261 €
Marmo Neo SQUARE 11080	MAN SQ 110080 2E	1100x800x30	S	275 €
Marmo Neo SQUARE 11090	MAN SQ 110090 2E	1100x900x30	S	292 €
Marmo Neo SQUARE 12080	MAN SQ 120080 2E	1200x800x35	S	319 €
Marmo Neo SQUARE 12090	MAN SQ 120090 2E	1200x900x35	S	333 €
* Marmo Neo SQUARE 14080	MAN SQ 140080 2E	1400x800x35	S	358 €
* Marmo Neo SQUARE 14090	MAN SQ 140090 2E	1400x900x35	S	378 €
* Marmo Neo SQUARE 16080	MAN SQ 160080 2E	1600x800x35	S	392 €
* Marmo Neo SQUARE 16090	MAN SQ 160090 2E	1600x900x35	S	406 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm) / * 8 pcs of legs included


Marmo Classic

Cast marble shower trays

DREAM-M

quadrant cast marble shower tray

80x80 / 90x90



DREAM-M	L	W	H1	H2	S	P	E	R	Ø
800x800	800	800	30	110-130	150	100	40	550	90
900x900	900	900	30	110-130	180	100	40	550	90



DREAM-M


type	ordering No.	dimension (mm)	delivery method	Price
DREAM-M 800	8000151	800x800x30, R550	S	193 €
DREAM-M 900	8000150	900x900x30, R550	S	215 €
front panel 800	8010069	height=100	S	61 €
front panel 900	8010067	height=100	S	61 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

TAHITI-M

quadrant cast marble shower tray

80x80 / 90x90 / 100x100



TAHITI-M	L	W	H1	H2	W1	S	P	R	Ø
800x800	800	800	30	110-130	250	180	100	550	90
900x900	900	900	30	110-130	350	190	100	550	90
1000x1000	1000	1000	30	110-130	450	200	100	550	90



TAHITI-M


type	ordering No.	dimension (mm)	delivery method	Price
TAHITI-M 800	8000064	800x800x30, R550	S	200 €
TAHITI-M 900	8000065	900x900x30, R550	S	240 €
TAHITI-M 1000	8000082	1000x1000x30, R550	S	250 €
front panel 800	8010069	height=100	S	61 €
front panel 900	8010067	height=100	S	61 €
front panel 1000	8010074	height=100	S	75 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)


ALOHA-M

square cast marble shower tray

80x80 / 90x90



ALOHA-M	L	W	H1	H2	S	P	E	Ø
800x800	800	800	30	110-130	150	100	40	90
900x900	900	900	30	110-130	180	100	40	90



ALOHA-M


type	ordering No.	dimension (mm)	delivery method	Price
ALOHA-M 800	8000155	800x800x30	S	205 €
ALOHA-M 900	8000154	900x900x30	S	233 €
front panel 800	8010070	height=100	S	61 €
front panel 900	8010066	height=100	S	61 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

MACAO-M

square cast marble shower tray

80x80 / 90x90 / 100x100



MACAO-M	L	W	H1	H2	S	P	E	R	Ø
800x800	800	800	30	110-130	170	100	90	550	90
900x900	900	900	30	110-130	190	100	90	550	90
1000x1000	1000	1000	30	110-130	190	100	90	550	90



MACAO-M

type	ordering No.	dimension (mm)	delivery method	Price
MACAO-M 800	8000062	800x800x30	S	220 €
MACAO-M 900	8000063	900x900x30	S	245 €
MACAO-M 1000	8000165	1000x1000x30	S	263 €
front panel 800	8010070	height=100	S	61 €
front panel 900	8010066	height=100	S	61 €
front panel 1000	8010081	height=100	S	75 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

Cast marble trays are possible to build directly into the floor. A part of these trays is a set of legs for the case, if you would like to place the tray on an already tiled floor.
In case, you have decided to place the tray on an already tiled floor by using the legs, we recommend ordering an acrylic front cover panel together with the tray.




Marmo Classic

Cast marble shower trays

RECTAN-M

rectangular cast marble shower tray

100×80 / 120×80 / 120×90



RECTAN-M	L	W	H1	H2	E	S	Ø
1000×800	1000	800	30	110-130	50	150	90
1200×800	1200	800	30	110-130	50	150	90
1200×900	1200	900	30	110-130	50	190	90

RECTAN-M

type	ordering No.	dimension (mm)	delivery method	Price
RECTAN-M 1000×800	8000166	1000×800×30	S	215 €
RECTAN-M 1200×800	8000167	1200×800×30	S	240 €
RECTAN-M 1200×900	8000168	1200×900×30	S	265 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)



Cast marble shower trays allow, due to its low entrance edge, comfortable access to the shower.



■ MACAO-M, TAHITI-M



■ ALOHA-M, DREAM-M, RECTAN-M



Anti slip finishing of cast marble trays for more safety in the shower.

Acrylic shower trays

- up to 10 years warranty
- asymmetric and classic shapes
- wide selection of dimensions

almost widest range in the market



- 800×800
- 900×900
- 1000×1000

- 800×800
- 900×900
- 1000×1000


- 800×1000 / 1100 / 1200 / 1300 / 1400 / 1500
- 900×1000 / 1100 / 1200 / 1300 / 1400 / 1500
- 800×900 / 1200×1000
- 750×1500 / 1600

Shower trays acrylic

FLAT ROUND

quadrant acrylic shower tray

80×80 / 90×90 / 100×100



FLAT ROUND	L	W	H	S	E	P	R	Ø
800×800	800	800	50	150	50	80	550	90
900×900	900	900	50	150	50	80	550	90
1000×1000	1000	1000	50	175	50	80	550	90




FLAT ROUND

type	ordering No.	dimension (mm)	delivery method	Price
FLAT ROUND	8000115	800×800×50, R550	S	159 €
FLAT ROUND	8000116	900×900×50, R550	S	169 €
FLAT ROUND	8000117	1000×1000×50, R550	S	228 €
front PANEL 800	8010082	height=80	S	88 €
front PANEL 900	8010083	height=80	S	88 €
front PANEL 1000	8010084	height=80	S	100 €

HAWAII

quadrant acrylic shower tray

80×80 / 90×90



HAWAII	L	W	H1	H2	S	E	R	Ø
800×800	800	800	35	150	180	70	550	60
900×900	900	900	35	160	185	70	550	60




HAWII

type	ordering No.	dimension (mm)	delivery method	Price
HAWII 800	8000007	800×800×150, R550	S	164 €
HAWII 900	8000026	900×900×160, R550	S	174 €

HAWAII-P

quadrant self-supporting shower tray
made out of coextruded shell with PU support

80×80 / 90×90



HAWAII-P	L	W	H	W1	S	R	Ø
800×800	800	800	170	250	140	550	60
900×900	900	900	170	350	140	550	60




HAWAII-P

type	ordering No.	dimension (mm)	delivery method	Price
HAWAII-P 800	8000024	800×800×170, R550	S	202 €
HAWAII-P 900	8000025	900×900×170, R550	S	228 €

FLAT KVADRO

square acrylic shower tray

80×80 / 90×90 / 100×100



FLAT KVADRO	L	W	H	S	E	P	Ø
800×800	800	800	50	150	50	80	90
900×900	900	900	50	150	50	80	90
1000×1000	1000	1000	50	175	50	80	90



FLAT KVADRO

type	ordering No.	dimension (mm)	delivery method	Price
FLAT KVADRO	8000118	800×800×50	S	159 €
FLAT KVADRO	8000119	900×900×50	S	169 €
FLAT KVADRO	8000120	1000×1000×50	S	228 €
front panel 800	8010085	height=80	S	88 €
front panel 900	8010086	height=80	S	88 €
front panel 1000	8010087	height=80	S	100 €

■ front panel FLAT KVADRO




Shower trays acrylic

COLA

square acrylic shower tray

80×80 / 90×90



COLA	L	W	H1	H2	S	E	ø
800×800	800	800	35	170	170	70	60
900×900	900	900	35	170	225	70	60




COLA

type	ordering No.	dimension (mm)	delivery method	Price
COLA 800	8000003	800×800×160	S	164 €
COLA 900	8000004	900×900×170	S	174 €

COLA-P

square self-supporting shower tray
made out of coextruded shell with PU support

80×80 / 90×90



COLA-P	L	W	H	S	ø
800×800	800	800	170	140	60
900×900	900	900	170	140	60



COLA-P


type	ordering No.	dimension (mm)	delivery method	Price
COLA-P 800	8000022	800×800×170	S	202 €
COLA-P 900	8000023	900×900×170	S	228 €

FLAT KVADRO

rectangular acrylic shower tray



750×1500 / 1600
900×800 / 1200×1000
800×1000 / 1100 / 1200 / 1300 / 1400 / 1500
900×1000 / 1100 / 1200 / 1300 / 1400 / 1500



FLAT KVADRO

type	ordering No.	dimension (mm)	delivery method	Price
FLAT KVADRO	8000161	900×800×50	S	169 €
FLAT KVADRO	8000121	1000×800×50	S	206 €
FLAT KVADRO	8000122	1000×900×50	S	221 €
FLAT KVADRO	8000248	1100×800×50	S	209 €
FLAT KVADRO	8000252	1100×900×50	S	234 €
FLAT KVADRO	8000123	1200×800×50	S	221 €
FLAT KVADRO	8000124	1200×900×50	S	289 €
FLAT KVADRO	8000160	1200×1000×50	S	323 €
FLAT KVADRO	8000249	1300×800×50	S	243 €
FLAT KVADRO	8000253	1300×900×50	S	307 €
FLAT KVADRO	8000125	1400×800×50	S	289 €
FLAT KVADRO	8000254	1400×900×50	S	326 €
FLAT KVADRO	8000251	1500×800×60	S	303 €
FLAT KVADRO	8000255	1500×900×60	S	353 €
FLAT KVADRO	8000243	1500×750×60	S	289 €
FLAT KVADRO	8000244	1600×750×60	S	323 €

■ shower tray FLAT KVADRO 1500



Shower trays acrylic

INTEGRO

rectangular acrylic shower tray with integrated siphon cover made out of polished stainless steel



!
FLAT acrylic trays are possible to build directly into the floor. In case you would like to place the tray on legs, we recommend to use a set of legs for acrylic trays. This set contains 5 pcs of adjustable legs (with them you will easily level the tray) and a set of mounts (for fixing the tray to the wall).

■ legs adjustability: 7 ÷ 9 cm

Set of legs

LEGS FOR ACRYLIC SHOWER TRAYS 5139200 5 pcs of adjustable legs, set of mounts for wall mounting S 19 €

FLAT STONE EFFECT

■ FLAT STONE White




■ FLAT STONE Anthracite



Shower trays FLAT STONE EFFECT are designed not only for modern bathrooms with a spacious shower.

FLAT STONE EFFECT

These shower trays are made of structured acrylate with a very pleasant surface to touch. FLAT STONE EFFECT is produced in the shape of a square in three dimensions or in a rectangle design, where there are an incredible 14 dimensions to choose from. All this in two colour variants - ageless sanitary white colour and modern anthracite.



FLAT STONE	L	W	H	S	E	Ø
800x800	800	800	50	150	50	90
900x900	900	900	50	150	50	90
1000x1000	1000	1000	50	175	50	90
900x800	900	800	50	150	50	90
1000x800	1000	800	50	150	50	90
1000x900	1000	900	50	150	50	90
1100x800	1100	800	50	150	50	90
1100x900	1100	900	50	150	50	90
1200x800	1200	800	50	150	50	90
1200x900	1200	900	50	150	50	90
1200x1000	1200	1000	50	150	50	90
1300x800	1300	800	50	150	50	90
1300x900	1300	900	50	150	50	90
1400x800	1400	800	50	150	50	90
1400x900	1400	900	50	150	50	90
1500x800	1500	800	50	150	50	90
1500x900	1500	900	50	150	50	90

Bathtubs

freestanding

Alegria Silk

What is Solid Surface?

Solid Surface is a modern composite material which combines gentle feel of silk and noble solidness of marble..

- non-porous surface is completely smooth - does not absorb any colouring substances
- chemical resistant against all kinds of domestic solvents, acids and washing liquids
- hard and durable - scratch resistant and in comparison to ceramics also shock resistant
- does not fade - resistant to UV-rays
- eco friendly - can be recycled and after being ground, can be used for new Solid Surface items production



Solid Surface in standard comes in white colour and half matte gloss. Solid Surface contains a natural material called bauxite which is mixed in vacuum with polyester resin and hardened at high temperature. is used for visually and geometrically flawless interior design elements.



ALEGRIA SILK

elegant freestanding bathtub made of Solid Surface material

194x83



! Note:
Before installation the drain has to be pre-built into the floor

ALEGRIA SILK

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
ALEGRIA SILK	9950000	1945x830x715	280	Z	3 750 €


The integrated drain cover of this bathtub is specially made of Solid Surface material

weight: 128 kg

STONE AMORE

freestanding bathtub made of cast marble

160x85



STONE AMORE

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
STONE AMORE	9930000	1600x850x720	260	Z	2 338 €

Bathtub is equipped by the integrated siphon

weight: 127 kg



Bathtubs acrylic

KUBIC NEO

rectangular acrylic bathtub



150×70 / 160×70 / 160×80
170×75 / 180×80



recommended
accessories legs
EXCLUSIVE page 221



BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI



KUBIC NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
KUBIC NEO 150×70	9300000	1500×700	200	S	256 €
KUBIC NEO 160×70	9310000	1600×700	210	S	268 €
KUBIC NEO 160×80	9320000	1600×800	225	S	331 €
KUBIC NEO 170×75	9330000	1700×750	230	S	278 €
KUBIC NEO 180×80	9340000	1800×800	250	S	349 €
Front PANEL 150	9300001	1500×560	-	S	180 €
Front PANEL 160	9310001	1600×560	-	S	181 €
Front PANEL 170	9330001	1700×560	-	S	200 €
Front PANEL 180	9340001	1800×560	-	S	200 €
Side PANEL 70	9300002	700×560	-	S	156 €
Side PANEL 75	9330002	750×560	-	S	156 €
Side PANEL 80	9340002	800×560	-	S	163 €

KUBIC NEO	L	W	H	G	D	R	P	S	E	F	Z
1495×695	1495	695	435	330	970	40	560	400	1360	560	290
1595×695	1595	695	435	330	1070	40	560	400	1460	560	290
1595×795	1595	795	455	350	1070	40	560	450	1460	660	290
1695×750	1695	750	435	330	1170	40	560	420	1560	610	290
1795×795	1795	795	455	350	1270	40	560	450	1660	660	290



KUBIC NEO SLIM

rectangular acrylic bathtub with extra slim rim

150×70 / 160×70 / 160×80
170×75 / 180×80

KUBIC NEO SLIM

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
KUBIC NEO SLIM 150×70	9300SLM	1500×700	200	S	305 €
KUBIC NEO SLIM 160×70	9310SLM	1600×700	210	S	308 €
KUBIC NEO SLIM 160×80	9320SLM	1600×800	225	S	375 €
KUBIC NEO SLIM 170×75	9330SLM	1700×750	230	S	327 €
KUBIC NEO SLIM 180×80	9340SLM	1800×800	250	S	393 €



recommended
accessories legs
EXCLUSIVE page 221



BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI

KUBIC NEO	L	W	H	G	D	R	P	S	E	F	Z
1495×695	1495	695	435	340	970	18	560	400	1360	560	290
1595×695	1595	695	435	340	1070	18	560	400	1460	560	290
1595×795	1595	795	455	360	1070	18	560	450	1460	660	290
1695×750	1695	750	435	340	1170	18	560	420	1560	610	290
1795×795	1795	795	455	360	1270	18	560	450	1660	660	290

New extra slim rim for more luxurious bathing ...





Bathtubs acrylic

MALIBU NEO

rectangular acrylic bathtub

160×75 / 170×75 / 180×80



recommended
accessories legs
EXCLUSIVE page 221



BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI

MALIBU NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
MALIBU NEO 160	9200000	1600×750	200	S	305 €
MALIBU NEO 170	9190000	1700×750	210	S	316 €
MALIBU NEO 180	9180000	1795×795	220	S	345 €
Front PANEL 160	9310001	1600×560	–	S	181 €
Front PANEL 170	9330001	1700×560	–	S	200 €
Front PANEL 180	9180001	1800×580	–	S	200 €
Side PANEL 75	9330002	750×560	–	S	156 €
Side PANEL 80	9180002	800×580	–	S	156 €

MALIBU NEO	L	W	H	G	D	R	P	S	E	F	F1	Z
1595×750	1595	750	430	330	1010	40	560	375	1480	630	60	255
1695×750	1695	750	465	320	1150	40	560	445	1590	630	60	255
1795×795	1795	795	465	330	1210	40	580	465	1680	670	60	270

KUBIC NEO

rectangular acrylic bathtub


120×70 / 130×70



recommended
accessories legs
EXCLUSIVE page 221



BV2, TV1, TV2, SWING,
PXV1, SCREEN MINI



KUBIC NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
KUBIC NEO 120	9350000	1200×700	145	S	223 €
KUBIC NEO 130	9360000	1300×700	160	S	230 €

KUBIC NEO	L	W	H	G	D	R	S	E	F	Z
1195×695	1195	695	435	330	670	40	400	1060	560	290
1295×695	1295	695	435	330	770	40	400	1160	560	290

KUBIC

rectangular acrylic bathtub

190×90





recommended
accessories legs
EXCLUSIVE page 221



BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI

KUBIC 190

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
KUBIC 190	9390000	1900×900	220	S	484 €



Bathtubs acrylic

SAVONA NEO

rectangular acrylic bathtub

170×80 / 180×80

recommended accessories legs EXCLUSIVE page 221



BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI



SAVONA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
SAVONA NEO 170	9290000	1700×800	190	S	305 €
SAVONA NEO 180	9280000	1800×800	200	S	315 €

SAVONA NEO	L	W	H	G	D	R	S	F1	F2	Z
1700×800	1700	800	440	350	1140	40	580	60	90	265
1800×800	1800	800	440	350	1240	40	580	60	90	265



VANESSA NEO

rectangular acrylic bathtub

140×70 / 150×70 / 160×70 / 170×70



recommended accessories legs EXCLUSIVE page 221




BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI




VANESSA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
VANESSA NEO 140	9550000	1400×700	150	S	275 €
VANESSA NEO 150	9560000	1500×700	155	S	281 €
VANESSA NEO 160	9570000	1600×700	160	S	281 €
VANESSA NEO 170	9580000	1700×700	165	S	286 €
Front PANEL 140	9550001	1400×530	–	S	134 €
Front PANEL 150	8930001	1500×530	–	S	141 €
Front PANEL 160	8940001	1600×530	–	S	147 €
Front PANEL 170	8950001	1700×530	–	S	153 €
Side PANEL 70	8930002	700×530	–	S	103 €

■ front panel for VANESSA NEO bathtub



■ side panel for VANESSA NEO bathtub



VANESSA NEO	L	W	H	G	D	R	P	S	E	F	Z
1395×695	1395	695	435	330	870	40	530	380	1270	560	270
1495×695	1495	695	435	330	970	40	530	380	1370	560	270
1595×695	1595	695	435	330	1070	40	530	380	1470	560	270
1695×695	1695	695	435	330	1170	40	530	380	1570	510	270

Bathtubs acrylic

ACTIVA

asymmetric corner acrylic bathtub

150x90 / 160x90 / 170x90




BV2, TZVL(P)2, TV1, TV2,
SWING, PXV1, SCREEN MINI

ACTIVA					
type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
ACTIVA 150 (L)	8410000	1500x900	200	S	426 €
ACTIVA 150 (P)	8400000	1500x900	200	S	426 €
ACTIVA 160 (L)	8430000	1600x900	210	S	447 €
ACTIVA 160 (P)	8420000	1600x900	210	S	447 €
ACTIVA 170 (L)	8170000	1700x900	280	S	481 €
ACTIVA 170 (P)	8180000	1700x900	280	S	481 €
Front PANEL 150	8400001	height=580	-	S	228 €
Front PANEL 160	8420001	height=580	-	S	234 €
Front PANEL 170	8170001	height=580	-	S	244 €



ACTIVA	L	W	H	G	G1	D	R	P	L1	E	F	Z	Z1	Z2
1495x895	1495	895	465	330	240	1000	45	580	800	1430	570	210	340	230
1595x895	1595	895	465	330	240	1200	45	580	850	1500	570	210	340	230
1695x895	1695	895	475	330	240	1250	45	580	950	1570	570	210	340	230



■ panel for ACTIVA bathtub

MINI

asymmetric corner acrylic bathtub



160x70



recommended
accessories legs
EXCLUSIVE page 221



PXV1, SCREEN MINI



MINI

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
MINI 160x70 (L)	N-8000073	1600x700	210	S	210 €
MINI 160x70 (P)	N-8000074	1600x700	210	S	210 €

EVA SIDE



asymmetric corner acrylic bathtub

150x80

■ EVA SIDE bathtub
with front and side panels



recommended
accessories legs
EXCLUSIVE page 221



EVA SIDE

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
EVA SIDE 150x80 (L)	9780000	1500x800	200	S	305 €
EVA SIDE 150x80 (P)	9790000	1500x800	200	S	305 €
Front PANEL 150 (L)	9780001	height=540	-	S	241 €
Front PANEL 150 (P)	9790001	height=540	-	S	241 €
Side PANEL 55	9780002	height=540	-	S	172 €

Bathtubs acrylic

ISABELLA NEO

asymmetric corner acrylic bathtub

170×110



recommended
accessories legs
EXCLUSIVE page 221

ISABELLA NEO					
type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
ISABELLA NEO 170 (L)	9700000	1700×1100	240	S	457 €
ISABELLA NEO 170 (P)	9710000	1700×1100	240	S	457 €
front PANEL 170 (L)	9700001	height=570	-	S	303 €
front PANEL 170 (P)	9710001	height=570	-	S	303 €

■ panel for ISABELLA NEO bathtub



HARMONIA

asymmetric corner acrylic bathtub




150×95 / 160×95



recommended
accessories legs
EXCLUSIVE page 221

HARMONIA						
type	ordering No.	dimension (mm)	volume (l)	delivery method	Price	
HARMONIA 150 (L)	9800000	1500×950	200	S	331 €	
HARMONIA 150 (P)	9810000	1500×950	200	S	331 €	
HARMONIA 160 (L)	9820000	1600×950	225	S	345 €	
HARMONIA 160 (P)	9830000	1600×950	225	S	345 €	
Front PANEL 150	9800001	height=560	-	S	209 €	
Front PANEL 160	9820001	height=560	-	S	263 €	

HARMONIA	L	W	H	G	D	R	P	S	E	Z1	Z2
1495×950	1495	950	450	330	1050	40	560	440	1390	905	515
1595×950	1595	950	470	335	1205	40	560	475	1490	965	515



ACTIVA NEO

spacious asymmetric corner bathtub


150×90 / 160×90 / 170×90



recommended
accessories legs
EXCLUSIVE page 221

ACTIVA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
ACTIVA NEO 150 (L)	9840000	1500×900	210	S	331 €
ACTIVA NEO 150 (P)	9850000	1500×900	210	S	331 €
ACTIVA NEO 160 (L)	9860000	1600×900	215	S	349 €
ACTIVA NEO 160 (P)	9870000	1600×900	215	S	349 €
ACTIVA NEO 170 (L)	9880000	1700×900	230	S	382 €
ACTIVA NEO 170 (P)	9890000	1700×900	230	S	382 €
Front PANEL 150	9840001	height=570	-	S	216 €
Front PANEL 160	9860001	height=570	-	S	253 €
Front PANEL 170	9880001	height=570	-	S	259 €



New design of ACTIVA NEO bathtub provides maximum space to enjoy a comfortable bath even in smaller bathrooms!

ACTIVA NEO	L	W1	W	H	G	D	R	P	L1	E	F	Z	Z1	Z2
1500×900	1500	900	800	460	350	1000	40	570	850	1380	560	530	300	550
1600×900	1600	900	800	460	350	1100	40	570	980	1480	560	530	300	550
1700×900	1600	900	800	460	350	1150	40	570	1060	1580	560	530	300	550

Bathtubs acrylic


KUBIC ASYMMETRIC

asymmetric corner acrylic bathtub

160×103 / 170×110



recommended
accessories legs
EXCLUSIVE page 221



KUBIC ASYMMETRIC

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
KUBIC ASYMMETRIC 160 (L)	9660000	1600×1030	220	S	478 €
KUBIC ASYMMETRIC 160 (P)	9670000	1600×1030	220	S	478 €
KUBIC ASYMMETRIC 170 (L)	9680000	1700×1100	240	S	538 €
KUBIC ASYMMETRIC 170 (P)	9690000	1700×1100	240	S	538 €
Front PANEL 160	9660001	height=520	-	S	234 €
Front PANEL 170	9680001	height=520	-	S	244 €

KUBIC ASYM.	L	W	H	G	D	R	P	E	F	F2	F3
1595×1025	1595	1025	450	320	950	50	520	1450	870	630	500
1695×1095	1695	1095	450	320	1050	50	520	1550	940	700	570

AMORE


rectangular acrylic bathtub for two persons

180×120

we recommend to order
2 x set of legs EXCLUSIVE
page 221



BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI



AMORE

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
AMORE	9720000	1800×1200	300	S	947 €
Front PANEL 180	9720001	1800×580	-	S	172 €
Side PANEL 120	9720002	1200×580	-	S	150 €



recommended
accessories legs
EXCLUSIVE page 221


FLORA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
FLORA NEO 120	9590000	1200×1200	140	S	478 €
Front PANEL 120	9590001	height=520	-	S	275 €

FLORA NEO

corner acrylic bathtub

120×120



recommended
accessories legs
EXCLUSIVE page 221


SABRINA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
SABRINA NEO 140	9620000	1400×1400	250	S	478 €
SABRINA NEO 150	9630000	1500×1500	320	S	531 €
Front PANEL 140	9620001	height=570	-	S	219 €
Front PANEL 150	9630001	height=570	-	S	219 €

SABRINA NEO

corner acrylic bathtub

140×140 / 150×150



SABRINA NEO	L	A	B	H	G	D	R	P	S	E	Z
1395×1395	1395	1410	1950	480	320	990	40	570	630	1370	1150
1495×1495	1495	1540	2100	480	320	1100	40	570	750	1600	1310

Bath screens

Do you need a practical bath screen? Fixed, with sliding door, opening or folding?
Just pick ...



practical solution
with shelf and hanger



BV2

bath screen with a both-way opening
and a fixed part with practical accessories

- minimalist design with no frame
- safety glass with RothETC treatment
- lifting mechanism



5 mm ESG Tempered glass
Transparent 02



Profile colour
Brilliant 00

BV2 (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method	Price
BV2/900	290-9000000-00-02	880-890	1505	450-460	430	brilliant	transparent	0	500 €

h* - height including supporting elements





■ BV2 - universal LEFT and RIGHT solution



■ Practical solution with hanger and shelf



■ Both-way opening and fixed part



Bath screens practical supplement

easy maintenance thanks
to the minimum of profiles

innovated lifting
mechanism for opening

CI BAE

bath screen with a both-way opening

- both-way opening - inside / outside
- elegant frameless solution
- RothETC glass surface treatment against the limescale



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



■ CI BAE

CI BAE (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method	Price
CI BAE/750	CI BAE 075150 VPE	740-765	1502*	665	brilliant	transparent	0	236 €

h* = height including supporting elements





CI BAE (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI BAE	up to 1000 mm	up to 1500 mm	brilliant	transparent	Z
CI BAE	up to 1000 mm	up to 1500 mm	brilliant	rauch	Z
CI BAE	up to 1000 mm	up to 1500 mm	brilliant	satinato	Z



■ Lifting mechanism for easy opening

■ CI BAE
universal LEFT and RIGHT solution



■ CI BAF

CI BAF

bath screen with a both-way opening and a fixed part

- minimalist design without frame
- universal left / right solution
- both-way opening



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

CI BAF (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c)	width (s)	profile	glass	delivery method	Price
CI BAF/750	CI BAF 110150 VPE	1090-1115	1523*	570	420-445	brilliant	transparent	0	364 €

h* = height including supporting elements





CI BAF (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI BAF	up to 1800 mm	up to 1500 mm	brilliant	transparent	Z
CI BAF	up to 1800 mm	up to 1500 mm	brilliant	rauch	Z
CI BAF	up to 1800 mm	up to 1500 mm	brilliant	satinato	Z



■ Stable support bar of the fixed part

■ CI BAF
universal LEFT and RIGHT solution



Bath screens practical supplement

quality processing
to the last detail



CI 2PL / CI 2PR

folding bath screen
with a pivot wall system

- profile with quality lifting mechanism for easy opening
- door hinges are embedded from inside to the glass level for better convenience when cleaning
- RothETC glass surface treatment against the limescale



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

CI 2PL / CI 2PR (folding bath screen)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method	Price
CI 2PL/1000	CI 2PL 100150 VPE	980-1005	1502*	446	459	brilliant	transparent	0	473 €
CI 2PL/1200	CI 2PL 120150 VPE	1180-1205	1502*	546	559	brilliant	transparent	0	493 €
CI 2PR/1000	CI 2PR 100150 VPE	980-1005	1502*	446	459	brilliant	transparent	0	473 €
CI 2PR/1200	CI 2PR 120150 VPE	1180-1205	1502*	546	559	brilliant	transparent	0	493 €



h* - height including supporting elements

CI 2PL / CI 2PR (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
CI 2PL / CI 2PR	up to 1600 mm	up to 1500 mm	brilliant	transparent	Z
CI 2PL / CI 2PR	up to 1600 mm	up to 1500 mm	brilliant	rauch	Z
CI 2PL / CI 2PR	up to 1600 mm	up to 1500 mm	brilliant	satinato	Z



■ Design hinge in chrome finish



Bath screens practical supplement

practical solution
for comfortable relaxation



TZVL2 / TZVP2

folding bath screen
with a swivel wall system

- profile with quality lifting mechanism for easy opening
- RothETC glass surface treatment against the limescale
- door hinges are embedded from inside to the glass level for better convenience when cleaning



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO

TZVL2 / TZVP2 (folding bath screen)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method	Price
TZVL2/1000	742-100000L-00-02	990–1005	1400*	420	520	brilliant	transparent	0	453 €
TZVP2/1000	742-100000P-00-02	990–1005	1400*	420	520	brilliant	transparent	0	453 €
TZVL2/1100	742-110000L-00-02	1090–1105	1400*	470	570	brilliant	transparent	0	475 €
TZVP2/1100	742-110000P-00-02	1090–1105	1400*	470	570	brilliant	transparent	0	475 €
TZVL2/1200	742-120000L-00-02	1190–1205	1400*	520	620	brilliant	transparent	0	514 €
TZVP2/1200	742-120000P-00-02	1190–1205	1400*	520	620	brilliant	transparent	0	514 €

h* - height including supporting elements


TZVL2 / TZVP2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TZVL(P)2	up to 1600 mm	up to 1500 mm	brilliant	transparent	Z
TZVL(P)2	up to 1600 mm	up to 1500 mm	brilliant	chinchilla	Z
TZVL(P)2	up to 1600 mm	up to 1500 mm	brilliant	rauch	Z
TZVL(P)2	up to 1600 mm	up to 1500 mm	brilliant	satinato	Z



■ Door hinges in chrome surface finishing

■ TZVL2



■ TZVP2



stability
and easy maintenance



TV2

bath screen with a both-way opening and a fixed part

- minimalist design without frame
- safety glass with RothETC treatment
- both-way opening



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO

TV2 (bath screen with a both-way opening and a fixed part)


type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method	Price
TV2	732-9700000-00-02	970–980	1427*	430	540	brilliant	transparent	S	298 €

h* - height including supporting elements

TV2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TV2	up to 1800 mm	up to 1500 mm	brilliant	transparent	Z
TV2	up to 1800 mm	up to 1500 mm	brilliant	chinchilla	Z
TV2	up to 1800 mm	up to 1500 mm	brilliant	rauch	Z
TV2	up to 1800 mm	up to 1500 mm	brilliant	satinato	Z

■ TV2 - universal LEFT and RIGHT solution



■ Lifting mechanism for easy opening



Bath screens practical supplement

simple line
in elegant concept

design and functional
solution to every bathroom



TV1

bath screen with a both-way opening

- elegant frameless solution
- RothETC glass surface treatment against the limescale
- extended 5-years warranty
- universal left / right solution



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO / Silver (elox) O1



TV1 (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method	Price
TV1/700	706-7000000-00-02	670-685	1400	620	brilliant	transparent	S	290 €
TV1/700	706-7000000-01-02	670-685	1400	620	silver	transparent	S	275 €
TV1/750	706-7500000-00-02	720-735	1400	670	brilliant	transparent	S	300 €
TV1/750	706-7500000-01-02	720-735	1400	670	silver	transparent	S	290 €
TV1/800	706-8000000-00-02	770-785	1400	720	brilliant	transparent	S	325 €
TV1/800	706-8000000-01-02	770-785	1400	720	silver	transparent	S	313 €

h* - height including supporting elements

TV1 (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	transparent	Z
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	chinchilla*	Z
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	rauch	Z
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	satinato*	Z

* in the CHINCHILLA and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions



■ Handle with chrome surface finishing

■ TV1 - universal LEFT and RIGHT solution



SWING

bath screen with a both-way opening

- design of frameless bath screen
- safety glass with RothETC treatment
- lifting mechanism



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO / Silver (elox) O1



SWING (bath screen with a both-way opening)



type	ordering No.	installation width (y)	height (h)	width (c1)	profile	glass	delivery method	Price
SWING/850	657-8500000-00-02	855-870	1400	805	brilliant	transparent	S	483 €
SWING/850	657-8500000-01-02	855-870	1400	805	silver	transparent	S	467 €

h* - height including supporting elements



■ Both-way screen opening saves the space

■ SWING - universal LEFT and RIGHT solution



Bath screens practical supplement

focused on detail
and perfection

solution for your bathroom
in a simple design



SCREEN MINI

bath screen with a both-way opening

- profile with quality lifting mechanism for easy opening
- RothETC glass surface treatment against the limescale
- extended 5-years warranty



8 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO

SCREEN MINI (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method	Price
SCREEN MINI	217-7000000-00-09	660	1 400	635	brilliant	transparent	S	256 €



PXV1

fixed bath screen

- safety glass with RothETC treatment
- brace with a chrome surface finish
- extended 5-years warranty



6 mm ESG Tempered glass
Transparent O2



Profile colour
Brilliant OO




PXV1 (fixed bath screen)

type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method	Price
PXV1/700	453-7000000-00-02	635-660	1517*	—	brilliant	transparent	S	219 €
PXV1/750	453-7500000-00-02	685-710	1517*	—	brilliant	transparent	S	233 €
PXV1/800	453-8000000-00-02	735-760	1517*	—	brilliant	transparent	O	239 €

h* - height including supporting elements

■ SCREEN MINI - universal LEFT and RIGHT solution




■ Quality polished hinges for improved stability



■ PXV1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXV1	up to 1200 mm	up to 1500 mm	brilliant	transparent	Z

■ PXV1 - universal LEFT and RIGHT solution



■ The brace in a chrome finish ensures perfect stability

Bath screens practical supplement

precise processing
attention to detail

functionality and originality
for everyone



PXV2L / PXV2P

bath screen with sliding door

- aluminium profiles and ball bearing rollers
- RothETC glass surface treatment
- all installation options:
along the wall, to a corner or to a niche



6 mm ESG Tempered glass
Transparent 02



Profile colour
Brilliant 00

PXV2L / PXV2P (bath screen with sliding door)


type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
PXV2L/1500	451-150000L-00-02	1480-1530	1500	600	brilliant	transparent	0	394 €
PXV2P/1500	451-150000P-00-02	1480-1530	1500	600	brilliant	transparent	0	394 €
PXV2L/1600	451-160000L-00-02	1580-1630	1500	650	brilliant	transparent	0	406 €
PXV2P/1600	451-160000P-00-02	1580-1630	1500	650	brilliant	transparent	0	406 €
PXV2L/1700	451-170000L-00-02	1680-1730	1500	700	brilliant	transparent	0	417 €
PXV2P/1700	451-170000P-00-02	1680-1730	1500	700	brilliant	transparent	0	417 €
PXV2L/1800	451-180000L-00-02	1780-1830	1500	750	brilliant	transparent	0	428 €
PXV2P/1800	451-180000P-00-02	1780-1830	1500	750	brilliant	transparent	0	428 €



PXV2L / PXV2P (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXV2L(P)2	up to 1800 mm	up to 1500 mm	brilliant	transparent	Z

■ PXV2L



■ PXV2P



■ Multifunctional towel holder on the fixed glass



PXVB

bath side panel for PXV2L / PXV2P

- safety glass with RothETC treatment
- standard height 1 500 mm



6 mm ESG Tempered glass
Transparent 02



Profile colour
Brilliant 00



PXVB (side panel)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
PXVB/700	452-7000000-00-02	680-705	1500	brilliant	transparent	0	181 €
PXVB/750	452-7500000-00-02	730-755	1500	brilliant	transparent	0	194 €
PXVB/800	452-8000000-00-02	780-805	1500	brilliant	transparent	0	206 €


PXVB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXVB	do 900 mm	up to 1500 mm	brilliant	transparent	Z


■ PXVB - universal LEFT and RIGHT solution



■ PXV2L + PXVB




■ PXVB + PXV2L + PXVB



Bath screens practical supplement

polished profiles
and quality rollers

technical solution
underlines the style



LLV2

bath screen with sliding door

- aluminium profiles and ball bearing rollers
- RothETC glass surface treatment
- all installation options:
along the wall, to a corner or to a niche



5 + 4 mm ESG Tempered glass
Transparent O2
5 mm door glass + 4 mm fixed panel



Profile colour
Brilliant O0

LLV2 (bath screen with sliding door)

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
LLV2/1200	572-1200000-00-02	1170-1205	1500	485	brilliant	transparent	S	414 €
LLV2/1400	572-1400000-00-02	1370-1405	1500	585	brilliant	transparent	S	428 €
LLV2/1500	572-1500000-00-02	1470-1505	1500	685	brilliant	transparent	S	442 €
LLV2/1600	572-1600000-00-02	1570-1605	1500	685	brilliant	transparent	S	456 €



LLVB

bath side panel for LLV2

- safety glass with RothETC treatment
- standard height 1 500 mm



5 + 4 mm ESG Tempered glass
Transparent O2
5 mm door glass + 4 mm fixed panel



Profile colour
Brilliant O0


LLV2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLV2	up to 1800 mm	up to 1500 mm	brilliant	transparent	Z



■ Solid handle made out of polished stainless steel
underlines the decent design of the series

■ LLV2 - universal LEFT and RIGHT solution



LLVB (side panel)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
LLVB/700	573-7000000-00-02	679-705	1500	brilliant	transparent	S	228 €
LLVB/750	573-7500000-00-02	729-755	1500	brilliant	transparent	S	242 €
LLVB/800	573-8000000-00-02	779-805	1500	brilliant	transparent	S	256 €
LLVB/900	573-9000000-00-02	879-905	1500	brilliant	transparent	S	269 €




LLVB (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
LLVB	do 900 mm	up to 1500 mm	brilliant	transparent	Z

■ LLVB - universal LEFT and RIGHT solution

■ LLV2 + LLVB




■ LLV2 + LLV2 + LLVB




Accessories for trays and bathtubs


Shower tray siphons




■ chrome-plastic Ø 50/60



■ chrome-plastic Ø 90




■ metal lux Ø 90




■ reduced chrome plastic Ø 90

Shower tray siphons


type	ordering No.	delivery method	Price
SHOWER TRAY SIPHON - CHROME-PLASTIC Ø 50/60	8100002	S	18 €
SHOWER TRAY SIPHON - CHROME-PLASTIC Ø 90	8100016	S	28 €
SHOWER TRAY SIPHON - METAL LUX Ø 90	8100021	S	43 €
SHOWER TRAY SIPHON REDUCED - CHROME-PLASTIC Ø 90	8100034	S	28 €
SHOWER TRAY SIPHON - ST. STEEL GRID Ø 50/60	8100000	S	15 €
SHOWER TRAY SIPHON - WHITE PLASTIC Ø 50/60	8100001	S	16 €
SHOWER TRAY SIPHON - ST. STEEL GRID Ø 90	8100014	S	22 €
SHOWER TRAY SIPHON - WHITE PLASTIC Ø 90	8100015	S	24 €




■ st. steel grid Ø 50/60



■ white plastic Ø 50/60




■ st. steel grid Ø 90




■ white plastic Ø 90

Bathtub siphons



■ automatic bathtub siphon



■ bathtub siphon with an overflow filling

Bathtub siphons

type	ordering No.	delivery method	Price
BATHTUB SIPHON COMPLETE - METAL (L=570 mm)	8100011	S	45 €
BATHTUB SIPHON WITH AN OVERFLOW FILLING (L=570 mm)	8100022	S	175 €

Bathtub legs EXCLUSIVE

Used as a supporting element to ensure a simple way to level the bathtub before its underwalling and paneling. Part of the leg package is also a set of mounts for fixing the bathtub to the wall.
Legs adjustability: 12–18 cm



Bathtub legs

type	ordering No.	delivery method	Price
BATHTUB LEGS EXCLUSIVE	5139300	S	28 €

Mounting kit for shower trays

Tray sealing system recommended by a producer.

CONTENTS: silicone sealant PROFI – 310ml covering strip 2x100 cm self adhesive plastic foam belt mounting instructions



Special cleaners for surfaces care

Recommended agents for cleaning and renewing the surface of shower trays and bathtubs with regard to their material.
SOLID SURFACE CLEANER - designed for cast marble surfaces
ACRYLIC CLEANER - designed for acrylic shower trays and bathtubs

VOLUME: 500 ml



Cleaner for shower trays and bathtubs

type	ordering No.	delivery method	Price
SOLID SURFACE CLEANER	5139820	S	21 €
ACRYLIC CLEANER	5139830	S	21 €


Vinata®
shower cabines

Vinata®

Safe, comfortable and carefree solutions
for every generation

Vinata is designed specifically for the needs of people who no longer want to repeat the lengthy renovation of the bathroom while still wanting to replace the old bathtub with a safe and easily accessible shower. And all this without demanding construction work.

The cabine is a closed solution, so you just need to build it and connect it to the already established water and waste connection. Quality shower Hansgrohe set is part of the shower cabine.



Mounting
in 1 day only



High
safety



Equipment
Hansgrohe

Vinata® comfortable



Comfortable and Safe
shower cabine, which will appreciate not only seniors



Installation

- Corner or niche installation options
- Possibility to install the tray directly on the tiles (floor)
- Supporting adjustable legs are included, including a cover system



■ Glass design FLOW

Vinata® Comfort

- Complete shower cabine with sliding doors
- Height - 2160 mm
- Width - 4 variants from 1200 to 1700 mm
- Depth - 3 variants from 700 to 900 mm
- Cast marble tray with certified non-slip finish and low step on edge (30 mm)
- Complete Hansgrohe shower set thermostatic faucet, height-adjustable holder, hand shower, overhead shower, shelf
- Solid Safe Handle 2 pcs (for 1200 mm - 1 piece)
- 6 mm safety glass back panels in two colors White / Anthracite
- 6 mm safety glass sliding door in two designs Transparent / Flow
- All glasses are coated with RothETC for better protection against limescale
- As standard: practical footrest shelf ideal for legs or foot care in the shower
- Optional: Arsis seat set with spacious seat in White / Anthracite



Vinata® comfortable

Vinata® Spirit

- Complete shower cabine with sliding doors
- Height - 2160 mm
- Width - 4 variants from 1200 to 1700 mm
- Depth - 3 variants from 700 to 900 mm
- Cast marble tray with low step on edge - 30 mm
- Complete Hansgrohe shower set
thermostatic faucet, height-adjustable holder,
hand shower, overhead shower, shelf
- Solid Safe Handle 2 pcs
(for 1200 mm - 1 piece)
- 6 mm safety glass back panels
in two colors White / Anthracite
- 6 mm safety glass sliding door
in two designs Transparent / Flow
- All glasses are coated with **RothETC**
for better protection against limescale



Installation

- Corner or niche installation options
- Possibility to install the tray directly on the tiles (floor)
- Supporting adjustable legs are included, including
a cover system




**Comfortable
shower cabine**
for the whole
family



■ Glass design FLOW

Specifications	Comfort	Spirit
Glass sliding door in Transparent or Flow design	✓	✓
Back glass walls in White or Anthracite	✓	✓
Sliding doors and rear walls treated with anti-scale RothETC	✓	✓
All glasses made from safety glass ESG - thickness 6 mm	✓	✓
Cast marble tray with low step on edge - 30 mm	✓	✓
Shower tray surface with certified anti-slip finish	✓	-
Solid internal handles in chrome finish 2 pcs (for model 1200 mm - 1 piece)	✓	-
Shower set with thermostatic faucet Crometta 160	✓	✓
Options for installation in a corner or for installation in a niche	✓	✓
3 variants of width from 1200 to 1700 mm	✓	✓
3 variants of depth from 700 to 900 mm	✓	✓
"Footrest" shelf Pellet	✓	-
Foldable shower seat - optional	✓*	-

* must be ordered separately





Complete Hansgrohe shower set

- Head shower, hand shower, shower thermostat, shower hose, slider, soap shelf
- Head shower Crometta 160 - size of shower head 160 mm
- Adjustable head shower angle, current type - Rain
- Thermostat Ecostat Universal
- Safety lock at 40 °C



Handles

- Elegant and design shape
- Elliptical tube for better grip (38 × 25 mm)
- Corrosion resistant
- The primary material is aluminum in brilliant finishing

Practical shelf

- Ideal for taking care of your legs or feet in the shower: no risk of slipping!
- It can be easily released to allow mounting of the ARSIS seat
- Multifunctional: also used for hygiene products
- Made of White / Anthracite polymer



ARSIS seat

- Cast 450 mm White or Anthracite Polymer Seat
- Aluminum construction (tube Ø 25 mm)
Locking position, lock resistant to unintentional movement
- Can be disconnected from the wall holder
for easy cleaning
- Innovative and unique product:
can be released to allow the shelf to be mounted
- Large seat with elegant design for maximum comfort
- An ideal concept for conversion of shower
into a safe area



Vinata® Comfort - corner



Technical specifications + price list



■ Technical specification Vinata® Comfort - corner

Height*	Dimension [mm]	ESG back Walls - White Sliding Door - Transparent		ESG back Walls - White Sliding Door - Flow		ESG back Walls - Anthracite Sliding Door - Transparent		ESG back Walls - Anthracite Sliding Door - Flow	
		Ordering number	Price (without VAT)	Ordering number	Price (without VAT)	Ordering number	Price (without VAT)	Ordering number	Price (without VAT)
2160	1160 × 677	1416000297	3 626 €	1416000764	3 669 €	1416000299	3 626 €	1416000765	3 669 €
2160	1160 × 777	1416000301	3 733 €	1416000766	3 776 €	1416000303	3 733 €	1416000767	3 776 €
2160	1160 × 877	1416000305	3 841 €	1416000768	3 884 €	1416000307	3 841 €	1416000769	3 884 €
2160	1360 × 677	1416000309	3 748 €	1416000770	3 791 €	1416000311	3 748 €	1416000771	3 791 €
2160	1360 × 777	1416000313	3 855 €	1416000772	3 898 €	1416000315	3 855 €	1416000773	3 898 €
2160	1360 × 877	1416000013	3 963 €	1416000774	4 006 €	1416000016	3 963 €	1416000775	4 006 €
2160	1560 × 677	1416000317	3 966 €	1416000776	4 009 €	1416000319	3 966 €	1416000777	4 009 €
2160	1560 × 777	1416000321	4 074 €	1416000778	4 116 €	1416000323	4 074 €	1416000779	4 116 €
2160	1560 × 877	1416000325	4 181 €	1416000780	4 224 €	1416000327	4 181 €	1416000781	4 224 €
2160	1660 × 677	1416000329	4 074 €	1416000782	4 116 €	1416000331	4 074 €	1416000783	4 116 €
2160	1660 × 777	1416000333	4 181 €	1416000784	4 224 €	1416000335	4 181 €	1416000785	4 224 €
2160	1660 × 877	1416000337	4 288 €	1416000786	4 331 €	1416000339	4 288 €	1416000787	4 331 €

* from the bottom of the tray to the top of the shower



Dimension	X	Y	E	F	G1	G2	A	B
1160 × 677	1160	677	445	475	1160	-	1185-1410	717-927
1360 × 677	1360	677	545	675	850	510	1385-1610	717-927
1560 × 677	1560	677	645	875	850	710	1585-1810	717-927
1660 × 677	1660	677	695	975	850	810	1685-1910	717-927
1160 × 777	1160	777	445	475	1160	-	1185-1410	817-1027
1360 × 777	1360	777	545	675	850	510	1385-1610	817-1027
1560 × 777	1560	777	645	875	850	710	1585-1810	817-1027
1660 × 777	1660	777	695	975	850	810	1685-1910	817-1027
1160 × 877	1160	877	445	475	1160	-	1185-1410	917-1127
1360 × 877	1360	877	545	675	850	510	1385-1610	917-1127
1560 × 877	1560	877	645	875	850	710	1585-1810	917-1127
1660 × 877	1660	877	695	975	850	810	1685-1910	917-1127

Vinata® Comfort - niche



Technical specifications + price list



■ Technical specification Vinata® Comfort - niche

Height*	Dimension	ESG back Walls - White Sliding Door - Transparent		ESG back Walls - White Sliding Door - Flow		ESG back Walls - Anthracite Sliding Door - Transparent		ESG back Walls - Anthracite Sliding Door - Flow	
		Ordering number	Price (without VAT)	Ordering number	Price (without VAT)	Ordering number	Price (without VAT)	Ordering number	Price (without VAT)
2160	1160 × 677	1416000341	3 698 €	1416000788	3 741 €	1416000343	3 698 €	1416000789	3 741 €
2160	1160 × 777	1416000345	3 805 €	1416000790	3 848 €	1416000347	3 805 €	1416000791	3 848 €
2160	1160 × 877	1416000349	3 912 €	1416000792	3 955 €	1416000351	3 912 €	1416000793	3 955 €
2160	1360 × 677	1416000353	3 819 €	1416000794	3 862 €	1416000355	3 819 €	1416000795	3 862 €
2160	1360 × 777	1416000357	3 927 €	1416000796	3 970 €	1416000359	3 927 €	1416000797	3 970 €
2160	1360 × 877	1416000361	4 034 €	1416000798	4 077 €	1416000363	4 034 €	1416000799	4 077 €
2160	1560 × 677	1416000365	4 038 €	1416000800	4 081 €	1416000367	4 038 €	1416000801	4 081 €
2160	1560 × 777	1416000369	4 145 €	1416000802	4 188 €	1416000371	4 145 €	1416000803	4 188 €
2160	1560 × 877	1416000373	4 253 €	1416000804	4 295 €	1416000375	4 253 €	1416000805	4 295 €
2160	1660 × 677	1416000377	4 145 €	1416000806	4 188 €	1416000379	4 145 €	1416000807	4 188 €
2160	1660 × 777	1416000381	4 253 €	1416000808	4 295 €	1416000383	4 253 €	1416000809	4 295 €
2160	1660 × 877	1416000385	4 360 €	1416000810	4 403 €	1416000387	4 360 €	1416000811	4 403 €

* from the bottom of the tray to the top of the shower



Dimension	X	Y	E	F	G1	G2	A	B
1160 × 677	1160	677	445	475	1160	-	1210–1660	717-927
1360 × 677	1360	677	545	675	850	510	1410–1860	717-927
1560 × 677	1560	677	645	875	850	710	1610–2060	717-927
1660 × 677	1660	677	695	975	850	810	1710–2160	717-927
1160 × 777	1160	777	445	475	1160	-	1210–1660	817-1027
1360 × 777	1360	777	545	675	850	510	1410–1860	817-1027
1560 × 777	1560	777	645	875	850	710	1610–2060	817-1027
1660 × 777	1660	777	695	975	850	810	1710–2160	817-1027
1160 × 877	1160	877	445	475	1160	-	1210–1660	917-1127
1360 × 877	1360	877	545	675	850	510	1410–1860	917-1127
1560 × 877	1560	877	645	875	850	710	1610–2060	917-1127
1660 × 877	1660	877	695	975	850	810	1710–2160	917-1127

Vinata® Spirit - corner




Technical specifications + price list



■ Technical specification Vinata® Spirit - corner

Height*	Dimension	ESG back Walls - White Sliding Door - Transparent		ESG back Walls - White Sliding Door - Flow		ESG back Walls - Anthracite Sliding Door - Transparent		ESG back Walls - Anthracite Sliding Door - Flow	
		Ordering number	Price (without VAT)	Ordering number	Price (without VAT)	Ordering number	Price (without VAT)	Ordering number	Price (without VAT)
2160	1160 × 677	1416000003	2 989 €	1416000620	3 032 €	1416000005	2 989 €	1416000621	3 032 €
2160	1160 × 777	1416000007	3 096 €	1416000622	3 139 €	1416000009	3 096 €	1416000623	3 139 €
2160	1160 × 877	1416000021	3 204 €	1416000624	3 247 €	1416000023	3 204 €	1416000625	3 247 €
2160	1360 × 677	1416000025	3 111 €	1416000626	3 154 €	1416000027	3 111 €	1416000627	3 154 €
2160	1360 × 777	1416000029	3 218 €	1416000628	3 261 €	1416000031	3 218 €	1416000629	3 261 €
2160	1360 × 877	1416000030	3 325 €	1416000630	3 368 €	1416000032	3 325 €	1416000631	3 368 €
2160	1560 × 677	1416000033	3 329 €	1416000632	3 372 €	1416000035	3 329 €	1416000633	3 372 €
2160	1560 × 777	1416000037	3 436 €	1416000634	3 479 €	1416000039	3 436 €	1416000635	3 479 €
2160	1560 × 877	1416000041	3 544 €	1416000636	3 587 €	1416000043	3 544 €	1416000637	3 587 €
2160	1660 × 677	1416000045	3 436 €	1416000638	3 479 €	1416000047	3 436 €	1416000639	3 479 €
2160	1660 × 777	1416000049	3 544 €	1416000640	3 587 €	1416000051	3 544 €	1416000641	3 587 €
2160	1660 × 877	1416000053	3 651 €	1416000642	3 694 €	1416000055	3 651 €	1416000643	3 694 €

* from the bottom of the tray to the top of the shower



Vinata® Spirit - niche



Technical specifications + price list



■ Technical specification Vinata® Spirit - niche

Height*	Dimension	ESG back Walls - White Sliding Door - Transparent		ESG back Walls - White Sliding Door - Flow		ESG back Walls - Anthracite Sliding Door - Transparent		ESG back Walls - Anthracite Sliding Door - Flow	
		Ordering number	Price (without VAT)	Ordering number	Price (without VAT)	Ordering number	Price (without VAT)	Ordering number	Price (without VAT)
2160	1160 x 677	1416000057	3 061 €	1416000644	3 103 €	1416000059	3 061 €	1416000645	3 103 €
2160	1160 x 777	1416000061	3 168 €	1416000646	3 211 €	1416000063	3 168 €	1416000647	3 211 €
2160	1160 x 877	1416000065	3 275 €	1416000648	3 318 €	1416000067	3 275 €	1416000649	3 318 €
2160	1360 x 677	1416000069	3 182 €	1416000650	3 225 €	1416000071	3 182 €	1416000651	3 225 €
2160	1360 x 777	1416000073	3 290 €	1416000652	3 333 €	1416000075	3 290 €	1416000653	3 333 €
2160	1360 x 877	1416000077	3 397 €	1416000654	3 440 €	1416000079	3 397 €	1416000655	3 440 €
2160	1560 x 677	1416000081	3 401 €	1416000656	3 444 €	1416000083	3 401 €	1416000657	3 444 €
2160	1560 x 777	1416000085	3 508 €	1416000658	3 551 €	1416000087	3 508 €	1416000659	3 551 €
2160	1560 x 877	1416000089	3 615 €	1416000660	3 658 €	1416000091	3 615 €	1416000661	3 658 €
2160	1660 x 677	1416000093	3 508 €	1416000662	3 551 €	1416000095	3 508 €	1416000663	3 551 €
2160	1660 x 777	1416000097	3 615 €	1416000664	3 658 €	1416000099	3 615 €	1416000665	3 658 €
2160	1660 x 877	1416000101	3 723 €	1416000666	3 766 €	1416000103	3 723 €	1416000667	3 766 €

* from the bottom of the tray to the top of the shower




Dimension	X	Y	E	F	G1	G2	A	B
1160 x 677	1160	677	445	475	1160	-	1210-1660	717-927
1360 x 677	1360	677	545	675	850	510	1410-1860	717-927
1560 x 677	1560	677	645	875	850	710	1610-2060	717-927
1660 x 677	1660	677	695	975	850	810	1710-2160	717-927
1160 x 777	1160	777	445	475	1160	-	1210-1660	817-1027
1360 x 777	1360	777	545	675	850	510	1410-1860	817-1027
1560 x 777	1560	777	645	875	850	710	1610-2060	817-1027
1660 x 777	1660	777	695	975	850	810	1710-2160	817-1027
1160 x 877	1160	877	445	475	1160	-	1210-1660	917-1127
1360 x 877	1360	877	545	675	850	510	1410-1860	917-1127
1560 x 877	1560	877	645	875	850	710	1610-2060	917-1127
1660 x 877	1660	877	695	975	850	810	1710-2160	917-1127

Vinata® Comfort - accessories

Technical specifications + price list

■ Technical specifications Vinata® seat

Vinata® Comfort folding seat Roth			
Color	Dimension	Ordering number	Price (without VAT)
WHITE	442 x 450 x 500	1135009092	444 €
ANHTRACITE	442 x 450 x 500	1135009093	444 €



Inspiration
for individual
bathroom design

VIPANEL

Roth has been an expert in the bathroom industry for over 50 years and we are pleased to introduce our new VIPANEL wall panels, which easily adjust the shower area and bathroom in both new and refurbished areas.



Easy
installation



11 different
decors



Lightweight and durable
aluminium composite panels

Make the old shower area a new quickly and easily!

- > for new construction and reconstruction
- > jointless cladding - easy maintenance
- > gives a new look to old tiles



■ Roth Vipanel - modern and innovative

Today's bathrooms are individually oriented towards their users. Whether it's the size of the room, its equipment or the overall look. With the new Roth Vipanel design boards, you can create your resting place easily and precisely by your ideas.

Large-format boards are lightweight and easy to stick to the wall. Whether on existing tiles for modernization and partial renovation, or directly on plaster (plasterboard) in new buildings.

There are no creative limits with Vipanel. So you can easily bring architectural and life trends into your bathroom.



VIPANEL

cladding panels in wood decor



Wood - Oak



Wood - Maple



Wood - Teak

- easy-care aluminum composite panels guarantee perfect tightness of the walls

- you can choose from three attractive wood decors

- Vipanel is very easy to clean thanks to its surface finish and in conjunction with jointless panel laying creates a perfectly clean environment for your shower space or the entire bathroom

■ Technical specifications Vipanel WOOD

Width [mm]	Height [mm]	Thickness [mm]	Area [m ²]	WOOD OAK E014238-00		WOOD MAPLE E013002-01		WOOD TEAK E016075-01	
				Order No.	Price (without VAT)	Order No.	Price (without VAT)	Order No.	Price (without VAT)
1000	2100	3	2,100	1420000000	282 €	1420000009	282 €	1420000005	282 €
1500	2550	3	3,825	1420000003	385 €	1420000011	385 €	1420000007	385 €

goods IN STOCK

delivery at the earliest possible date



jointless
panel laying

- possibility of using the finishing bars

dimensions:
(L) 1000 × (H) 2100 mm
(L) 1500 × (H) 2550 mm


board thickness 3 mm



Wood - Oak

Wood - Maple

Wood - Teak





Stone - Grey



- with concrete decors you can easily replace large-format tiles
- we emphasize the design of patterns and surface textures that are indistinguishable from real materials thanks to special 3D technology



Stone - Black

■ Technical specifications Vipanel STONE

Width [mm]	Height [mm]	Thickness [mm]	Area [m ²]	STONE BEIGE E017035-00		STONE GREY E017035-02		STONE BLACK E017088-05	
				Order No.	Price (without VAT)	Order No.	Price (without VAT)	Order No.	Price (without VAT)
1000	2100	3	2,100	1420000037	282 €	1420000033	282 €	1420000041	282 €
1500	2550	3	3,825	1420000039	385 €	1420000035	385 €	1420000043	385 €

goods IN STOCK


delivery at the earliest possible date



- possibility of using the finishing bars

dimensions:
(L) 1000 × (H) 2100 mm
(L) 1500 × (H) 2550 mm

board thickness 3 mm



Stone - Beige

Stone - Grey

Stone - Black



VIPANEL

cladding panels in concrete decor



Concrete - Black



- the modern screed design can be easily transferred to your bathroom, with a choice of three shades
- Vipanel easily adapts to all bathroom configurations and offers a clean and jointless design thanks to installation with no profile



Concrete - Grey

■ Technical specifications Vipanel CONCRETE

Width [mm]	Height [mm]	Thickness [mm]	Area [m ²]	CONCRETE BLACK E016076-02		CONCRETE ANTHRACITE E016077-01		CONCRETE GREY E014140-00	
				Order No.	Price (without VAT)	Order No.	Price (without VAT)	Order No.	Price (without VAT)
1000	2100	3	2,100	1420000029	282 €	1420000025	282 €	1420000021	282 €
1500	2550	3	3,825	1420000031	385 €	1420000027	385 €	1420000023	385 €

goods IN STOCK

delivery at the earliest possible date




jointless
panel laying

- possibility of using the finishing bars

dimensions:
(L) 1000 × (H) 2100 mm
(L) 1500 × (H) 2550 mm

board thickness 3 mm



Concrete - Black

Concrete - Anthracite

Concrete - Grey





Marble - Beige



Marble - White

- construction boards have a thickness of three millimetres and are available in heights of 2100 and 2550 millimetres and widths of 1000 and 1500 millimetres
- the dimensions are easy to cut to any size, giving you a distinctive look of your bathroom
- by installation in a corner shower, niche, space above the bathtub, behind a shower or sink you will save your time and money

■ Technical specifications Vipanel MARBLE

Width [mm]	Height [mm]	Thickness [mm]	Area [m ²]	MARBLE BEIGE E017004-01		MARBLE WHITE E13073-00	
				Order No.	Price (without VAT)	Order No.	Price (without VAT)
1000	2100	3	2,100	1420000017	282 €	1420000013	282 €
1500	2550	3	3,825	1420000019	385 €	1420000015	385 €

goods IN STOCK


delivery at the earliest possible date



- jointless panel laying
- possibility of using the finishing bars


dimensions:
(L) 1000 × (H) 2100 mm
(L) 1500 × (H) 2550 mm

board thickness 3 mm



Marble - Beige

Marble - White



Vipanel

accessories

	Description	Dimensions	Colour	Accessories	
				Order No.	Price (without VAT)
1	Finishing profile for 3 mm thick panels	height (length) 2550 mm	Gloss "brilliant"	PM FIN 2550 03 V	18 €
2	Inner corner profile 90° angle for 3 mm thick panels	height (length) 2550 mm	Gloss "brilliant"	PM INT 2550 03 V	23 €
3	Outer corner profile 90° angle for 3 mm thick panels	height (length) 2550 mm	Gloss "brilliant"	PM EXT 2550 03 V	23 €
4	Connecting profile for 3 mm thick panels	height (length) 2550 mm	Gloss "brilliant"	PM LIA 2550 03 V	23 €
	Connecting steel plate a tool for ensuring a perfect jointless connection of two boards without the connection profile	height (length) 3000 mm width 100 mm thickness 1 mm	natural	1420000050	54 €
	Magnetic clip a tool for ensuring a perfect jointless connection of two boards using a steel plate	—	—	1420000049	79 €



Connecting steel plate

a tool for ensuring a perfect jointless connection of two boards



Outer edge

created after milling the V-shaped groove on the back of the board



Material

- Aluminum composite panel with two 0.2 mm thick cladding layers and LDPE polyethylene core
- Weight 3,80 kg / m² (3 mm)
- Temperature resistance -50° C až +80° C
- Water absorption 0,01 % according to DIN 53495
- Fire classification class B2 according to DIN 4102-1
- High bending strength and dimensional stability

Working

Both Vipanel can be machined using the usual tools for working with wood and metal (jigsaw, circular saw, cordless screwdriver with steel drill, top cutter, etc.).



WATERPROOF

DIN 53495



RESISTANCE

DIN 68861

Technical data / Mechanical properties

board thickness (total)	3 [mm]
thickness of cladding layer (aluminum)	0,2 - 0,3 [mm]
bending strength	865 [kNm ² /m]
modulus of elasticity	70 000 [N/mm ²]
linear expansion coefficient	2,4 [mm/m/100°C]
water absorption according to DIN 53495	0,01 [%]
weight	3,8 [kg/m ²]
tensile strength of the cover plate	RP 0,2 > 200 [N/mm ²]

Project Line project solutions

inspiration for unusual
shower area solutions

EI TWF


large frameless shower screen



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



EI TWF (large frameless shower screen)

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
EI TWF/800	EI TWF 08020 VPE	770-790	2007*	—	brilliant	transparent	S	278 €
EI TWF/900	EI TWF 09020 VPE	870-890	2007*	—	brilliant	transparent	S	303 €
EI TWF/1000	EI TWF 10020 VPE	970-990	2007*	—	brilliant	transparent	S	329 €
EI TWF/1200	EI TWF 12020 VPE	1170-1190	2007*	—	brilliant	transparent	S	381 €
EI TWF/1400	EI TWF 14020 VPE	1370-1390	2007*	—	brilliant	transparent	S	432 €

h* - height including supporting elements



EI TWA

folding part to product EI TWF



the short folding part serves as a screen
against water splashes



EI TWF / EI TWP

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
EI TWA/400	EI TWA 04020 VPE	390	2000	brilliant	transparent	S	125 €
EI TWP	EI TWP 3000 VE	—	max 3000 mm	brilliant	—	S	75 €

The EI TWP telescopic strut can also be used for self standing side panels with 6 mm safety glass - we therefore recommend it in combination with the following products:
TBD, TBS, GBL(P), PXV1





EI TWP

telescopic strut for mounting to the ceiling



■ Telescopic stabilizing element mounted to the ceiling designed for the EI TWF shower screen - maximum strut height 3000 mm

■ EI TWF + EI TWA - universal LEFT and RIGHT solution



Project Line

project solutions

AUSTIN



quadrant shower enclosure
with single opening door



6 mm ESG Tempered glass
Pattern



Profile colour
Silver



DENVER

quadrant shower enclosure
with single opening door



6 mm ESG Tempered glass
Rauch



Profile colour
Silver



- R - standard radius R550
- Universal LEFT and RIGHT solution

AUSTIN / DENVER


type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
AUSTIN 800	N0128	780-800	1950	590	silver	pattern	S	347 €
AUSTIN 900	N0018	880-900	1950	590	silver	pattern	S	350 €
DENVER 800	N0268	780-800	1950	590	silver	rauch	S	357 €
DENVER 900	N0269	880-900	1950	590	silver	rauch	S	364 €



Project Line
project solutions

HOUSTON NEO

quadrant shower enclosure
with two sliding doors



PORLAND NEO

quadrant shower enclosure
with two sliding doors for combination
with SEMIDEEP NEO or VIKI LUX shower trays

■ R - standard radius R550
■ Ball bearing rollers with bottom tilt function



4 mm ESG Tempered glass
Matt Glass



Profile colour
Brilliant



HOUSTON NEO / PORTLAND NEO

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
HOUSTON NEO 800	N0648	780-790	1900	420	brilliant	matt glass	S	291 €
HOUSTON NEO 900	N0649	880-890	1900	550	brilliant	matt glass	S	301 €
PORTLAND NEO 800	N0656	780-790	1650	420	brilliant	matt glass	S	267 €
PORTLAND NEO 900	N0657	880-890	1650	550	brilliant	matt glass	S	276 €

ORLANDO NEO


square shower enclosure with two sliding doors



4 mm ESG Tempered glass
Matt Glass



Profile colour
Brilliant



ORLANDO NEO

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
ORLANDO NEO 800	N0654	780-790	1900	415	brilliant	matt glass	S	281 €
ORLANDO NEO 900	N0655	880-890	1900	485	brilliant	matt glass	S	289 €

■ Ball bearing rollers with a bottom tilt function



Project Line

project solutions

FLOWER NEO

quadrant shower enclosure with two sliding doors



4 mm ESG Tempered glass
Pattern



Profile colour
Brilliant




FLOWER NEO

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
FLOWER NEO/800	N0652	780-790	1900	420	brilliant	pattern	S	329 €
FLOWER NEO/900	N0653	880-890	1900	550	brilliant	pattern	S	340 €

Ball bearing rollers with bottom tilt function / Standard radius: R 550 mm

MADISON NEO

quadrant shower enclosure
with two sliding doors for combination
with SEMIDEEP NEO or VIKI LUX shower trays



4 mm ESG Tempered glass
Rauch



Profile colour
Brilliant



MADISON NEO

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
MADISON NEO/800	N0658	780-790	1650	420	brilliant	rauch	S	275 €
MADISON NEO/900	N0659	880-890	1650	550	brilliant	rauch	S	284 €

Ball bearing rollers with bottom tilt function / Standard radius: R 550 mm

OBR2

quadrant shower enclosure with two sliding doors



6 mm ESG Tempered glass
Transparent




Profile colour
Brilliant



OBR2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBR2/800	4000701	775-790	1850	440	brilliant	transparent	S	449 €
OBR2/900	4000702	875-890	1850	540	brilliant	transparent	S	484 €

Ball bearing rollers with bottom tilt function / Standard radius: R 550 mm



OBS2

square shower enclosure with two sliding doors



4 mm ESG Tempered glass
Transparent




Profile colour
Brilliant



OBS2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBS2/800	4000703	775-790	1850	480	brilliant	transparent	S	435 €
OBS2/900	4000704	875-890	1850	480	brilliant	transparent	S	472 €

Ball bearing rollers with bottom tilt function




Project Line

project solutions

OBD2


sliding shower door to niche or for combination with a side panel OBB



OBD2


type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBD2/1000	4000705	980-1010	1850	390	brilliant	transparent	S	337 €
OBD2/1200	4000706	1180-1210	1850	490	brilliant	transparent	S	379 €
OBD2/1400	4000707	1380-1410	1850	590	brilliant	transparent	S	422 €

Ball bearing rollers with bottom tilt function / Universal LEFT and RIGHT solution



OBD01


single opening door to a niche or for combination with a side panel OBB



OBD01

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBD01/800	4000708	780-810	1850	520	brilliant	transparent	S	325 €
OBD01/900	4000709	880-910	1850	620	brilliant	transparent	S	351 €
OBD01/1000	4000710	980-1010	1850	720	brilliant	transparent	S	377 €

Universal LEFT and RIGHT solution



OBB

side panel for combination with OBD2 or OBD01 door



4 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

■ Installation width with OBD2 or OBD01


Combination	Installation width
OBD2/1000+OBB	985-1000
OBD2/1200+OBB	1185-1200
OBD2/1400+OBB	1385-1400
OBD01/800+OBB	785-800
OBD01/900+OBB	885-900
OBD01/1000+OBB	985-1000



OBB

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBB/800	4000711	785-800	1850	—	brilliant	transparent	S	234 €
OBB/900	4000712	885-900	1850	—	brilliant	transparent	S	256 €

Universal LEFT and RIGHT solution / OBB cannot be used as a self-standing side panel



NEW variants with black profile

OBZD2 / OBZB

sliding shower door to niche or for combination with a side panel OBZB



Project Line

project solutions

OBZD2

sliding shower door to niche or for combination with a side panel OBZB



8 mm ESG Tempered glass
Transparent




Profile colour
Brilliant / Black elox 05



OBZD2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBZD2/1200	4000713	1180-1220	1950	490	brilliant	transparent	S	552 €
OBZD2/1200	4000800	1180-1220	1950	490	black elox	transparent	S	574 €
OBZD2/1400	4000714	1380-1420	1950	590	brilliant	transparent	S	607 €
OBZD2/1400	4000801	1380-1420	1950	590	black elox	transparent	S	631 €

Universal LEFT and RIGHT solution



OBZB

side panel for combination with OBZD2




8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox 05

■ Installation width with OBZD2

Combination	Installation width
OBZD2/1200+OBZB	1190-1210
OBZD2/1400+OBZB	1390-1410



OBZB

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBZB/800	4000715	780-800	1950	—	brilliant	transparent	S	291 €
OBZB/800	4000802	780-800	1950	—	black elox	transparent	S	299 €
OBZB/900	4000716	880-900	1950	—	brilliant	transparent	S	321 €
OBZB/900	4000803	880-900	1950	—	black elox	transparent	S	330 €

Universal LEFT and RIGHT solution / OBZB cannot be used as a self-standing side panel



■ OBZB

LD3 / LSB

sliding shower door for niche installation or for combination with a side panel LSB




3 mm ESG Tempered glass
Grape 11
3 mm polystyrol Damp 04



Profile colour
White 04

■ LD3 - universal LEFT and RIGHT solution




■ LD3

LD3 (sliding shower door) / LSB (side panel)

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
LD3/800	215-8000000-04-04	760-820	1800	400	white	damp	S	260 €
LD3/800	215-8000000-04-11	760-820	1800	400	white	grape	S	278 €
LD3/900	215-9000000-04-04	880-940	1800	480	white	damp	S	275 €
LD3/900	215-9000000-04-11	880-940	1800	480	white	grape	S	295 €
LD3/950	215-9500000-04-04	940-1000	1800	520	white	damp	S	285 €
LD3/950	215-9500000-04-11	940-1000	1800	520	white	grape	S	347 €
LSB/750	216-7500000-04-04	740-800	1800	—	white	damp	O	131 €
LSB/750	216-7500000-04-11	740-800	1800	—	white	grape	O	158 €
LSB/850	216-8500000-04-04	800-860	1800	—	white	damp	O	147 €
LSB/850	216-8500000-04-11	800-860	1800	—	white	grape	O	178 €
LSB/900	216-9000000-04-04	860-920	1800	—	white	damp	S	164 €
LSB/900	216-9000000-04-11	860-920	1800	—	white	grape	O	197 €

* LSB cannot be used as a self-standing side panel



■ LD3 + LSB


Project Line

project solutions

DREAM-P

quadrant self-supporting shower tray
made of coextruded shell with GREENSIR support

80x80 / 90x90



DREAM-P	L	W	H	S1	S2	W1	R	Ø
800x800	800	800	125	230	170	250	550	60
900x900	900	900	125	230	190	350	550	60



■ DREAM-P shower trays are delivered with a siphon drain


DREAM-P

type	ordering No.	dimension (mm)	delivery method	Price
DREAM-P 800	8000099	800x800x125, R550	S	139 €
DREAM-P 900	8000030	900x900x125, R550	S	165 €

DREAM FLAT

FLAT quadrant shower tray made of coextruded shell with GREENSIR support

80x80 / 90x90



DREAM FLAT	L	W	H	S1	S2	W1	R	Ø
800x800	800	800	60	230	170	250	550	60
900x900	900	900	60	230	190	350	550	60




DREAM FLAT

type	ordering No.	dimension (mm)	delivery method	Price
DREAM FLAT 800	8000284	800x800x60, R550	S	139 €
DREAM FLAT 900	8000285	900x900x60, R550	S	172 €

ALOHA-P

square self-supporting shower tray
made of coextruded shell with GREENSIR support

80x80 / 90x90



ALOHA-P	L	W	H	S1	S2	Ø
800x800	800	800	125	200	195	60
900x900	900	900	125	185	180	60



■ ALOHA-P shower trays are delivered with a siphon drain


ALOHA-P

type	ordering No.	dimension (mm)	delivery method	Price
ALOHA-P 800	8000148	800x800x125	S	135 €
ALOHA-P 900	8000149	900x900x125	S	161 €

ALOHA FLAT

FLAT square shower tray made of coextruded shell with GREENSIR support

80x80 / 90x90



ALOHA FLAT	L	W	H	S1	S2	Ø
800x800	800	800	60	200	195	60
900x900	900	900	60	185	180	60



ALOHA FLAT


type	ordering No.	dimension (mm)	delivery method	Price
ALOHA FLAT 800	8000282	800x800x60	S	122 €
ALOHA FLAT 900	8000283	900x900x60	S	161 €

Project Line project solutions

SEMIDEEP NEO

semideep quadrant self-supporting shower tray
reinforced with a GREENSIR technology

80x80 / 90x90



SEMIDEEP NEO


type	ordering No.	dimension (mm)	description	delivery method	Price
SEMIDEEP NEO 800	8000197	800x800x290	self-supporting tray - monobloc	S	228 €
SEMIDEEP NEO 900	8000198	900x900x300	self-supporting tray - monobloc	S	250 €

- Delivered as MONOBLOC (with mounts to the wall)
- Height of tray: 290 (300) mm
- The package includes a DREAM-P siphon drain
- Depth of tray: 200 mm

VIKI LUX

deep quadrant shower tray
reinforced with a GREENSIR technology

80x80 / 90x90



VIKI LUX

type	ordering No.	dimension (mm)	description	delivery method	Price
VIKI LUX 800	8000047	800x800x480	deep tray, adjustable legs, removable front panel	S	375 €
VIKI LUX 900	8000046	900x900x480	deep tray, adjustable legs, removable front panel	S	400 €
TRAY SIPHON VIKI	8100009	-	siphon with a plastic plug	S	14 €
TRAY SIPHON VIKI LUX	8100033	-	siphon Click Clack - CHROME	S	49 €

CLASSIC PRO

rectangular acrylic bathtub

150x70 / 160x70 / 170x70



recommended
accessories legs
EXCLUSIVE page 221




SCREEN, SCREEN PRO



CLASSIC PRO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
CLASSIC PRO 150	9040000	1500x700	150	S	224 €
CLASSIC PRO 160	9050000	1600x700	160	S	235 €
CLASSIC PRO 170	9060000	1700x700	170	S	267 €

CLASSIC PRO	L	W	H	G	D	R	S	E	F	Z
1495x695	1495	695	390	295	1080	35	450	1350	555	235
1595x695	1595	695	395	300	1170	35	440	1435	545	230
1695x695	1695	695	390	295	1240	35	420	1540	540	250



TULLIP

asymmetric corner acrylic bathtub

150x100 / 160x100



recommended
accessories legs
EXCLUSIVE page 221





PXV1, SCREEN MINI

TULLIP

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
TULLIP 150 (L)	5157000	1500x1000	200	S	285 €
TULLIP 150 (P)	5158000	1500x1000	200	S	285 €
TULLIP 160 (L)	5159000	1600x1000	210	S	288 €
TULLIP 160 (P)	5161000	1600x1000	210	S	288 €
Front PANEL 150 (L)	5157002	height=570	-	S	262 €
Front PANEL 150 (P)	5157001	height=570	-	S	262 €
Front PANEL 160 (L)	5159002	height=570	-	S	271 €
Front PANEL 160 (P)	5159001	height=570	-	S	271 €

TULLIP	L	W	H	G	W1	D	R	P	E	Z1	Z2
1495x995	1495	995	460	330	700	1100	35	570	1390	1050	350
1595x995	1595	995	460	335	700	1200	35	570	1490	1120	350




Project Line

project solutions

SCREEN PRO

bath screen with a both-way opening



■ Universal LEFT and RIGHT solution




SCREEN PRO

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
SCREEN PRO	4000688	810	1400	white	transparent	S	144 €

SCREEN

bath screen with a both-way opening



■ Universal LEFT and RIGHT solution



SCREEN

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
SCREEN	4000222	750	1300	white	pattern	S	147 €

SIMPLE

basic quadrant model of the shower box



4 mm ESG Tempered glass
Transparent



Profile colour
White

- mechanical lever faucet
 - spacing of water supply 150 mm
- sliding doors and shower complete
- self-supporting shower tray with siphon
- rear panels in Green Satinato colour



SIMPLE

type	ordering No.	dimensions	profile	glass	delivery method	Price
SIMPLE 800	4000248	800x800x2050	white	transparent	S	731 €
SIMPLE 900	4000249	900x900x2050	white	transparent	S	764 €

SIMPLE SQUARE

basic square model of the shower box



4 mm ESG Tempered glass
Transparent



Profile colour
White



SIMPLE SQUARE

type	ordering No.	dimensions	profile	glass	delivery method	Price
SIMPLE SQUARE 800	4000692	800x800x2050	white	transparent	S	761 €
SIMPLE SQUARE 900	4000693	900x900x2050	white	transparent	S	811 €



TECHNICAL SPECIFICATIONS:
size for outlet connection: 40mm
size for faucet connection: 1/2"
water supply pressure: 1,8-3 bar

Project Line
project solutions

FLORIDA

1020×220

- shower set, handheld shower
- head shower, rod with sliding holder



FLORIDA COMBI

1070×220

- shower set with faucet - spacing 150 mm
- handheld shower, head shower
- rod with sliding holder



FLORIDA / FLORIDA COMBI

type	ordering No.	dimensions	delivery method	Price
FLORIDA	4000321	1020×220	0	124 €
FLORIDA COMBI	4000322	1070×220	0	177 €

SELMA

1020×221

- shower set, handheld shower
- head shower, rod with sliding holder



SELMA COMBI

1070×210

- shower set with faucet - spacing 150 mm
- handheld shower, head shower
- rod with sliding holder



SELMA / SELMA COMBI

type	ordering No.	dimensions	delivery method	Price
SELMA	4000323	1020×210	0	112 €
SELMA COMBI	4000324	1070×210	0	162 €



TECHNICAL SPECIFICATIONS:
size for faucet connection:
water supply pressure:

1/2"
1,8-3 bar

GENERAL INFORMATION

XXX-XXXXXX-XX-XX

MODEL
NUMBER



ORDERING NUMBER

723-8000000-01-02

shower enclosure | TR2/800
finishing | Silver / Transparent

TERMS AND CONDITIONS

Prices are recommended, set by valid price list for a given period. Delivery times are agreed individually according to the particular business cases. For standard products, delivery times are listed for each type in the table (see explanatory notes).

Explanatory notes

Delivery method:

S	items in STOCK - delivery in the earliest possible date
O	items to ORDER - delivery time should not exceed 14 working days
Z	CUSTOMIZED - delivery time should not exceed 30 working days

MAINTENANCE OF SHOWER ENCLOSURES



Shower enclosures and shower cabins in standard versions are used to prevent splashing water in bathroom spaces. In order to maintain the satisfactory and proper function of it, it is necessary to maintain the products regularly. The maintenance of shower enclosures is very easy. Shower enclosures and cabins are possible to be maintained by recommended Roth Czech common cleaning detergents which do not include abrasive elements (as sand, grinded marmor etc). These hard elements cause unrecoverable damage to the glass and on the painted surfaces of metal parts. Avoid contact with concentrated acids, high concentration detergents, volatile substances and alcohol as well as detergents with a high rate of chloral, concentrated essences for the bath and different colour concentrates. It is necessary for the moving parts of shower enclosures to be regularly greased by water adhesive greases (water vaseline or commonly used silicone creams). This is necessary to do in accordance with the frequency and conditions of usage of the shower enclosure. Minimally once or twice per month.

MAINTENANCE OF ACRYLIC PRODUCTS

Material from which the bathtubs and shower trays are produced is smooth and shiny in the entire structure and thanks to its properties there are very small deposits of microbes and dirt. Therefore we recommend just wiping the bath with a wet cloth using common household detergents. Avoid the use of abrasive elements. Avoid contact with concentrated acids, chloral and materials as alcohol, acetones etc. as well as with concentrates of perfume essences and colour concentrates. Bathtubs and shower trays should never be installed to fixed bricking, the product has to be removable (in upper direction) without any construction impacts!!!

CONSTRUCTION OF SHOWER ENCLOSURES

Shower enclosures and screens are designed for normal use. For usage by permanently or temporarily disabled people it is necessary to consult with a producer in advance.

TIGHTNESS OF SHOWER ENCLOSURES

From the perspective of tightness is possible to split products in two categories:



FRAME SOLUTION

- EXCLUSIVE LINE, PROXIMA LINE, LEGA LINE
- Roth Czech guarantees maximum tightness during normal use of the shower and hydromassage equipment.



FRAMELESS SOLUTION

- KINEDOOR LINE, WALK IN LINE, ELEGANT NEO LINE, ELEGANT LINE, TOWER LINE, AMBIENT LINE, LIMAYA LINE

Roth Czech guarantees sufficient tightness during normal use of the shower and hydromassage equipment. But does not guarantee the water penetration, if the critical areas are exposed to a continuous direct stream of water.

Maximum weight resistance of bathtubs and shower trays is 0,1kg/1cm²

For ideal sealing we recommend the use of Roth Czech assembly set.

In the case of manipulation during usage there could be some scratches on the product we recommend to fix them with a very mild water resistant sand paper (density 1000 and higher) and then to polish the area with metal or car polishing substances.

Caution: In case you decide to repair a bathtub (tray) by yourself, you do it on your own responsibility!

I) Guarantee period:

Guarantee period starts on the day of purchase by the buyer. This date is mentioned in the guarantee certificate as the date of sale or the date of installation made by an authorized person (if this installation has been ordered within 3 weeks from the date of purchase). With all products of Roth Czech s.r.o. is provided to the consumer* the basic guarantee for 2 years from the day of purchase of the product. With compliance of the extra conditions listed below is provided an extended guarantee. Guarantee period consists of a statutory period (of 2 years) and, eventually, of the extended guarantee period.

* With selected products the guarantee to buyers is from the producer, who are not consumers too, reduced to 6 months and complaints are handled within 90 days from the day of applying for the claim. Statutory rights of final customer (consumer) are not affected by this, the guarantee to him is applicable by law.

II a) Basic guarantee - 2 years:

The claim to launch warranty fulfillment (repairing or replacing) of defective products on costs to the manufacturer lapses in the following cases:

- the product is not used in correspondence with its determination or manual instruction
- if a valid document of product purchase is not presented (so the customer has no proof of guarantee period beginning)
- when improper installation is detected
- in case a product was unauthorized or unprofessional manipulation made by the owner, or by other unqualified persons
- none or incorrect maintenance (see „maintenance instructions“)

II b) Extended guarantee:

Extended guarantee is provided by Roth Czech s.r.o. to shower enclosures of all product lines Roth Czech (except Project Line). The claim to launch warranty fulfillment (repairing or replacing) of defective products at the cost of a manufacturer, in the range of extended guarantee, lapses in the following cases:

- if it was not an original guarantee certificate completed by a retailer and together by a professional installation company.
- if assembly of the product was not performed professional installation company (with a business license)

II c) Conditions of extended guarantee:

In the range of extended guarantee, in excess of 24 months from date of purchase, the producer has exclusive rights to choose the way to deal with the claim by:

- repairing of the defect
- replacing of the defective parts
- financial compensation in an adequate range and importance of the defect in question, or by other ways in connection to the incurred defect and its relevancy.

Extended guarantee is not subject to obligation of the Civil code.

Extended guarantee is governed by the Complaints procedure of the company Roth Czech s.r.o..

Manufacturers decision on how to deal with the claim is mandatory for the customer.

Guarantee period for product groups is following:

Items of Roth Czech product lines:	
Shower enclosures, screens - KINEDOOR, WALK IN, ELEGANT NEO, ELEGANT, AMBIENT, TOWER, EXCLUSIVE, PROXIMA, LIMAYA, LEGA	2+3 years
akrylic and cast marble bathtubs	10 years
self-supporting acrylic shower trays	2 years
FLAT acrylic shower trays	10 years
cast marble shower trays	5 years
others (Accessories, ...)	2 years


Items of PROJECT LINE (former name SANIPRO):	
complete assortment	2 years

TECHNICAL SPECIFICATIONS


WAYS TO INSTALL SHOWER ENCLOSURES









Prior to installation of shower enclosure ON TILES it is necessary to check product dimensions in TECHNICAL SPECIFICATIONS section.

MOUNTING ON THE TRAY




MOUNTING ON THE TILES






Elegant Neo Line




Variant	X (mm)	Y (mm)	C (mm)
900-1000	885-985	879-979	710-900
1000-1100	985-1085	979-1079	860-1050




Variant	X (mm)	Y (mm)	C (mm)
700-800	679-779	685-785	510-650
800-900	779-879	785-885	650-790
900-1000	879-979	885-985	790-930
1000-1100	979-1079	985-1085	930-1070
1100-1200	1079-1179	1085-1185	1070-1210


Elegant Neo / Elegant Line



Variant	Y (mm)	Z (mm)	S (mm)	C (mm)
800	782-807	772-797	272-297	487
900	882-907	872-897	272-297	587
1000	982-1007	972-997	372-397	587
1200	1182-1207	-	522-547	637




Variant	Y (mm)	S (mm)	C (mm)
800	775-810	272-297	487
900	875-910	272-297	587
1000	975-1010	372-397	587
1200	1175-1210	522-547	637




Variant	Y (mm)
800	775-785
900	875-885
1000	975-985


Variant	V (mm)	Z (mm)	C (mm)
700-800	685-785	691-791	380-480
800-900	785-885	791-891	480-580
900-1000	885-985	891-991	580-680
1000-1100	985-1085	991-1091	680-780
1100-1200	1085-1185	1091-1191	780-880



Variant	Y (mm)	C (mm)
700-800	685-785	340-460
800-900	785-885	440-560
900-1000	885-985	540-660
1000-1100	985-1085	640-760
1100-1200	1085-1185	740-860




Variant	Y (mm)	X (mm)
800	775-795	755-775
900	875-895	855-875
1000	975-995	955-975




Variant	X (mm)	Y (mm)
800	755-780	775-800
900	855-880	875-900
1000	955-980	975-1000
1100	1055-1080	1075-1100
1200	1155-1180	1175-1200
1300	1255-1280	1275-1300
1400	1355-1380	1375-1400
1500	1455-1480	1475-1500

Elegant Line




Variant	X (mm)	Y (mm)	X (mm)	Z (mm)
800	755-780	775-800	755-780	775-800
900	855-880	875-900	855-880	875-900
1000	955-980	975-1000	955-980	975-1000
1100	1055-1080	1075-1100	1055-1080	1075-1100
1200	1155-1180	1175-1200	1155-1180	1175-1200
1300	1255-1280	1275-1300	1255-1280	1275-1300
1400	1355-1380	1375-1400	1355-1380	1375-1400
1500	1455-1480	1475-1500	—	—




Variant	Y (mm)
800	780-820
900	880-920
1000	980-1020
1100	1080-1120
1200	1180-1220
1300	1280-1320
1400	1380-1420
1500	1480-1520


Cariba Line




Variant	X (mm)	Y (mm)
800	758-783	767-792
900	858-883	867-892
1000	958-983	967-992
1100	1058-1083	1067-1092
1200	1158-1183	1167-1192




Variant	X1 (mm)	Y1 (mm)	X2 (mm)	Y2 (mm)
800	762-787	771-796	759-784	768-793
900	862-887	871-896	859-884	868-893
1000	962-987	971-996	959-984	968-993
1100	1062-1087	1071-1096	—	—
1200	1162-1187	1171-1196	—	—




Variant	Y (mm)
1100	1060-1110
1200	1160-1210
1300	1260-1310
1400	1360-1410
1500	1460-1510



Variant	X (mm)	Y (mm)
900	858-883	867-892
1000	958-983	967-992




Variant	X (mm)	Y (mm)
800	758-783	767-792
900	858-883	867-892
1000	958-983	967-992



Variant	X1 (mm)	Y1 (mm)	X2 (mm)	Y2 (mm)
800	762-787	771-796	759-784	768-793
900	862-887	871-896	859-884	868-893
1000	962-987	971-996	959-984	968-993


Cariba Line

■ CI 2CL + CI 2CR




Variant	X (mm)	Y (mm)
800	758-783	767-792
900	858-883	867-892
1000	958-983	967-992

■ CI 2CL + CI FXG




Variant	X1 (mm)	Y1 (mm)	X2 (mm)	Y2 (mm)
800	762-787	771-796	759-784	768-793
900	862-887	871-896	859-884	868-893
1000	962-987	971-996	959-984	968-993

■ CI PIF




Variant	Y (mm)
800	760-810
900	860-910
1000	960-1010
1100	1060-1110
1200	1160-1210

■ CI PIV




Variant	Y (mm)
800	760-810
900	860-910
1000	960-1010

■ CI 2BT




Variant	Y (mm)
800	760-810
900	860-910
1000	960-1010
1100	1060-1110
1200	1160-1210

■ CI 2BT + CI FXP




Variant	X1 (mm)	Y1 (mm)	X2 (mm)	Y2 (mm)
700	641-691	652-702	-	-
750	691-741	702-752	-	-
800	741-791	752-802	759-804	770-815
900	841-891	852-902	859-904	870-915
1000	941-991	952-1002	959-1004	970-1015
1100	-	-	1059-1104	1070-1115
1200	-	-	1159-1204	1170-1215

■ CI PIR(L)




Variant	Y (mm)
800	760-810
900	860-910
1000	960-1010
1100	1060-1110
1200	1160-1210





■ CI RFR(L)






Variant	Y (mm)
1100	1060-1110
1200	1160-1210
1400	1360-1410
1600	1560-1510



Y	CI PIG/800	CI PIG/900	CI PIG/1000
CI FXO/230	960-1010	1060-1110	1160-1210
CI FXO/330	1060-1110	1160-1210	1260-1310
CI FXO/430	1160-1210	1260-1310	1360-1410
CI FXO/530	1260-1310	1360-1410	1460-1510
CI FXO/630	1360-1410	1460-1510	1560-1610




Variant	Y (mm)	C (mm)
1200	1060-1110	485
1300	1160-1210	535
1400	1260-1310	585
1500	1360-1410	635
1600	1560-1610	685



Variant	Y (mm)
800	775-810
900	875-910
1000	975-1010
1100	1075-1110
1200	1175-1210


Tower Line

■ TD01 + TD01



Variant	X (mm)	Y (mm)
800	750-770	770-790
900	850-870	870-890
1000	950-970	970-990
1100	1050-1070	1070-1090
1200	1150-1170	1170-1190


■ TD01 + TB



Variant	X (mm)	Y (mm)
700	655-670	675-690
750	705-720	725-740
800	755-770	775-790
900	855-870	875-890
1000	955-970	975-990

Tower Line


■ TCO1 + TBD



TBD	A (mm)	TCO1	B (mm)
240	212-237	800	756-771
440	412-437	900	856-871
640	612-637	1000	956-971
740	712-737	1100	1056-1071
		1200	1156-1171


Y	TCO1/800	TCO1/900	TCO1/1000	TCO1/1100	TCO1/1200
TBD/240	968-1008	1068-1108	1168-1208	1268-1308	1368-1408
TBD/440	1168-1208	1268-1308	1368-1408	1468-1508	1568-1608
TBD/640	1368-1408	1468-1508	1568-1608	1668-1708	1768-1808
TBD/740	1468-1508	1568-1608	1668-1708	1768-1808	1868-1908

■ TD01 + TBD




TBD	A (mm)	TD01	B (mm)	C (mm)	D (mm)
240	212-237	800	743-768	442	298-323
440	412-437	900	843-868	542	298-323
640	612-637	1000	943-968	642	298-323
740	712-737	1100	1043-1068	642	398-423
		1200	1143-1168	742	398-423

■ TCO1 + TCO1




Variant	X (mm)	Y (mm)
800	755-775	772-792
900	855-875	872-892
1000	955-975	972-992
1100	1055-1075	1072-1092
1200	1155-1175	1172-1192

■ TCO1 + TB




Variant	X (mm)	Y (mm)	V (mm)	Z (mm)
700	-	-	650-670	667-687
750	-	-	700-720	717-737
800	765-780	785-800	750-770	767-787
900	865-880	885-900	850-870	867-887
1000	965-980	985-1000	950-970	967-987

■ TDN1




Variant	Y (mm)
800	775-810
900	875-910
1000	975-1010
1100	1075-1110
1200	1175-1210

■ TCN1




Variant	Y (mm)
800	775-810
900	875-910
1000	975-1010

Tower Line




Variant	Y (mm)
800	785-820
900	885-920
1000	985-1020
1100	1085-1120
1200	1185-1220




Variant	X (mm)	Y (mm)
800	775-800	795-835
900	875-900	895-935
1000	975-1000	995-1035
1100	-	1095-1135
1200	-	1195-1235


Tower Line / Ambient Line




Variant	Y (mm)
800	770-795
900	870-895
1000	970-995
1200	1170-1195
1400	1370-1395




Variant	X (mm)
800	767-792
900	867-892
1000	967-992




Variant	X (mm)	Y (mm)
800	755-775	775-795
900	855-875	875-895
1000	955-975	975-995
1100	1055-1075	1075-1095
1200	1155-1175	1175-1195



Variant	X (mm)	Y (mm)	V (mm)	Z (mm)
700	-	-	650-670	667-687
750	-	-	700-720	717-737
800	770-795	790-815	750-770	767-787
900	870-895	890-915	850-870	867-887
1000	970-995	990-1015	950-970	967-987
1100	1070-1095	1090-1115	1050-1070	1067-1087
1200	1170-1195	1190-1215	1150-1170	1167-1187




Variant	X (mm)	Y (mm)
900	866-876	885-895
1000	966-976	985-995



Variant	Y (mm)
1200	1100-1200
1300	1200-1300
1400	1300-1400
1500	1400-1500
1600	1500-1600
1700	1600-1700
1800	1700-1800


Ambient Line / Exclusive Line

■ AMD2 + AMB



Variant	X (mm)	Y (mm)
800	766-776	—
900	866-876	—
1200	—	1100-1200
1300	—	1200-1300
1400	—	1300-1400
1500	—	1400-1500


■ AMB + AMD2 + AMB




Variant	X (mm)	Y (mm)
800	766-776	—
900	866-876	—
1200	—	1100-1200
1300	—	1200-1300
1400	—	1300-1400
1500	—	1400-1500

Exclusive Line

■ ECR2N




■ ECS2L + ECS2P




Variant	X (mm)	Y (mm)
800	752-777	775-800
900	852-877	875-900
1000	952-977	975-1000
1100	1052-1077	1075-1100
1200	1152-1177	1175-1200

■ ECD2 + ECDBN




Variant	X (mm)	Y (mm)
800	775-815	—
900	875-915	—
1000	975-1015	—
1200	—	1170-1210
1300	—	1270-1310
1400	—	1370-1410
1500	—	1470-1510

■ ECD2




Variant	X (mm)
1200	1170-1215
1300	1270-1315
1400	1370-1415
1500	1470-1515

■ ECDO1N




Variant	X (mm)
800	775-815
900	875-915
1000	975-1015
1100	1075-1115

■ ECDO1N + ECDBN




Variant	X (mm)	Y (mm)
800	775-815	770-810
900	875-915	870-910
1000	975-1015	970-1010
1100	—	1070-1110

Proxima Line




Variant	X (mm)	Y (mm)
800	780-805	780-805
900	880-905	880-905
1000	980-1005	980-1005




Variant	X (mm)	Y (mm)
800x800	786-810	786-810
900x900	886-910	886-910
1000x1000	986-1010	986-1010


Limaya Line




Variant	X (mm)	Y (mm)	S (mm)	C (mm)
800	758-783	767-792	243-268	510
900	858-883	867-892	343-368	510
1000	958-983	967-992	443-468	510
1100	1058-1083	1067-1092	443-468	610
1200	1158-1183	1167-1192	443-468	710




Variant	X (mm)	Y (mm)	V (mm)	Z (mm)	S (mm)	C (mm)
800	758-783	767-792	761-795	770-795	243-268	510
900	858-883	867-892	861-886	870-895	343-368	510
1000	958-983	967-992	961-986	970-995	443-468	510
1100	–	–	1061-1086	1070-1095	443-468	610
1200	–	–	1161-1186	1170-1195	443-468	710




Variant	X (mm)	Y (mm)
800	772-822	775-800
900	872-922	875-900
1000	972-1022	975-1000
1100	1072-1122	1075-1100



Variant	X (mm)	Y (mm)	Variant	Z (mm)
1100	1080-1130	1085-1110	700	680-705
1200	1180-1230	1185-1210	800	780-805
1300	1280-1330	1285-1310	900	880-905
1400	1380-1430	1385-1410	1000	980-1005
1500	1480-1530	1485-1510		
1600	1580-1630	1585-1610		




Variant	X (mm)	Y (mm)	C (mm)
800	758-783	767-792	690
900	858-883	867-892	790
1000	958-983	967-992	890





Variant	X (mm)	Y (mm)	V (mm)	Z (mm)	S (mm)	C (mm)
800	758-783	767-792	761-795	770-795	243-268	510
900	858-883	867-892	861-886	870-895	343-368	510
1000	958-983	967-992	961-986	970-995	443-468	510

Limaya Line




Limaya Line







Variant	X (mm)	Y (mm)
800	776-798	776-798
900	876-898	876-898




Variant	X (mm)
700	675-707
800	775-807
900	875-907
1000	975-1007




Variant	X (mm)	Y (mm)
700	679-705	-
750	729-765	-
800	779-805	-
900	879-905	-
1000	979-1005	970-1005
1200	-	1170-1205
1400	-	1370-1405
1600	-	1570-1605




Variant	Xa (mm)	Xb (mm)
1000	970-1005	978-1005
1200	1170-1205	1178-1205
1400	1370-1405	1378-1405
1600	1570-1605	1578-1605
1700	1670-1705	1678-1705
1800	1770-1805	1778-1805




Variant	X (mm)
700	672-704
800	772-804
900	872-904
1000	972-1004





Variant	X (mm)	Y (mm)
700	679-705	675-705
750	729-755	-
800	779-805	775-805
900	879-905	875-905
1000	979-1005	975-1005




Variant	X (mm)	Y (mm)
800x800	775-790	775-790
900x900	875-890	875-890



Variant	X (mm)	Y (mm)
1000x800 (800x1000)	975-990 (775-790)	775-790 (975-990)
1200x800 (800x1200)	1175-1190 (775-790)	775-790 (1175-1190)
1200x900 (900x1200)	1175-1190 (875-890)	875-890 (1175-1190)



Variant	X (mm)
1100	1080–1110
1200	1180–1210
1300	1280–1310
1400	1380–1410
1500	1480–1510
1600	1580–1610




Variant	X (mm)	Variant	Z (mm)	Y (mm)
800	750–805	700	–	675–695
900	850–905	750	–	725–745
1000	950–1005	800	775–830	775–795
		900	875–930	875–895
		1000	975–1030	975–995

Roth







Roth Energy and Sanitary Systems

Generation

Solar systems <
Heat pump systems <

Storage

Storage systems for
Domestic & heating water <
Combustibles and biofuels <
Rainwater and waste water <

Application

> Radiant heating and cooling systems
> Pipe installation systems
> Shower systems

Roth

Roth Czech s.r.o.

Třebařov 160
569 33 Czech Republic
tel.: +420 461 353 611
e-mail: objednavky@roth-czech.cz
www.roth-czech.cz/en