

Sanitary Systems

Shower enclosures | Bathtubs | Shower trays



**Catalogue
2025
Baltic**



The prices listed in the catalogue are recommended and with 21% VAT.

Shower for life



About us

The precise processing of our products has been celebrating success since 1991 (under the name Roltechnik) not only in the Czech Republic, but also in the most demanding markets, such as Germany, Austria, Switzerland and others.

In 2016, Roltechnik became a member of the Roth Industries group. Roth Industries is a family-owned company based in Germany with a 80-year history and more than 1,300 employees worldwide. Roth is a multinational manufacturer of energy and sanitary systems with a worldwide presence.

You can find more information at www.roth-industries.de

Above all, this connection taught us higher precision, tightening even the smallest details to perfection and the art of succeeding on the world market. From 1 January 2020 Roltechnik took over the new name **Roth Czech**. By the renaming of Roltechnik name and brand was completed the integration process into the Roth group. Our products are enjoyed by satisfied customers in 25 countries around the world. And more are coming. We care about every detail. We also meet any requirement for an atypical solution. We will always try to accommodate you. We innovate product design in cooperation with the best designers and our technologies certify the most demanding German authorities.





Shower enclosures

■ Melina	
MI D55	30
MI PIG + MI PIG	32
MI EPF + MI EPF	33
MI PIV / + MI FXP	34
MI PIF / + MI FXP	36
MI D2L / MI D2R	38

■ Elegant Neo Line	
GR2N	62
GDO1N + GDO1N	64
GDO1N + GBN	66
GDO1N + GZN	67
BI PF2 + BI FXP	68
BI PF2 + BI SET	70
Cariba - MISTY glass treatment.....	72

■ Tower Line	
TR1	102
TR2	104
TR2 LIGHT	105
TDO1 + TDO1	106
TDO1 + TB	108
TCO1 + TB	109

■ Ambient Line	
AMR2N.....	128
AMD2	130
AMD2 + AMB	131

■ Proxima Line	
PXR2N.....	136
PXS2L + PXS2P	138
PXD01N.....	140
PXBN	141
PXD2N	142

■ Atypical customized solution	174
■ Additional profiles	176

■ Alina®	
AC PIG + AC PIG	NOVELTY 12
AC PIV.....	NOVELTY 14
AC PIF.....	NOVELTY 15
AC EPF + AC EPF	NOVELTY 16
Alina - inspiration.....	NOVELTY 18
AC 2BT	NOVELTY 19

■ Walk In Line	
MI FX2	40
MI DWL / MI DWR.....	NOVELTY 42
■ Cariba	
CI R55	NOVELTY 76
CI P55	77
CI D3L / CI D3R.....	NOVELTY 78
CI EPF + CI EPF	80
CI PIG + CI PIG.....	82
CI 2CL + CI 2CR	84
CI FXG.....	86
CI 2BT	87

■ Limaya	
LYR4	146
LYP2	148
LYP2 + LYSW1AP2	149
LYE4 + LYE4	150
LYE4 + LYSW1S	152
LYE4 + LZ	153
LYE2 + LYE2	154
LYE2 + LYSW1S	156
LYE2 + LZ	157
TCO1 + TC01.....	110
TBD	112
TZOL1 + TZOP1.....	114
TZNL1	116
TDN1.....	117
TCN1	118

■ RothETC	178
SHELF UNI.....	179
Cleaning blade	179
■ Lega Line	
LLR2	NOVELTY 160
LLS2.....	NOVELTY 162
LLD01	164
LLD02	165
LLD01 + LLB	166
LLD02 + LLB.....	167
LLD2	168
LLD4	169
PD3N	170
PD3N + LLBD.....	172

■ Profiles and glass	180
-----------------------------	-----

Shower trays

■ Cast marble

PRESTOL	182
MARMO NEO	NOVELTY 184
DREAM-M	186
TAHITI-M	186
ALOHA-M	187
MACAO-M	187
RECTAN-M	188

■ Acrylic

FLAT ROUND	190
HAWAII	190
HAWAII-P	191
FLAT KVADRO	191
COLA	192
COLA-P	192
FLAT KVADRO	193

INTEGRO	194
FLAT STONE	195

■ Accessories

Shower tray legs	194
Shower tray siphons	230
Mounting kit for trays	231
Cleaners	231

Vany

■ Cast marble

LINEA STONE WHITE	NOVELTY 196
-------------------------	-------------

ALBERENA WHITE	NOVELTY 197
ALLYSA BLACK / WHITE	198

ALEGRIA SILK	199
STONE AMORE	199

■ Acrylic

KUBIC NEO	200
KUBIC NEO SLIM	201
MALIBU NEO	202
KUBIC NEO 120 / 130	203
KUBIC 190	203
SAVONA NEO	204

VANESSA NEO	205
ACTIVA	206
MINI	207
EVA SIDE	207
ISABELLA NEO	208
HARMONIA	208

ACTIVA NEO	209
KUBIC ASYMMETRIC	210
AMORE	210
FLORA NEO	211
SABRINA NEO	211

■ Bath screens

AC BAE	NOVELTY 214
AC BAF	NOVELTY 215
CI BAE	216
CI BAF	217
CI 2PL / CI 2PR	218
TZVL2	220

TV2	221
TV1	222
SWING	223
SCREEN MINI	224
PXV1	225
PXV2P	226
PXVB	227

LLV2	228
LLVB	229

■ Accessories

Bathtub legs	NOVELTY 231
Bathtub siphons	231
Cleaners	231

■ Vinata®

■ Vipanel

232 244

Project Line

■ Shower enclosures

EI TWF	NOVELTY 258
EI TWA, EI TWP	259
ARDIS	NOVELTY 260
JANDIS	NOVELTY 260
TALDIS / MUNDIS	NOVELTY 261
ALBIS	NOVELTY 262
SUNDIS	NOVELTY 262
ALBIS BLACK	NOVELTY 263
SUNDIS BLACK	NOVELTY 263
OBR2, OBS2	265
OBD2, OBD01	266
OB2	267
OBZD2, OBZB	268
LD3, LSB	269

■ Shower trays

DREAM-P	270
DREAM FLAT	270
ALOHA-P	271
ALOHA FLAT	271
SEMIDEEP NEO	272
VIKI LUX	272

■ Shower boxes

SIMPLE	275
SIMPLE SQUARE	275
LANETA	NOVELTY 276
MARINE	NOVELTY 276
LUCIDUS ROUND	NOVELTY 277
LUCIDUS SQUARE	NOVELTY 277

■ Bathtubs and bath screens

CLASSIC PRO	273
SALVIA	273
TULLIP	274
SCREEN	274
SCREEN PRO	274

■ Shower sets

FLORIDA (COMBI)	278
SELMA (COMBI)	278

Info

■ General informations	279
■ Guarantee conditions	280
■ Technical specifications	281

Shower enclosures

summary

TYPE / OPENING	Alina	Hitech Neo	Melina	Walk In	Elegant Neo	Cariba	Tower	Ambient	Proxima	Limaya	Lega	Project
QUADRANT												
						76		128	136		160	261 262 265
							102					
			30			77	104			146		
					62							
												260
SQUARE AND RECTANGULAR												
						98			138		162	262 265
			40			97	131	141		167	266 268	
	12	22	32			82	110			154		
	13	24	35			83				156	166	
	16		33			80	106			150		
	17		37		68	81	108			152		
					64							
					66				141		266	
						93	121			149	167	
											167	

TYPE / OPENING	Alina	Hitech Neo	Melina	Walk In	Elegant Neo	Cariba	Tower	Ambient	Proxima	Limaya	Lega	Project
SQUARE AND RECTANGULAR												
						79					172	269
						84	114					
NICHE DOORS												
	14	25	34			89	118			157	164	
									140			266
	15		36		70	88	119			153		
					67							
	19	26				87	120			148	165	
								122				
	18					90	116					
					94	113						
	13					95	112					
	17		38			96		130	142		168	266 268
										169		
					78					170	269	
WALK IN TYPE												
		42	46 - 59			124						258

Roth Czech

about us




Roth Czech

The Roltechnik company, which has been producing sanitary products since 1991, has merged into a strong brand with the German manufacturer Roth, which, among other things, developed the world's first shower box in 1967. It has thus become a member of this family business, which brings customers a guarantee of long-term reliability and stability in the partnership,

as well as an emphasis on quality and innovation in the future. The result of this connection is the production of practical and attractive innovations for the bathroom, the house and the use of rainwater. Roth's first product saw the light of day in 1947. Since then, the company has come a very long way. Today, it is one of the world leaders in the segments

of energy conservation, surface heating, cooling and composite technologies. Roth also regularly sets new standards in modern construction technology. In-house research and development brings products that are carefully tailored to customer requirements. In practice, they are appreciated by many customers not only from between professionals.





■ Roth service - qualified, comprehensive and fast

Our Roth service experts are available to answer any questions you may have about Roth sanitary products after you purchase them! Our nationwide sales force will quickly advise you on business and technical issues - right at your doorstep.

Roth's quality service offering includes a guarantee of availability spare parts, short response times and fast delivery times.



The world of the Roth brand
composes technologies
for solutions full of energy

■ Development for the future

Roth's extensive team works on research and development as well as design to bring innovative solutions to innovation. This helps society survive the crisis and seize the chances for growth. It also builds a leading position in the market.

■ The world of the Roth brand composes technologies for solutions full of energy

This inspiring vision is the cornerstone of responsible business, which Roth cares about. The internationally active Roth company with more than 1,300 employees is a manufacturer of leading branded products that are used in the field of construction and industrial engineering.



Alina®
focused on style



NEW

Alina®



The wide range of hinged shower enclosures from our new Alina® line adds real character and style to any space.

Roth Alina® shower enclosures with designer swing fittings offer a wide range of door variants for individual solutions. Hinges with a 180° action radius offer optimum opening and closing convenience.

Height up to 2200 mm, convenient assembly with pre-installed hinges,
3 color variants, attractive wall attachment using fittings
and, above all, **atypical custom-made production**,
which is Roth's strong point.

- 8 mm ESG glass used for fixed and side elements and 6 mm for door parts

- we deliver the product as a custom solution, made exactly for your spacee

- a wide range of possible situations that can be realized within this series

Alina®
focused on style

convenient assembly
with pre-installed hinges

AC PIG + AC PIG

square or rectangular shower enclosure made of two single opening doors AC PIG or a combination of door and a fixed wall AC FXG
+ option of a single door into a niche with an additional panel AC FXO

8 + 6 mm ESG Tempered glass
Transparent
8 mm fixed glass + 6 mm door glass



Colour
Chrome / Black / Gold brushed



NEW



■ AC PIG + AC PIG - Chrome

3 variants of the colour design to choose from

- we deliver the product as a **custom solution**, made exactly for your space
- fittings with an action radius of 180° for convenient opening in and out
- available height up to 2200 mm and wide range of product combinations



■ The hinge for connection to the wall enables both-sided opening thanks to the 180° action radius.




■ **AC FXG + AC PIG** - combination of a fixed side wall and a single opening door - Black design

AC PIG (custom-made single opening shower door)

type	product width (y)	height (h)	colour	glass	delivery method	Price
AC PIG AT1200	up to 1000 mm	up to 2000*	chrome	transparent	Z	1 476 €
AC PIG AT2220	up to 1000 mm	up to 2200*	chrome	transparent	Z	1 773 €
AC PIG AT1200	up to 1000 mm	up to 2000*	black	transparent	Z	1 476 €
AC PIG AT2220	up to 1000 mm	up to 2200*	black	transparent	Z	1 773 €
AC PIG AT1200	up to 1000 mm	up to 2000*	gold brushed	transparent	Z	1 623 €
AC PIG AT2220	up to 1000 mm	up to 2200*	gold brushed	transparent	Z	1 952 €

Optional surcharged cutouts, slopes, and other glass types. / * - maximum glass height without anchoring elements

AC PIG + AC PIG




AC FXG (custom-made fixed side wall)

type	product width (y)	height (h)	colour	glass	delivery method	Price
AC FXG AT1200	up to 1500 mm	up to 2000*	chrome	transparent	Z	1 281 €
AC FXG AT2220	up to 1500 mm	up to 2200*	chrome	transparent	Z	1 495 €
AC FXG AT1200	up to 1500 mm	up to 2000*	black	transparent	Z	1 281 €
AC FXG AT2220	up to 1500 mm	up to 2200*	black	transparent	Z	1 495 €
AC FXG AT1200	up to 1500 mm	up to 2000*	gold brushed	transparent	Z	1 388 €
AC FXG AT2220	up to 1500 mm	up to 2200*	gold brushed	transparent	Z	1 666 €

Optional surcharged cutouts, slopes, and other glass types. / * - maximum glass height without anchoring elements

AC PIG + AC FXG




AC FXO (custom-made additional panel)

type	product width (y)	height (h)	colour	glass	delivery method	Price
AC FXO AT1200	up to 600 mm	up to 2000*	chrome	transparent	Z	1 040 €
AC FXO AT2220	up to 600 mm	up to 2200*	chrome	transparent	Z	1 252 €
AC FXO AT1200	up to 600 mm	up to 2000*	black	transparent	Z	1 040 €
AC FXO AT2220	up to 600 mm	up to 2200*	black	transparent	Z	1 252 €
AC FXO AT1200	up to 600 mm	up to 2000*	gold brushed	transparent	Z	1 147 €
AC FXO AT2220	up to 600 mm	up to 2200*	gold brushed	transparent	Z	1 372 €

Optional surcharged cutouts, slopes, and other glass types. / * - maximum glass height without anchoring elements

AC PIG / left + AC FXO



! The product is CUSTOM-MADE specifically for your situation, so it is necessary to measure the space well and specify the order in terms of determining the product variants, their required dimensions within the possible range according to the table, determining the side (left and right variants) and any other requirements. The resulting price is calculated individually by the merchant.

NEW



AC PIV

single opening door
for installation to a niche



- fittings with an action radius of 180°
- we deliver the product as a **custom solution**, made exactly for your space
- convenient entry thanks to opening in and out
- available height up to 2200 mm



6 mm ESG Tempered glass
Transparent




Colour
Chrome / Black / Gold brushed

AC PIV (custom-made single shower door to a niche)

type	niche width (y)	height (h)	colour	glass	delivery method	Price
AC PIV AT1200	up to 1000 mm	up to 2000*	chrome	transparent	Z	1 554 €
AC PIV AT2220	up to 1000 mm	up to 2200*	chrome	transparent	Z	1 824 €
AC PIV AT1200	up to 1000 mm	up to 2000*	black	transparent	Z	1 554 €
AC PIV AT2220	up to 1000 mm	up to 2200*	black	transparent	Z	1 824 €
AC PIV AT1200	up to 1000 mm	up to 2000*	gold brushed	transparent	Z	1 671 €
AC PIV AT2220	up to 1000 mm	up to 2200*	gold brushed	transparent	Z	2 006 €


Optional surcharged cutouts, slopes, and other glass types. / h* - maximum glass height without anchoring elements

■ AC PIV




■ AC PIV - Chrome

■ AC PIV / left



■ AC PIV / right



! The product is CUSTOM-MADE specifically for your situation, so it is necessary to measure the space well and specify the order in terms of determining the product variants, their required dimensions within the possible range according to the table, determining the side (left and right variants) and any other requirements. The resulting price is calculated individually by the merchant.

3 variants of the colour design to choose from



NEW

AC PIF

single opening door with a fixed part
for installation to a niche



- available height up to 2200 mm
- fittings with an action radius of 180° for convenient opening in and out
- RothETC glass treatment for easy maintenance
- we deliver the product as a **custom solution**, made exactly for your space



8 + 6 mm ESG Tempered glass
Transparent
8 mm fixed glass + 6 mm door glass



Colour
Chrome / Black / Gold brushed


AC PIF (custom-made single shower door with a fixed part to a niche)

type	niche width (y)	height (h)	colour	glass	delivery method	Price
AC PIF AT1200	up to 1500 mm	up to 2000*	chrome	transparent	Z	2 273 €
AC PIF AT2220	up to 1500 mm	up to 2200*	chrome	transparent	Z	2 722 €
AC PIF AT1200	up to 1500 mm	up to 2000*	black	transparent	Z	2 273 €
AC PIF AT2220	up to 1500 mm	up to 2200*	black	transparent	Z	2 722 €
AC PIF AT1200	up to 1500 mm	up to 2000*	gold brushed	transparent	Z	2 495 €
AC PIF AT2220	up to 1500 mm	up to 2200*	gold brushed	transparent	Z	2 995 €


Optional surcharged cutouts, slopes, and other glass types. / h* - maximum glass height without anchoring elements




■ AC PIF



■ AC PIF / left



■ AC PIF / right



The product is CUSTOM-MADE specifically for your situation, so it is necessary to measure the space well and specify the order in terms of determining the product variants, their required dimensions within the possible range according to the table, determining the side (left and right variants) and any other requirements. The resulting price is calculated individually by the merchant.

Alina®
focused on style

convenient assembly
with pre-installed hinges

AC EPF + AC EPF

square or rectangular shower enclosure made of two single opening doors
with a fixed part AC PIG or a combination of door and a fixed wall AC FXG
+ option of a single door into a niche with an additional panel AC FXO

8 + 6 mm ESG Tempered glass
Transparent
8 mm fixed glass + 6 mm door glass



Colour
Chrome / Black / Gold brushed



NEW



■ AC EPF + AC EPF - Black

3 variants of the colour design to choose from

- we deliver the product as a **custom solution**, made exactly for your space
- fittings with an action radius of 180°
- convenient entry thanks to opening in and out



■ Handle in colour finishing- Gold brushed




■ **AC FXG + AC EPF** - combination of single opening door with a fixed part and a side wall - Gold brushed

AC EPF (custom-made single opening shower door with a fixed part)

type	product width (y)	height (h)	colour	glass	delivery method	Price
AC EPF AT1200	up to 1500 mm	up to 2000*	chrome	transparent	Z	1 883 €
AC EPF AT2220	up to 1500 mm	up to 2200*	chrome	transparent	Z	2 313 €
AC EPF AT1200	up to 1500 mm	up to 2000*	black	transparent	Z	1 883 €
AC EPF AT2220	up to 1500 mm	up to 2200*	black	transparent	Z	2 313 €
AC EPF AT1200	up to 1500 mm	up to 2000*	gold brushed	transparent	Z	2 123 €
AC EPF AT2220	up to 1500 mm	up to 2200*	gold brushed	transparent	Z	2 549 €

Optional surcharged cutouts, slopes, and other glass types. / h* - maximum glass height without anchoring elements

■ AC EPF + AC EPF




AC FXG (custom-made fixed side wall)

type	product width (y)	height (h)	colour	glass	delivery method	Price
AC FXG AT1200	up to 1500 mm	up to 2000*	chrome	transparent	Z	1 281 €
AC FXG AT2220	up to 1500 mm	up to 2200*	chrome	transparent	Z	1 495 €
AC FXG AT1200	up to 1500 mm	up to 2000*	black	transparent	Z	1 281 €
AC FXG AT2220	up to 1500 mm	up to 2200*	black	transparent	Z	1 495 €
AC FXG AT1200	up to 1500 mm	up to 2000*	gold brushed	transparent	Z	1 388 €
AC FXG AT2220	up to 1500 mm	up to 2200*	gold brushed	transparent	Z	1 666 €

Optional surcharged cutouts, slopes, and other glass types. / h* - maximum glass height without anchoring elements

■ AC EPF + AC FXG




AC FXO (custom-made additional panel)

type	product width (y)	height (h)	colour	glass	delivery method	Price
AC FXO AT1200	up to 600 mm	up to 2000*	chrome	transparent	Z	1 040 €
AC FXO AT2220	up to 600 mm	up to 2200*	chrome	transparent	Z	1 252 €
AC FXO AT1200	up to 600 mm	up to 2000*	black	transparent	Z	1 040 €
AC FXO AT2220	up to 600 mm	up to 2200*	black	transparent	Z	1 252 €
AC FXO AT1200	up to 600 mm	up to 2000*	gold brushed	transparent	Z	1 147 €
AC FXO AT2220	up to 600 mm	up to 2200*	gold brushed	transparent	Z	1 372 €

Optional surcharged cutouts, slopes, and other glass types. / h* - maximum glass height without anchoring elements

■ AC EPF / left + AC FXO



The product is CUSTOM-MADE specifically for your situation, so it is necessary to measure the space well and specify the order in terms of determining the product variants, their required dimensions within the possible range according to the table, determining the side (left and right variants) and any other requirements. The resulting price is calculated individually by the merchant.

Alina®
focused on style


NEW

convenient assembly
with pre-installed hinges




AC EPF + AC EPF

combination of two single opening shower doors
with a fixed part for installation to a niche




AC FXG

self-standing side wall as a walk-in solution



AC EPF + AC PIG

combination of two doors – single opening with a fixed part and single opening – for installation to a niche



The product is CUSTOM-MADE specifically for your situation, so it is necessary to measure the space well and specify the order in terms of determining the product variants, their required dimensions within the possible range according to the table, determining the side (left and right variants) and any other requirements. The resulting price is calculated individually by the merchant.

3 variants of the colour design to choose from



NEW

AC 2BT

double opening shower doors
for installation to a niche



- fittings with an action radius of 180° for convenient opening in and out
- we deliver the product as a **custom solution**, made exactly for your space
- RothETC glass treatment for easy maintenance



8 + 6 mm ESG Tempered glass
Transparent
8 mm fixed glass + 6 mm door glass



Colour
Chrome / Black / Gold brushed

AC 2BT (custom-made double opening shower doors to a niche)


type	niche width (y)	height (h)	colour	glass	delivery method	Price
AC 2BT AT1200	up to 1500 mm	up to 2000*	chrome	transparent	Z	2 118 €
AC 2BT AT2220	up to 1500 mm	up to 2200*	chrome	transparent	Z	2 541 €
AC 2BT AT1200	up to 1500 mm	up to 2000*	black	transparent	Z	2 118 €
AC 2BT AT2220	up to 1500 mm	up to 2200*	black	transparent	Z	2 541 €
AC 2BT AT1200	up to 1500 mm	up to 2000*	gold brushed	transparent	Z	2 327 €
AC 2BT AT2220	up to 1500 mm	up to 2200*	gold brushed	transparent	Z	2 795 €

Optional surcharged cutouts, slopes, and other glass types. / h* - maximum glass height without anchoring elements




■ AC 2BT - Chrome

■ AC 2BT



■ AC 2BT



! The product is CUSTOM-MADE specifically for your situation, so it is necessary to measure the space well and specify the order in terms of determining the product variants, their required dimensions within the possible range according to the table, determining the side (left and right variants) and any other requirements. The resulting price is calculated individually by the merchant.

Hitech Neo Line

power of ideas

Hitech Neo Line

A series characterized by modern design
and technical improvements.

This is the absolute top among
shower enclosures.

The new Roth models we bring to your bathroom
are not just fashion trends.

It is about precision and functionality
in combination with a modern concept.

- door hinges are recessed
to the glass level from the inside
for greater convenience when
cleaning

- easy entry through the opening
doors in both directions,
in and out

- solid handle that highlights
the unique design of this series



Roth



CORNER



NICHE

Hitech Neo Line
power of ideas

one door can solve
a lot of situations

HI PI2

single shower door

8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



■ HI PI2 + HI PI2

universal left and right solution

■ one type of door for all combinations

- corner entrance with double opening doors
- single opening door with side wall
- single opening door for installation in a niche



■ Robust chromed hinges underline the unique design of the series

■ Door hinges are recessed to the glass level for greater convenience when cleaning

HI PI2 (single shower door)



type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
HI PI2/800	HI PI2 08020 VPE	782–798	2006*	663	brillant	transparent	0	465 €
HI PI2/900	HI PI2 09020 VPE	882–898	2006*	763	brillant	transparent	0	491 €
HI PI2/1000	HI PI2 10020 VPE	982–998	2006*	863	brillant	transparent	0	523 €

h* - height including supporting elements


HI PI2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
HI PI2	up to 1000 mm	up to 2000 mm	brillant	transparent	Z	601 €

■ HI PI2 - universal LEFT and RIGHT solution



■ HI PI2 + HI PI2 - square or rectangular shower enclosure with a double opening doors



 Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).



HI PI2 + HI FXP

**square or rectangular shower enclosure
with a single opening door and a side panel**

- up to 9 combinations of size variants
- square or rectangular solution
- the solid handle fits perfectly in the hand and underlines the design of this product line



8 mm ESG Tempered glass
Transparent



Profile colour
Brillant

HI FXP (side panel to a door HI PI2)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
HI FXP/800	HI FXP 08020 VPE	777–793	1981*	-	brilliant	transparent	0	331 €
HI FXP/900	HI FXP 09020 VPE	877–893	1981*	-	brilliant	transparent	0	357 €
HI FXP/1000	HI FXP 10020 VPE	977–993	1981*	-	brilliant	transparent	0	383 €

h* - height including supporting elements / side panel HI FXP including the support bar - max. length 1 200 mm





HI FXP (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method	Price
HI FXP	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z	440 €



■ HI FXP- universal LEFT and RIGHT solution



■ HI PI2 + HI FXP



■ Door hinges are recessed to the glass level
for greater convenience when cleaning



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).

universal left and right solution



HI PI2 + HI SET

single opening shower door with a set of profiles HI SET
for installation to a niche

- square or rectangular shower enclosure with a double opening door
- standard height of 2 000 mm
- universal installation and convenient maintenance thanks to special glass treatment



8 mm ESG Tempered glass
Transparent



Profile colour
Brillant

HI SET (set of profiles)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
HI SET	HI SET 2000 VE	31,5-47,5	1981*	-	brillant	-	0	75 €

h* - height including supporting elements




HI SET (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
HI SET	-	up to 2000 mm	brillant	-	Z	86 €



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

- HI PI2 + HI SET - single shower door to a niche ■ HI SET - set of profiles




installation to a niche	installation width (Y)
HI PI2/800 + HI SET	783-815
HI PI2/900 + HI SET	883-915
HI PI2/1000 + HI SET	983-1015

HI 2B2

double opening shower door
for installation to a niche

- opening in both directions - in / out
- door hinges are recessed to the glass level for greater convenience when cleaning
- standard door dimensions from 800 to 1 200 mm



8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



- Robust chromed hinges underline the unique design of the series

- Door hinges are recessed to the glass level for greater convenience when cleaning

HI 2B2 (double shower door to a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
HI 2B2/800	HI 2B2 08020 VPE	783-815	2006*	311	brilliant	transparent	0	657 €
HI 2B2/900	HI 2B2 09020 VPE	883-915	2006*	361	brilliant	transparent	0	681 €
HI 2B2/1000	HI 2B2 10020 VPE	983-1015	2006*	411	brilliant	transparent	0	704 €
HI 2B2/1200	HI 2B2 12020 VPE	1183-1215	2006*	511	brilliant	transparent	0	761 €

h* - height including supporting elements



HI 2B2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
HI 2B2	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z	875 €

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303)..



Under the guidance of our designers, we have created completely new **Hitech Neo Line** models for your bathroom. **Hitech** design is not just about the look of products. It is about precision, functionality and a modern concept.



■ HI 2B2



Melina
for your convenience



QUADRANT



CORNER



NICHE

Melina



The new range of shower enclosures fulfills the idea of a reliable and modern solution. Tune your bathroom with comfort in mind.

Do you also feel that you deserve more care and well-being after a long day? You step into the shower, gently push the door and someone takes control and gently closes it behind you...

With the SOFTCLOSE system of the MI D2L/R, this idea becomes a reality!

- opening door into the niche, which can also be combined with the side wall
- above-standard variability of installation thanks to an imaginative cam design
- automatic door closing using the new SOFTCLOSE system for MI D2L/R

MI D55

single opening shower door with fixed element
for quadrant shower enclosure

- convenient entry through double-sided opening in and out
- high quality and reliability of processing
- standard height 2 000 mm



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant




- Profiles with lifting mechanism, threshold bar and bottom seal

- Elegant metal handle in chrome finish

MI D55 (single shower door for quadrant shower enclosure = 1/2 enclosure)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
MI D55/800	MI D55 080200 VPE	780–805	2023*	389	224–249	brillant	transparent	0	1 030 €
MI D55/900	MI D55 090200 VPE	880–905	2023*	389	324–349	brillant	transparent	0	1 055 €
MI D55/1000	MI D55 100200 VPE	980–1005	2023*	389	424–449	brillant	transparent	0	1 111 €

R - standard radius R550, a pair of doors must be ordered for the entire shower enclosure, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).



We have significantly expanded our new **Melina** range with a selection of quality opening doors which, thanks to their modern cam profile, not only offer the convenience of double-sided opening, but also wide installation variability and reliable functionality.



■ MI D55 - Brillant

Melina

for your convenience

a special cam profile increases
the range of installation



MI PIG + MI PIG

square or rectangular shower enclosure
with a double-door opening

- large installation range and reliable functionality
- modern RothETC glass treatment for easy maintenance
- convenient entry through double-sided opening in and out
- choice of Black elox colour variants



6 mm ESG Tempered glass
Transparent




Profile colour
Brillant / Black elox

MI PIG (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
MI PIG/800	MI PIG 080200 VPE	780-830	2002*	664/689	brilliant	transparent	0	808 €
MI PIG/900	MI PIG 090200 VPE	880-930	2002*	764/789	brilliant	transparent	0	836 €
MI PIG/1000	MI PIG 100200 VPE	980-1030	2002*	864/889	brilliant	transparent	0	867 €
MI PIG/800	MI PIG 080200 NPE	780-830	2002*	664/689	black elox	transparent	0	808 €
MI PIG/900	MI PIG 090200 NPE	880-930	2002*	764/789	black elox	transparent	0	836 €
MI PIG/1000	MI PIG 100200 NPE	980-1030	2002*	864/889	black elox	transparent	0	867 €

h* - height including supporting elements


MI PIG + MI PIG



- The cam profile hides a **smart solution** for excessive construction readiness. Turn the segment to get an extra 25mm! You can find more information and the procedure in the assembly instructions.



MI PIG - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

two colour options to choose from - Brillant and Black elox



MI EPF + MI EPF

square or rectangular shower enclosure
with a double-door opening with fixed part

- standard height of 2 000 mm
- quality lifting mechanism with large variability and double-sided opening
- modern RothETC glass treatment for easy maintenance



6 mm ESG Tempered glass
Transparent




Profile colour
Brillant / Black elox

MI EPF (single shower door with fixed part)


type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
MI EPF/800	MI EPF 080200 VPE	780-830	2023*	503/528	234-259	brillant	transparent	0	1 049 €
MI EPF/900	MI EPF 090200 VPE	880-930	2023*	603/628	234-259	brillant	transparent	0	1 083 €
MI EPF/1000	MI EPF 100200 VPE	980-1030	2023*	703/728	234-259	brillant	transparent	0	1 144 €
MI EPF/1100	MI EPF 110200 VPE	1080-1130	2023*	753/778	284-309	brillant	transparent	0	1 174 €
MI EPF/1200	MI EPF 120200 VPE	1180-1230	2023*	803/828	334-359	brillant	transparent	0	1 192 €
MI EPF/800	MI EPF 080200 NPE	780-830	2023*	503/528	234-259	black elox	transparent	0	1 049 €
MI EPF/900	MI EPF 090200 NPE	880-930	2023*	603/628	234-259	black elox	transparent	0	1 083 €
MI EPF/1000	MI EPF 100200 NPE	980-1030	2023*	703/728	234-259	black elox	transparent	0	1 144 €
MI EPF/1100	MI EPF 110200 NPE	1080-1130	2023*	753/778	284-309	black elox	transparent	0	1 174 €
MI EPF/1200	MI EPF 120200 NPE	1180-1230	2023*	803/828	334-359	black elox	transparent	0	1 192 €

h* - height including supporting elements

- The cam profile hides a **smart solution** for excessive construction readiness. Turn the segment to get an extra 25mm! You can find more information and the procedure in the assembly instructions.



■ MI EPF -universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Melina
for your convenience

a special cam profile increases
the range of installation

MI PIV

single opening shower door for niche installation
or for combination with a side panel MI FXP

6 mm ESG Tempered glass
Transparent



Profile colour
Brillant / Black elox



■ MI PIV - Brillant

solutions for niche doors and for corner showers

- Brilliant and Black elox variants
- large variability of installation dimensions for complicated situations
- convenient entry through double-sided opening in and out





- A set of profiles with a magnet for reliable door closing




- MI PIV + MI FXP - side panel MI FXP in combination with MI PIV door - Black elox finish



- MI PIV - universal LEFT and RIGHT solution



- MI PIV + MI FXP



- MI FXP -universal LEFT and RIGHT solution



MI PIV (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
MI PIV/800	MI PIV 080200 VPE	770-845	2002*	620/645	brilliant	transparent	0	982 €
MI PIV/900	MI PIV 090200 VPE	870-945	2002*	720/745	brilliant	transparent	0	994 €
MI PIV/1000	MI PIV100200 VPE	970-1045	2002*	820/845	brilliant	transparent	0	1 013 €
MI PIV/800	MI PIV 080200 NPE	770-845	2002*	620/645	black elox	transparent	0	982 €
MI PIV/900	MI PIV 090200 NPE	870-945	2002*	720/745	black elox	transparent	0	994 €
MI PIV/1000	MI PIV 100200 NPE	970-1045	2002*	820/845	black elox	transparent	0	1 013 €

h* -height including supporting elements

MI FXP (side panel)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
MI FXP/800	MI FXP 080200 VPE	780-830	2023*	brilliant	transparent	0	688 €
MI FXP/900	MI FXP 090200 VPE	880-930	2023*	brilliant	transparent	0	706 €
MI FXP/1000	MI FXP 100200 VPE	980-1030	2023*	brilliant	transparent	0	729 €
MI FXP/800	MI FXP 080200 NPE	780-830	2023*	black elox	transparent	0	688 €
MI FXP/900	MI FXP 090200 NPE	880-930	2023*	black elox	transparent	0	706 €
MI FXP/1000	MI FXP 100200 NPE	980-1030	2023*	black elox	transparent	0	729 €

h* - height including supporting elements

- The cam profile hides a **smart solution** for excessive construction readiness. Turn the segment to get an extra 25mm! You can find more information and the procedure in the assembly instructions.



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Melina
for your convenience

a special cam profile increases
the range of installation

MI PIF

single opening shower door with fixed element to a niche
or for combination with a side panel MI FXP

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



■ MI PIF - Black elox

solutions for niche doors and for corner showers

- Brilliant and Black elox variants
- large variability of installation dimensions for complicated situations
- convenient entry through double-sided opening in and out



- Flexible support bar allows you to set different angles and also solves any wall irregularities



■ **MI FXP** - side wall for combination with MI PIV or MI PIF doors - Brilliant version

MI PIF (single shower door with fixed part)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
MI PIF/800	MI PIF 080200 VPE	770–845	2023*	459/484	234–259	brilliant	transparent	0	1 227 €
MI PIF/900	MI PIF 090200 VPE	870–945	2023*	559/584	234–259	brilliant	transparent	0	1 249 €
MI PIF/1000	MI PIF 100200 VPE	970–1045	2023*	659/684	234–259	brilliant	transparent	0	1 266 €
MI PIF/1100	MI PIF 110200 VPE	1070–1145	2023*	709/734	284–309	brilliant	transparent	0	1 285 €
MI PIF/1200	MI PIF 120200 VPE	1170–1245	2023*	759/784	334–359	brilliant	transparent	0	1 308 €
MI PIF/800	MI PIF 080200 NPE	770–845	2023*	459/484	234–259	black elox	transparent	0	1 227 €
MI PIF/900	MI PIF 090200 NPE	870–945	2023*	559/584	234–259	black elox	transparent	0	1 249 €
MI PIF/1000	MI PIF 100200 NPE	970–1045	2023*	659/684	234–259	black elox	transparent	0	1 266 €
MI PIF/1100	MI PIF 110200 NPE	1070–1145	2023*	709/734	284–309	black elox	transparent	0	1 285 €
MI PIF/1200	MI PIF 120200 NPE	1170–1245	2023*	759/784	334–359	black elox	transparent	0	1 308 €



h* - height including supporting elements

MI FXP (side panel)


type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
MI FXP/800	MI FXP 080200 VPE	780–830	2023*	brilliant	transparent	0	688 €
MI FXP/900	MI FXP 090200 VPE	880–930	2023*	brilliant	transparent	0	706 €
MI FXP/1000	MI FXP 100200 VPE	980–1030	2023*	brilliant	transparent	0	729 €
MI FXP/800	MI FXP 080200 NPE	780–830	2023*	black elox	transparent	0	688 €
MI FXP/900	MI FXP 090200 NPE	880–930	2023*	black elox	transparent	0	706 €
MI FXP/1000	MI FXP 100200 NPE	980–1030	2023*	black elox	transparent	0	729 €

h* - height including supporting elements

- The cam profile hides a **smart solution** for excessive construction readiness. Turn the segment to get an extra 25mm! You can find more information and the procedure in the assembly instructions.



■ **MI FXP** - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).

MI D2L / MI D2R

sliding shower door for niche installation
or for combination with a side wall MI FX2

- silent movement of the door with slow automatic closing thanks to the SOFTCLOSE system
- a wide selection of dimensional variants of sliding doors with a height of 2050 mm



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox




■ High quality handle with an elegant design for Black elox version (NPE)

MI D2L / MI D2R (sliding shower door)									
type	ordering No. Brilliant version	ordering No. Black elox version	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
MI D2L - left									
MI D2L / 1000	MI D2L 100205 VPE	MI D2L 100205 NPE	970–1010	2050	400	brilliant / black elox	transparent	0	866 €
MI D2L / 1100	MI D2L 110205 VPE	MI D2L 110205 NPE	1070–1110	2050	450	brilliant / black elox	transparent	0	886 €
MI D2L / 1200	MI D2L 120205 VPE	MI D2L 120205 NPE	1170–1210	2050	500	brilliant / black elox	transparent	0	907 €
MI D2L / 1300	MI D2L 130205 VPE	MI D2L 130205 NPE	1270–1310	2050	550	brilliant / black elox	transparent	0	928 €
MI D2L / 1400	MI D2L 140205 VPE	MI D2L 140205 NPE	1370–1410	2050	600	brilliant / black elox	transparent	0	948 €
MI D2L / 1500	MI D2L 150205 VPE	MI D2L 150205 NPE	1470–1510	2050	650	brilliant / black elox	transparent	0	969 €
MI D2L / 1600	MI D2L 160205 VPE	MI D2L 160205 NPE	1570–1610	2050	700	brilliant / black elox	transparent	0	990 €
MI D2L / 1700	MI D2L 170205 VPE	MI D2L 170205 NPE	1670–1710	2050	750	brilliant / black elox	transparent	0	1 011 €
MI D2L / 1800	MI D2L 180205 VPE	MI D2L 180205 NPE	1770–1810	2050	800	brilliant / black elox	transparent	0	1 029 €
MI D2R - right									
MI D2R / 1000	MI D2R 100205 VPE	MI D2R 100205 NPE	970–1010	2050	400	brilliant / black elox	transparent	0	866 €
MI D2R / 1100	MI D2R 110205 VPE	MI D2R 110205 NPE	1070–1110	2050	450	brilliant / black elox	transparent	0	886 €
MI D2R / 1200	MI D2R 120205 VPE	MI D2R 120205 NPE	1170–1210	2050	500	brilliant / black elox	transparent	0	907 €
MI D2R / 1300	MI D2R 130205 VPE	MI D2R 130205 NPE	1270–1310	2050	550	brilliant / black elox	transparent	0	928 €
MI D2R / 1400	MI D2R 140205 VPE	MI D2R 140205 NPE	1370–1410	2050	600	brilliant / black elox	transparent	0	948 €
MI D2R / 1500	MI D2R 150205 VPE	MI D2R 150205 NPE	1470–1510	2050	650	brilliant / black elox	transparent	0	969 €
MI D2R / 1600	MI D2R 160205 VPE	MI D2R 160205 NPE	1570–1610	2050	700	brilliant / black elox	transparent	0	990 €
MI D2R / 1700	MI D2R 170205 VPE	MI D2R 170205 NPE	1670–1710	2050	750	brilliant / black elox	transparent	0	1 011 €
MI D2R / 1800	MI D2R 180205 VPE	MI D2R 180205 NPE	1770–1810	2050	800	brilliant / black elox	transparent	0	1 029 €

MI D2L / MI D2R (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
MI D2L	up to 1800 mm	up to 2050 mm	brilliant / black elox	transparent	Z	1 183 €
MI D2R	up to 1800 mm	up to 2050 mm	brilliant / black elox	transparent	Z	1 183 €



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).



We wanted to provide you with a real sense of comfort so that you can feel really good in your bathroom. We have therefore equipped our newly designed **MI D2L/MI D2R** sliding doors with the **SOFTCLOSE** automatic closing system.



■ MI D2R - Brillant (VPE)

Melina
for your convenience

SOFTCLOSE door closing
technology

MI D2L/R + MI FX2

square or rectangular shower enclosure
with a sliding door and a side panel MI FX2

6 mm ESG Tempered glass
Transparent




Profile colour
Brilliant / Black elox



■ MI D2L + MI FX2 - Brilliant (VPE)

high-quality execution of all elements

- standard height of 2 050 mm
- universal panel design for right and left installation
- SOFTCLOSE - convenient entry through automatic door closing technology



- The design of the door rail and side panel connection



- **MI FX2 + MI D2R** - sliding door with automatic closing system in combination with side panel MI FX2 in the Black elox (NPE) colour finishing



MI FX2 (side panel)

type	ordering No. Brillant version	ordering No. Black elox version	installation width (y)	height (h)	profile	glass	delivery method	Price
MI FX2/750	MI FX2 075205 VPE	MI FX2 075205 NPE	725-750	2050*	brilliant / black elox	transparent	0	338 €
MI FX2/800	MI FX2 080205 VPE	MI FX2 080205 NPE	775-800	2050*	brilliant / black elox	transparent	0	345 €
MI FX2/900	MI FX2 090205 VPE	MI FX2 090205 NPE	875-900	2050*	brilliant / black elox	transparent	0	360 €
MI FX2/1000	MI FX2 100205 VPE	MI FX2 100205 NPE	975-1000	2050*	brilliant / black elox	transparent	0	378 €
MI FX2/1100	MI FX2 110205 VPE	MI FX2 110205 NPE	1075-1100	2050*	brilliant / black elox	transparent	0	393 €
MI FX2/1200	MI FX2 120205 VPE	MI FX2 120205 NPE	1175-1200	2050*	brilliant / black elox	transparent	0	408 €


h* - height including supporting elements

MI FX2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
MI FX2	up to 1400 mm	up to 2000 mm	brilliant / black elox	transparent	Z	469 €

■ MI D2L + MI FX2

■ MI FX2 + MI D2R



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Melina
for your convenience

NEW

SOFTCLOSE door closing
technology

MI DWL / MI DWR

large shower screen with sliding shower door
using the SOFTCLOSE technology

6 mm ESG tempered glass
Transparent



Profile colour
Brillant / Black elox



RothETC

Edgetech glass protection



■ MI DWL - Brillant (VPE)

high-quality execution of all elements

- standard height of 2 050 mm
- large number of size options to choose from
- SOFTCLOSE - convenient entry through automatic door closing technology




■ Support bar with a maximum length of 1200 mm.

■ MI DWL / MI DWR - right solution of the walk-in type screen with sliding shower door in Black elox (NPE) finishing.


MI DWL / MI DWR (walk-in screen with sliding shower door)									NOVELTY available from 07/2025	
type	ordering No. Brilliant version	ordering No. Black elox version	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price Brilliant	Price Black
MI DWL - left										
MI DWL/ 1000	MI DWL 100205 VPE	MI DWL 100205 NPE	985–1010	2050	400	brilliant / black elox	transparent	0	859 €	905 €
MI DWL/ 1100	MI DWL 110205 VPE	MI DWL 110205 NPE	1085–1110	2050	450	brilliant / black elox	transparent	0	880 €	926 €
MI DWL/ 1200	MI DWL 120205 VPE	MI DWL 120205 NPE	1185–1210	2050	500	brilliant / black elox	transparent	0	900 €	948 €
MI DWL/ 1300	MI DWL 130205 VPE	MI DWL 130205 NPE	1285–1310	2050	550	brilliant / black elox	transparent	0	921 €	969 €
MI DWL/ 1400	MI DWL 140205 VPE	MI DWL 140205 NPE	1385–1410	2050	600	brilliant / black elox	transparent	0	941 €	991 €
MI DWL/ 1500	MI DWL 150205 VPE	MI DWL 150205 NPE	1485–1510	2050	650	brilliant / black elox	transparent	0	962 €	1 013 €
MI DWL/ 1600	MI DWL 160205 VPE	MI DWL 160205 NPE	1585–1610	2050	700	brilliant / black elox	transparent	0	982 €	1 034 €
MI DWL/ 1700	MI DWL 170205 VPE	MI DWL 170205 NPE	1685–1710	2050	750	brilliant / black elox	transparent	0	1 004 €	1 057 €
MI DWL/ 1800	MI DWL 180205 VPE	MI DWL 180205 NPE	1785–1810	2050	800	brilliant / black elox	transparent	0	1 021 €	1 075 €
MI DWR - right										
MI DWR/ 1000	MI DWR 100205 VPE	MI DWR 100205 NPE	985–1010	2050	400	brilliant / black elox	transparent	0	859 €	905 €
MI DWR/ 1100	MI DWR 110205 VPE	MI DWR 110205 NPE	1085–1110	2050	450	brilliant / black elox	transparent	0	880 €	926 €
MI DWR/ 1200	MI DWR 120205 VPE	MI DWR 120205 NPE	1185–1210	2050	500	brilliant / black elox	transparent	0	900 €	948 €
MI DWR/ 1300	MI DWR 130205 VPE	MI DWR 130205 NPE	1285–1310	2050	550	brilliant / black elox	transparent	0	921 €	969 €
MI DWR/ 1400	MI DWR 140205 VPE	MI DWR 140205 NPE	1385–1410	2050	600	brilliant / black elox	transparent	0	941 €	991 €
MI DWR/ 1500	MI DWR 150205 VPE	MI DWR 150205 NPE	1485–1510	2050	650	brilliant / black elox	transparent	0	962 €	1 013 €
MI DWR/ 1600	MI DWR 160205 VPE	MI DWR 160205 NPE	1585–1610	2050	700	brilliant / black elox	transparent	0	982 €	1 034 €
MI DWR/ 1700	MI DWR 170205 VPE	MI DWR 170205 NPE	1685–1710	2050	750	brilliant / black elox	transparent	0	1 004 €	1 057 €
MI DWR/ 1800	MI DWR 180205 VPE	MI DWR 180205 NPE	1785–1810	2050	800	brilliant / black elox	transparent	0	1 021 €	1 075 €

MI DWL / MI DWR (atypical customized solution)						
type	width (y)	height (h)	profile	glass	delivery method	Price
MI DWL	up to 1800 mm	up to 2050 mm	brilliant / black elox	transparent	Z	1 398 €
MI DWR	up to 1800 mm	up to 2050 mm	brilliant / black elox	transparent	Z	1 398 €

■ MI DWL



■ MI DWR



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).

Walk in Line

free space





Enjoy the comfort
of free space

walk in Line

Free space enhanced by the use of large glass panels of 8mm safety glass treated with RothETC surface finishing. Make a choice from a broad range of existing shapes and sizes or simply ask for your individual shower solution.

■ discover completely new products with an original look

■ ALINA TWF - a minimalist shower screen solution without a strut with robust 10 mm thick glass

■ products in a modern design with profiles in black colour

Alina Walk In

minimalist design

AI TWF

large frameless shower screen

- a modern look made up of just two elements -
- profile and 10 mm thick transparent glass
- standard height of 2 metres and Roth ETC glass treatment

10 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



■ **AI TWF** - right installation
on the MARMO NEO shower tray
in Black elox (NPE) finishing




■ Detail of the wall profile in Black elox colour finished with a cap.

AI TWF (frameless shower screen)								
type	ordering No. Brilliant version	ordering No. Black elox version	installation width (y)	height (h)	profile	glass	delivery method	Price
AI TWF/400	AI TWF 040200 VPE	AI TWF 040200 NPE	380-390	2002*	brilliant / black elox	transparent	0	255 €
AI TWF/500	AI TWF 050200 VPE	AI TWF 050200 NPE	480-490	2002*	brilliant / black elox	transparent	0	292 €
AI TWF/600	AI TWF 060200 VPE	AI TWF 060200 NPE	580-590	2002*	brilliant / black elox	transparent	0	330 €
AI TWF/700	AI TWF 070200 VPE	AI TWF 070200 NPE	680-690	2002*	brilliant / black elox	transparent	0	371 €
AI TWF/800	AI TWF 080200 VPE	AI TWF 080200 NPE	780-790	2002*	brilliant / black elox	transparent	0	414 €
AI TWF/900	AI TWF 090200 VPE	AI TWF 090200 NPE	880-890	2002*	brilliant / black elox	transparent	0	471 €
AI TWF/1000	AI TWF 100200 VPE	AI TWF 100200 NPE	980-990	2002*	brilliant / black elox	transparent	0	511 €
AI TWF/1100	AI TWF 110200 VPE	AI TWF 110200 NPE	1080-1090	2002*	brilliant / black elox	transparent	0	549 €
AI TWF/1200	AI TWF 120200 VPE	AI TWF 120200 NPE	1180-1190	2002*	brilliant / black elox	transparent	0	587 €
AI TWF/1400	AI TWF 140200 VPE	AI TWF 140200 NPE	1380-1390	2002*	brilliant / black elox	transparent	0	663 €

h* - height including supporting elements

■ universal LEFT
and RIGHT solution

AI TWF (atypical customized solution)						
type	width (y)	height (h)	profile	glass	delivery method	Price
AI TWF	up to 1400 mm	up to 2000 mm	brilliant	transparent	Z	763 €





Our latest **AI TWF** walk in shower screen brings to your bathroom the unusual minimalism of brace-free anchoring with **10mm ESG glass**. Robust glass together with a high-quality polished aluminum profile in two colour versions - **Brilliant and Black elox** - will look airy in any modern interior.



■ AI TWF - Brilliant (VPE)

Melina Walk In

for a bathroom with character

attachment to the wall using minimalist angular hinges

MI TWF

large frameless shower screen

- an original look that catches the eye and standard height of 2 metres
- color-matched fittings
- lightweight impression thanks to anchoring elements
- modern RothETC glass treatment for easy maintenance

8 mm ESG Tempered glass
Transparent



Fitting colour
Brillant / Black / Gold



■ MI TWF GPE
Gold / Transparent

3 distinctive colour designs



■ MI TWF GPE - support bar in Gold colour
The standard length of 1200 mm can be shortened.



■ MI TWF NPE - support bar in Black colour
The standard length of 1200 mm can be shortened.




■ MI TWF VPE -support bar in Brillant colour
The standard length of 1200 mm can be shortened.

MI TWF (frameless shower screen)

type	ordering No.	installation width (y)	height (h)	colour	glass	delivery method	Price
MI TWF/800	MI TWF 080200 VPE	785–800	2004*	brilliant	transparent	0	437 €
MI TWF/800	MI TWF 080200 NPE			black	transparent	0	456 €
MI TWF/800	MI TWF 080200 GPE			gold	transparent	0	663 €
MI TWF/900	MI TWF 090200 VPE	885–900	2004*	brilliant	transparent	0	488 €
MI TWF/900	MI TWF 090200 NPE			black	transparent	0	515 €
MI TWF/900	MI TWF 090200 GPE			gold	transparent	0	730 €
MI TWF/1000	MI TWF 100200 VPE	985–1000	2004*	brilliant	transparent	0	503 €
MI TWF/1000	MI TWF 100200 NPE			black	transparent	0	515 €
MI TWF/1000	MI TWF 100200 GPE			gold	transparent	0	713 €
MI TWF/1100	MI TWF 110200 VPE	1085–1100	2004*	brilliant	transparent	0	530 €
MI TWF/1100	MI TWF 110200 NPE			black	transparent	0	542 €
MI TWF/1100	MI TWF 110200 GPE			gold	transparent	0	739 €
MI TWF/1200	MI TWF 120200 VPE	1185–1200	2004*	brilliant	transparent	0	553 €
MI TWF/1200	MI TWF 120200 NPE			black	transparent	0	565 €
MI TWF/1200	MI TWF 120200 GPE			gold	transparent	0	763 €
MI TWF/1300	MI TWF 130200 VPE	1285–1300	2004*	brilliant	transparent	0	587 €
MI TWF/1300	MI TWF 130200 NPE			black	transparent	0	599 €
MI TWF/1300	MI TWF 130200 GPE			gold	transparent	0	797 €
MI TWF/1400	MI TWF 140200 VPE	1385–1400	2004*	brilliant	transparent	0	611 €
MI TWF/1400	MI TWF 140200 NPE			black	transparent	0	623 €
MI TWF/1400	MI TWF 140200 GPE			gold	transparent	0	821 €
MI TWF/1500	MI TWF 150200 VPE	1485–1500	2004*	brilliant	transparent	0	635 €
MI TWF/1500	MI TWF 150200 NPE			black	transparent	0	647 €
MI TWF/1500	MI TWF 150200 GPE			gold	transparent	0	845 €
MI TWF/1600	MI TWF 160200 VPE	1585–1600	2004*	brilliant	transparent	0	659 €
MI TWF/1600	MI TWF 160200 NPE			black	transparent	0	671 €
MI TWF/1600	MI TWF 160200 GPE			gold	transparent	0	869 €

h* - height including supporting elements

■ MI TWF universal LEFT and RIGHT solution



MI TWF (atypical customized solution)

type	width (y)	height (h)	colour	glass	delivery method	Price
MI TWF	up to 1600 mm	up to 2000 mm	brilliant	transparent	Z	758 €
MI TWF	up to 1600 mm	up to 2000 mm	black	transparent	Z	772 €
MI TWF	up to 1600 mm	up to 2000 mm	gold	transparent	Z	999 €

■ MI TWF GPE - angular hinge of the gold variant



Melina Walk In

for a bathroom with character

simple installation and
convenient maintenance

MI TWE

large frameless shower screen

- wide range of standard sizes and popular height of 2 metres
- simple installation on the tray or tiles
- modern RothETC glass treatment for easy maintenance



8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



MI TWE (frameless shower screen)


NOVELTY
available from 07/2025

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
MI TWE/800	MI TWE 080200 VPE	765-780	2005*	brilliant	transparent	0	417 €
MI TWE/800	MI TWE 080200 NPE			black elox	transparent	0	417 €
MI TWE/900	MI TWE 090200 VPE	865-880	2005*	brilliant	transparent	0	444 €
MI TWE/900	MI TWE 090200 NPE			black elox	transparent	0	444 €
MI TWE/1000	MI TWE 100200 VPE	965-980	2005*	brilliant	transparent	0	487 €
MI TWE/1000	MI TWE 100200 NPE			black elox	transparent	0	487 €
MI TWE/1100	MI TWE 110200 VPE	1065-1080	2005*	brilliant	transparent	0	519 €
MI TWE/1100	MI TWE 110200 NPE			black elox	transparent	0	519 €
MI TWE/1200	MI TWE 120200 VPE	1165-1180	2005*	brilliant	transparent	0	546 €
MI TWE/1200	MI TWE 120200 NPE			black elox	transparent	0	546 €
MI TWE/1300	MI TWE 130200 VPE	1265-1280	2005*	brilliant	transparent	0	570 €
MI TWE/1300	MI TWE 130200 NPE			black elox	transparent	0	570 €
MI TWE/1400	MI TWE 140200 VPE	1365-1380	2005*	brilliant	transparent	0	604 €
MI TWE/1400	MI TWE 140200 NPE			black elox	transparent	0	604 €
MI TWE/1500	MI TWE 150200 VPE	1465-1480	2005*	brilliant	transparent	0	634 €
MI TWE/1500	MI TWE 150200 NPE			black elox	transparent	0	634 €
MI TWE/1600	MI TWE 160200 VPE	1565-1580	2005*	brilliant	transparent	0	663 €
MI TWE/1600	MI TWE 160200 NPE			black elox	transparent	0	663 €

h* - height including supporting elements




■ MI TWE universal LEFT and RIGHT solution



MI TWE (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
MI TWE	up to 1800 mm	up to 2000 mm	brilliant	transparent	Z	1 255 €
MI TWE	up to 1800 mm	up to 2000 mm	black elox	transparent	Z	1 255 €



large number of standard sizes to choose from

NEW



■ MI TWE support bar of the Brillant variant with maximum length 1200 mm.



■ MI TWE NPE
Black elox / Transparent

Cariba Walk In

extra safe

special safety element
- protective foil on glass

CI TWF

large shower area solution

- all types with extra protective foil
- available in modern colour Black elox
- modern RothETC glass treatment for easy maintenance

6 mm ESG Tempered glass
with safety foil
Transparent / Pattern



Profile colour
Brilliant / Black elox



modern look of glass with pattern



■ CI TWF VPF
- Brillant / Transparent safety foil



■ CI TWF NPF
- Black elox / Transparent safety foil




■ CI TWF VIF
- Brillant / Printed safety foil

CI TWF (large frameless shower screen)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
CI TWF/800	CI TWF 08020 VPF	773-800	2020*	brillant	transparent	0	322 €
CI TWF/800	CI TWF 08020 NPF			black elox	transparent	0	338 €
CI TWF/800	CI TWF 08020 VIF			brillant	pattern	0	342 €
CI TWF/800	CI TWF 08020 NIF			black elox	pattern	0	348 €
CI TWF/900	CI TWF 09020 VPF	873-900	2020*	brillant	transparent	0	353 €
CI TWF/900	CI TWF 09020 NPF			black elox	transparent	0	359 €
CI TWF/900	CI TWF 09020 VIF			brillant	pattern	0	364 €
CI TWF/900	CI TWF 09020 NIF			black elox	pattern	0	370 €
CI TWF/1000	CI TWF 10020 VPF	973-1000	2020*	brillant	transparent	0	382 €
CI TWF/1000	CI TWF 10020 NPF			black elox	transparent	0	389 €
CI TWF/1000	CI TWF 10020 VIF			brillant	pattern	0	394 €
CI TWF/1000	CI TWF 10020 NIF			black elox	pattern	0	401 €
CI TWF/1100	CI TWF 11020 VPF	1073-1100	2020*	brillant	transparent	0	412 €
CI TWF/1100	CI TWF 11020 NPF			black elox	transparent	0	420 €
CI TWF/1100	CI TWF 11020 VIF			brillant	pattern	0	425 €
CI TWF/1100	CI TWF 11020 NIF			black elox	pattern	0	433 €
CI TWF/1200	CI TWF 12020 VPF	1173-1200	2020*	brillant	transparent	0	442 €
CI TWF/1200	CI TWF 12020 NPF			black elox	transparent	0	450 €
CI TWF/1200	CI TWF 12020 VIF			brillant	pattern	0	456 €
CI TWF/1200	CI TWF 12020 NIF			black elox	pattern	0	464 €
CI TWF/1400	CI TWF 14020 VPF	1373-1400	2020*	brillant	transparent	0	503 €
CI TWF/1400	CI TWF 14020 NPF			black elox	transparent	0	512 €
CI TWF/1400	CI TWF 14020 VIF			brillant	pattern	0	520 €
CI TWF/1400	CI TWF 14020 NIF			black elox	pattern	0	529 €

h* - height including supporting elements

■ CI TWF - universal LEFT and RIGHT solution



■ Vertical aluminium wall profiles



■ Support bar of the screen (max. 1 200 mm)

Cariba support bar TWP

original solution

CI TWP

CI TWP - combinable profile support bar for anchoring to the wall or to the ceiling to stabilize walk-in products such as the CI TWF

- modern solution in two colour variants - Brillant and Black elox
- large range for installation when anchored to the ceiling
- the possibility of combining with several products with at a glass thickness of 6 mm - ask your seller



Profile colour
Brillant / Black elox



■ Horizontal anchoring provides reliable fixation



■ Vertical fixation to the ceiling allows a solution if horizontal anchoring is not possible, for example due to a window.



■ The bottom of the support bar can rest on the tray or directly on the tiles.

CI TWP (combinable support bar)						
type	ordering No.	installation dimension of anchoring to the wall (a)	height for anchoring to the ceiling (h)	profile	delivery method	Price
CI TWP	CI TWP 3000 VE	700–1200	2150–3000	brillant	0	148 €
CI TWP	CI TWP 3000 NE	700–1200	2150–3000	black elox	0	148 €



Our original **combinable support bar CI TWP**, which you can choose from two colour variants, expands the possibilities of installing walk-in shower screens. Whether you choose to fix the strut at a right angle to the wall, or you prefer vertical anchoring to the ceiling, you can always rely on the CI TWP support solution.





PHILLY LOFT HORIZON

large space shower screen

- modern industrial design with profiles in Black elox colour
- RothETC glass treatment for easy maintenance
- easy installation and reliable functionality



6 mm ESG Tempered glass
Transparent



Profile colour
Black elox





PHILLY LOFT HORIZON (large shower area solution)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
PHILLY LOFT HORIZON 800	PLH 08020 NPE	780–790	2003*	black elox	transparent	0	365 €
PHILLY LOFT HORIZON 900	PLH 09020 NPE	880–890	2003*	black elox	transparent	0	392 €
PHILLY LOFT HORIZON 1000	PLH 10020 NPE	980–990	2003*	black elox	transparent	0	418 €
PHILLY LOFT HORIZON 1200	PLH 12020 NPE	1180–1190	2003*	black elox	transparent	0	471 €
PHILLY LOFT HORIZON 1400	PLH 14020 NPE	1380–1390	2003*	black elox	transparent	0	525 €

h* - height including supporting elements

- universal LEFT and RIGHT solution




- Horizontal aluminum profiles on the outside of the glass and support bar (max. 1 200 mm) in Black elox finishing

standard support bar length
maximum 1 000 mm




■ WALK A


■ WALK A




■ WALK B




■ WALK C



■ WALK F



■ WALK G




WALK A, B, C, F, G & H (atypical customized solution)


type	width (x/y)	height (h)	profile	glass	delivery method
WALK A	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK B	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK C	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK F	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK G	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK H	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z

Support bar - if you need a longer bar than the standard 100 cm, you can order this longer version (200 cm) and shorten it to the required length during assembly

type	ordering No.	profile	delivery method	Price
SUPPORT BAR - length 2000 mm	ND01-3543	brilliant	S	26 €



■ WALK H



8 mm ESG Tempered glass
Transparent



Profile colour
Brillant



■ The hinge screws are embedded in the glass level

Walk In Line
free space

convenient entrance
without door

ECWALK

large frameless shower screen

- modern industrial design
in two profile colours
- standard height 2050 mm

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



ECWALK Black elox

standard support bar length
maximum 1 200 mm



■ ECWALK Brilliant



■ Bracket in Black elox finish (bar length to 1 200 mm)



■ Bracket in Brillant finish (bar length to 1 200 mm)

ECWALK (frameless shower screen)							
type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
ECWALK/900	585-9000000-05-02	888-912	2075*	black elox	transparent	0	379 €
ECWALK/1000	585-1000000-05-02	988-1012	2075*	black elox	transparent	0	399 €
ECWALK/1200	585-1200000-05-02	1188-1212	2075*	black elox	transparent	0	448 €
ECWALK/1400	585-1400000-05-02	1388-1412	2075*	black elox	transparent	0	488 €
ECWALK/900	585-9000000-00-02	888-912	2075*	brilliant	transparent	0	379 €
ECWALK/1000	585-1000000-00-02	988-1012	2075*	brilliant	transparent	0	399 €
ECWALK/1200	585-1200000-00-02	1188-1212	2075*	brilliant	transparent	0	448 €
ECWALK/1400	585-1400000-00-02	1388-1412	2075*	brilliant	transparent	0	488 €


h* - height including supporting elements



■ Protective aluminum profile on the bottom of the glass

ECWALK (atypical customized solution)						
type	width (y)	height (h)	profile	glass	delivery method	Price
ECWALK	up to 1500 mm	up to 2050 mm	black elox	transparent	Z	561 €
ECWALK	up to 1500 mm	up to 2050 mm	brilliant	transparent	Z	561 €

■ ECWALK - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Elegant Neo Line
lightness and elegance

Elegant Neo Line

Lightness, purity and elegance - the main attributes underlining the airy design of glass

Do you want have pure lines, quality materials in your bathroom, and do not want to be limited by a small range of installation dimensions?

The ELEGANT NEO series will fulfill these requirements without any compromise. Timeless design of hinges and handles made of high quality steel underlined by the integrated minimalist braces to ensure perfect stability.

- unrivaled range of installation dimensions

- one type of door for all combinations

- integrated door bracing profiles

Roth



QUADRANT



CORNER



NICHE

Elegant Neo Line

lightness and elegance

unrivaled range
of installation dimensions

GR2N

**quadrant shower enclosure
with a double-door opening**

- high quality stainless steel hinges
- integrated door bracing profiles
- standard height 2 000 mm



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant




- Chrome-plated fittings allows easy glass movement and setting installation dimensions up to 100 mm

- Elegant design of the metal handle

GR2N (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
GR2N / 900-1000	187-1000000-00-02	885-985	2015*	710-900	290	brilliant	transparent	S	1 118 €
GR2N / 1000-1100	187-1100000-00-02	985-1085	2015*	860-1050	290	brilliant	transparent	S	1 183 €

R - standard radius R550, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



Products from **ELEGANT NEO** series allows you to use standard - produced dimensions with high flexibility of nominal dimensions from 700 to 1 200 mm.



■ GR2N

Elegant Neo Line
lightness and elegance

one door will
solve a lot of situations

GDO1N

single shower door with fixed element

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



■ GDO1N + GDO1N

universal left and right solution

■ one type of door for all combinations

- corner entry with a double door opening
- single door opening with a side panel
- single shower door for a niche



■ Integrated bracing profile together with hinges in chrome finish ensures perfect door stability

■ Fittings allows easy glass movement and setting installation dimensions up to 100 mm

GDO1N (hinged shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
GDO1N/800	188-8000000-00-02	685-785	2015*	380-480	290	brilliant	transparent	S	398 €
GDO1N/900	188-9000000-00-02	785-885	2015*	480-580	290	brilliant	transparent	S	428 €
GDO1N/1000	188-1000000-00-02	885-985	2015*	580-680	290	brilliant	transparent	S	458 €
GDO1N/1100	188-1100000-00-02	985-1085	2015*	680-780	290	brilliant	transparent	S	489 €
GDO1N/1200	188-1200000-00-02	1085-1185	2015*	780-880	290	brilliant	transparent	S	519 €


h* - height including supporting elements

GDO1N (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method	Price
GDO1N	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z	597 €

Note: Atypical width is only possible for the door part of the product

■ GDO1N - universal LEFT and RIGHT solution



■ GDO1N + GDO1N - square or rectangular shower with a double door opening



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Elegant Neo Line

lightness and elegance

one door will solve
a lot of situations



GDO1N + GBN

**square or rectangular shower enclosure
with a single opening door and a side panel**

- up to 15 combinations of size variants
- great variability of door installation settings
- stabilizing components made of quality stainless steel underline the clean design of the series



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant



GBN (side panel to GDO1N)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
GBN/800	189-8000000-00-02	775-785	2005*	-	brilliant	transparent	S	304 €
GBN/900	189-9000000-00-02	875-885	2005*	-	brilliant	transparent	S	329 €
GBN/1000	189-1000000-00-02	975-985	2005*	-	brilliant	transparent	S	360 €

h* - height including supporting elements


GBN (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
GBN	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z	414 €

■ **GBN** - universal LEFT and RIGHT solution



■ **GDO1N + GBN**



■ Flexible side wall support bar allows you to set different angles and also solves any wall irregularities

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



universal left and right solution



GDO1N + GZN

single opening shower door with a set of profiles GZN
for installation to a niche

- great variability of door installation settings
- quality processing of functional elements
- universally oriented installation and convenient maintenance thanks to the glass treatment



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant



GZN (set of profiles)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
GZN	191-0000000-00	26	1994	-	brillant	-	S	102 €

GZN (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
GZN	-	up to 2000 mm	brillant	-	Z	117 €





Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

■ **GDO1N + GZN** - single shower door
for a niche

■ **GZN** - set of profiles

■ **GDO1N + GZN** - the solution of the threshold bar does not allow the expansion of the installation dimension beyond the width of the GDO1N door installation, therefore this dimension is the same even for the combination with the GZN set



niche solution	installation width (Y)
GDO1N/800 + GZN	685-785
GDO1N/900 + GZN	785-885
GDO1N/1000 + GZN	885-985
GDO1N/1100 + GZN	985-1085
GDO1N/1200 + GZN	1085-1185

Elegant Neo Line
lightness and elegance

easy movement of the door
with opening in both directions

BI PF2 + BI FXP

square or rectangular shower enclosure
with a single opening door and a side panel BI FXP

8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



■ BI PF2 + BI FXP

universal left and right solution

- standard door sizes from 800 to 1 200 mm
- see page 286 for technical specifications
- available in modern colour Black elox
- quality lifting mechanism for comfortable opening in and out



■ Chrome fittings allow easy movement of the door



■ Rectangular combination of BI PF2 + BI FXP in modern Black elox finish

BI PF2 (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
BI PF2/800	BI PF2 08020 VPE	782-807	2019*	487	272-297	brilliant	transparent	0	466 €
BI PF2/800	BI PF2 08020 NPE					black elox	transparent	0	480 €
BI PF2/900	BI PF2 09020 VPE	882-907	2019*	587	272-297	brilliant	transparent	0	502 €
BI PF2/900	BI PF2 09020 NPE					black elox	transparent	0	518 €
BI PF2/1000	BI PF2 10020 VPE	982-1007	2019*	587	372-397	brilliant	transparent	0	526 €
BI PF2/1000	BI PF2 10020 NPE					black elox	transparent	0	542 €
BI PF2/1200	BI PF2 12020 VPE	1182-1207	2019*	637	522-547	brilliant	transparent	0	599 €
BI PF2/1200	BI PF2 12020 NPE					black elox	transparent	0	616 €

BI FXP (side panel to door BI PF2)

BI FXP/800	BI FXP 08020 VPE	768-793	2020*	—	—	brilliant	transparent	0	314 €
BI FXP/800	BI FXP 08020 NPE					black elox	transparent	0	321 €
BI FXP/900	BI FXP 09020 VPE	868-893	2020*	—	—	brilliant	transparent	0	341 €
BI FXP/900	BI FXP 09020 NPE					black elox	transparent	0	348 €
BI FXP/1000	BI FXP 10020 VPE	968-993	2020*	—	—	brilliant	transparent	0	375 €
BI FXP/1000	BI FXP 10020 NPE					black elox	transparent	0	383 €

h* - height including supporting elements


BI PF2 / BI FXP (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
BI PF2	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z	689 €
BI PF2	up to 1200 mm	up to 2000 mm	black elox	transparent	Z	708 €
BI FXP	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z	431 €
BI FXP	up to 1000 mm	up to 2000 mm	black elox	transparent	Z	440 €




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

■ BI PF2 + BI FXP



■ BI FXP + BI PF2



Elegant Neo Line

lightness and elegance

easy movement of the door
with opening in both directions

BI PF2 + BI SET

single opening shower door with a set of profiles BI SET
for installation to a niche

- convenient opening in and out
- standard height 2 000 mm
- universal installation and convenient maintenance
thanks to special glass treatment RothETC



8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



■ Chrome fittings allow easy movement of the door in both directions



■ Elegant design of chrome handle

BI PF2 (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
BI PF2/800	BI PF2 08020 VPE	782–807	2019*	487	240	brilliant	transparent	0	466 €
BI PF2/800	BI PF2 08020 NPE					black elox	transparent	0	480 €
BI PF2/900	BI PF2 09020 VPE	882–907	2019*	587	240	brilliant	transparent	0	502 €
BI PF2/900	BI PF2 09020 NPE					black elox	transparent	0	518 €
BI PF2/1000	BI PF2 10020 VPE	982–1007	2019*	587	340	brilliant	transparent	0	526 €
BI PF2/1000	BI PF2 10020 NPE					black elox	transparent	0	542 €
BI PF2/1200	BI PF2 12020 VPE	1182–1207	2019*	637	490	brilliant	transparent	0	599 €
BI PF2/1200	BI PF2 12020 NPE					black elox	transparent	0	616 €

BI SET (set of profiles)

BI SET	BI SET 2000 VE	15–25	2002	—	—	brilliant	transparent	0	86 €
BI SET	BI SET 2000 NE					black elox	transparent	0	100 €


h* - height including supporting elements

BI SET (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method	Price
BI SET	—	up to 2000 mm	brilliant	transparent	Z	99 €
BI SET	—	up to 2000 mm	black elox	transparent	Z	115 €

installation to a niche	installation width (Y)
BI PF2/800 + BI SET	775–810
BI PF2/900 + BI SET	875–910
BI PF2/1000 + BI SET	975–1010
BI PF2/1200 + BI SET	1175–1210

■ **BI PF2 + BI SET**
single shower door to a niche



■ **BI SET** - set of profiles



■ **BI PF2 + BI SET**

Cariba

intimate glass printing

Misty intima

For a greater sense of privacy while showering,
you can order the new ATYPICAL printed glass
treatment for CARIBA series products.

Rott



Cariba

solutions for every bathroom

Diversity that inspires.

The widest selection of shapes and variants in one series.

...and now the possibility to produce in this series
atypical models with a height of up to 2250 mm!

Cariba

Tuned look down to the smallest detail
in perfect harmony of metal and glass.
Let yourself be carried away by the wave
of relaxation, dreaming and well-being ...
Don't rush, you have just discovered it.
The Cariba series brings the right solution
for every bathroom.

■ With the exception of hinged doors, you can now choose products in a modern black design

■ High-quality lifting mechanism for comfortable double-sided opening

■ Easy maintenance thanks to sophisticated technical elements



Possibility of new glass
and prints - p. 180-181



QUADRANT



CORNER



NICHE



„U“ CABIN



■ CI R55 - Brillant

CI R55

quadrant shower enclosure
with two sliding doors

NEW

- easy installation and reliable functionality
- sliding doors provide a solution for places, where you lack space to open the door
- RothETC glass surface treatment for easy maintenance
- available also in Black elox design



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant / Black elox

CI R55 (quadrant shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
CI R55/800	CI R55 080200 VPE	777-802	2000	400	brilliant	transparent	0	1 022 €
CI R55/800	CI R55 080200 NPE	777-802	2000	400	black elox	transparent	0	1 022 €
CI R55/900	CI R55 090200 VPE	877-902	2000	500	brilliant	transparent	0	1 048 €
CI R55/900	CI R55 090200 NPE	877-902	2000	500	black elox	transparent	0	1 048 €
CI R55/1000	CI R55 100200 VPE	977-1002	2000	500	brilliant	transparent	0	1 075 €
CI R55/1000	CI R55 100200 NPE	977-1002	2000	500	black elox	transparent	0	1 075 €


R - standard radius R550



■ Upper roller CI R55 for Black elox variant



■ The bottom slider allows the tilting of the door.



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

innovated lifting
mechanism for opening



CI P55

quadrant shower enclosure
with a double-door opening with fixed part

- convenient entry through double-sided opening in and out
- standard height 2 000 mm
- precise design, now also in Black elox design



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant / Black elox


CI P55 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
CI P55/900	CI P55 090200 VPE	867-892	2023*	455	275-300	brilliant	transparent	0	902 €
CI P55/900	CI P55 090200 NPE	867-892	2023*	455	275-300	black elox	transparent	0	902 €
CI P55/1000	CI P55 100200 VPE	967-992	2023*	455	375-400	brilliant	transparent	0	927 €
CI P55/1000	CI P55 100200 NPE	967-992	2023*	455	375-400	black elox	transparent	0	927 €

R - standard radius R550, h* - height including supporting elements



- The innovated lifting mechanism ensures easy door opening.



- Robust chrome finished metal handle

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

CI D3L / CI D3R

three-part shower door with two sliding segments and a fixed part
for installation in a niche or for combination with the CI FXP side wall

- convenient entry thanks to the sliding of the two door segments over the fixed part
- standard height of 2 000 mm
- available also in Black elox design



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



■ CI D3R - Black elox

CI D3L / CI D3R (three-part sliding door)


typ	ordering No. Brilliant version	ordering No. Black elox version	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
CI D3L - left									
CI D3L / 800	CI D3L 080200 VPE	CI D3L 080200 NPE	760–810	2000	375	brilliant / black elox	transparent	0	679 €
CI D3L / 900	CI D3L 090200 VPE	CI D3L 090200 NPE	860–910	2000	442	brilliant / black elox	transparent	0	706 €
CI D3L / 1000	CI D3L 100200 VPE	CI D3L 100200 NPE	960–1010	2000	509	brilliant / black elox	transparent	0	733 €
CI D3L / 1100	CI D3L 110200 VPE	CI D3L 110200 NPE	1060–1110	2000	576	brilliant / black elox	transparent	0	760 €
CI D3L / 1200	CI D3L 120200 VPE	CI D3L 120200 NPE	1160–1210	2000	643	brilliant / black elox	transparent	0	786 €
CI D3L / 1400	CI D3L 140200 VPE	CI D3L 140200 NPE	1360–1410	2000	843	brilliant / black elox	transparent	0	813 €
CI D3R - right									
CI D3R / 800	CI D3R 080200 VPE	CI D3R 080200 NPE	760–810	2000	375	brilliant / black elox	transparent	0	679 €
CI D3R / 900	CI D3R 090200 VPE	CI D3R 090200 NPE	860–910	2000	442	brilliant / black elox	transparent	0	706 €
CI D3R / 1000	CI D3R 100200 VPE	CI D3R 100200 NPE	960–1010	2000	509	brilliant / black elox	transparent	0	733 €
CI D3R / 1100	CI D3R 110200 VPE	CI D3R 110200 NPE	1060–1110	2000	576	brilliant / black elox	transparent	0	760 €
CI D3R / 1200	CI D3R 120200 VPE	CI D3R 120200 NPE	1160–1210	2000	643	brilliant / black elox	transparent	0	786 €
CI D3R / 1400	CI D3R 140200 VPE	CI D3R 140200 NPE	1360–1410	2000	843	brilliant / black elox	transparent	0	813 €

CI D3L / CI D3R (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI D3L/CI D3R	up to 1600 mm	up to 2000 mm	brilliant / black elox	transparent	Z	1 057 €
CI D3L/CI D3R	up to 1600 mm	up to 2000 mm	brilliant / black elox	rauch	Z	1 138 €
CI D3L/CI D3R	up to 1600 mm	up to 2000 mm	brilliant / black elox	satinato	Z	1 220 €
CI D3L/CI D3R	up to 1600 mm	up to 2000 mm	brilliant / black elox	misty	Z	1 324 €

■ CI D3L - left door

Y



■ CI D3R - right door

Y



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).

NEW

■ When the CI D3L/R door is opened, the two movable parts slide over the fixed part.



■ CI D3L + CI FXP

CI EPF + CI EPF

square or rectangular shower enclosure
with a double-door opening with fixed part

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



focused on easy maintenance

- new variants in Black elox colour
- metal functional elements ensuring a long product life
- convenient entry through double-sided opening in and out



- Flexible support bar allows you to set different angles and also solves any wall irregularities



■ **CI EPF + CI FXG** - combination of the single opening door and the side wall CI FXG - Black elox design

CI EPF (single opening shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
CI EPF/800	CI EPF 080200 VPE	767-792	2023*	475	275-300	brilliant	transparent	0	474 €
CI EPF/800	CI EPF 080200 NPE	767-792	2023*	475	275-300	black elox	transparent	0	474 €
CI EPF/900	CI EPF 090200 VPE	867-892	2023*	575	275-300	brilliant	transparent	0	488 €
CI EPF/900	CI EPF 090200 NPE	867-892	2023*	575	275-300	black elox	transparent	0	488 €
CI EPF/1000	CI EPF 100200 VPE	967-992	2023*	625	325-350	brilliant	transparent	0	501 €
CI EPF/1000	CI EPF 100200 NPE	967-992	2023*	625	325-350	black elox	transparent	0	501 €
CI EPF/1100	CI EPF 110200 VPE	1067-1092	2023*	725	325-350	brilliant	transparent	0	515 €
CI EPF/1100	CI EPF 110200 NPE	1067-1092	2023*	725	325-350	black elox	transparent	0	515 €
CI EPF/1200	CI EPF 120200 VPE	1167-1192	2023*	725	425-450	brilliant	transparent	0	528 €
CI EPF/1200	CI EPF 120200 NPE	1167-1192	2023*	725	425-450	black elox	transparent	0	528 €




h* - height including supporting elements

CI EPF (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI EPF	up to 1400 mm	up to 2000* mm	brilliant / black elox	transparent	Z	607 €
CI EPF	up to 1400 mm	up to 2000* mm	brilliant / black elox	rauch	Z	634 €
CI EPF	up to 1400 mm	up to 2000* mm	brilliant / black elox	satinato	Z	660 €
CI EPF	up to 1400 mm	up to 2000* mm	brilliant / black elox	misty	Z	on request

* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.

■ **CI EPF** - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Cariba
solutions for every bathroom

innovated lifting
mechanism for opening

CI PIG + CI PIG

square or rectangular shower enclosure
with a double-door opening

6 mm ESG Tempered glass
Transparent



Profile colour
Brillant / Black elox



■ CI PIG + CI PIG - Black elox

focused on easy maintenance

- quality lifting mechanism for convenient opening inside and outside
- standard height 2 000 mm
- RothETC glass surface treatment for easy maintenance
- newly in Black elox design



■ Threshold strip with bottom seal ensures perfect tightness



■ **CI PIG + CI FXG** - combination of the single opening door and the side wall CI FXG




CI PIG (hinged shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
CI PIG/800	CI PIG 080200 VPE	767-792	2002*	675	brilliant	transparent	0	418 €
CI PIG/800	CI PIG 080200 NPE	767-792	2002*	675	black elox	transparent	0	418 €
CI PIG/900	CI PIG 090200 VPE	867-892	2002*	775	brilliant	transparent	0	431 €
CI PIG/900	CI PIG 090200 NPE	867-892	2002*	775	black elox	transparent	0	431 €
CI PIG/1000	CI PIG 100200 VPE	967-992	2002*	875	brilliant	transparent	0	444 €
CI PIG/1000	CI PIG 100200 NPE	967-992	2002*	875	black elox	transparent	0	444 €

h* - height including supporting elements



CI PIG (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI PIG	up to 1000 mm	up to 2000* mm	brilliant / black elox	transparent	Z	511 €
CI PIG	up to 1000 mm	up to 2000* mm	brilliant / black elox	rauch	Z	533 €
CI PIG	up to 1000 mm	up to 2000* mm	brilliant / black elox	satinato	Z	555 €
CI PIG	up to 1000 mm	up to 2000* mm	brilliant / black elox	misty	Z	on request




* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.


■ CI PIG - universal LEFT and RIGHT solution



■ CI PIG + CI PIG



■ CI PIG + CI FXG



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Cariba
solutions for every bathroom

innovated lifting
mechanism for opening

CI 2CL + CI 2CR

square or rectangular shower enclosure
with folding shower door and pivot system

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



■ CI 2CL + CI 2CR

quality processing to the last detail

- possibility to fold the door completely to the wall
- quality sealing elements and convenient maintenance



■ Embedded door hinges on the inside for easy cleaning



■ **CI 2CL + CI FXG** - folding shower door with the side wall CI FXG




CI 2CL/ CI 2CR (folding shower door with pivot system)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method	Price
CI 2CL/800	CI 2CL 080200 VPE	767-792	2002*	335	340	brillant	transparent	0	609 €
CI 2CL/900	CI 2CL 090200 VPE	867-892	2002*	385	390	brillant	transparent	0	620 €
CI 2CL/1000	CI 2CL 100200 VPE	967-992	2002*	435	440	brillant	transparent	0	631 €
CI 2CR/800	CI 2CR 080200 VPE	767-792	2002*	335	340	brillant	transparent	0	609 €
CI 2CR/900	CI 2CR 090200 VPE	867-892	2002*	385	390	brillant	transparent	0	620 €
CI 2CR/1000	CI 2CR 100200 VPE	967-992	2002*	435	440	brillant	transparent	0	631 €

h* - height including supporting elements


CI 2CL/ CI 2CR (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI 2CL/CI 2CR	up to 1200 mm	up to 2000* mm	brillant	transparent	Z	726 €
CI 2CL/CI 2CR	up to 1200 mm	up to 2000* mm	brillant	rauch	Z	757 €
CI 2CL/CI 2CR	up to 1200 mm	up to 2000* mm	brillant	satinato	Z	789 €
CI 2CL/CI 2CR	up to 1200 mm	up to 2000* mm	brillant	misty	Z	on request




* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.


■ CI 2CL + CI 2CR



■ CI 2CL+ CI FXG



■ CI FXG + CI 2CR



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



CI FXG

side wall for combination with opening door CI EPF, CI PIG or CI 2CL/2CR

- RothETC glass surface treatment for easy maintenance
- new variants in Black elox colour
- glass height 1 978 mm



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



CI FXG (side panel)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
CI FXG/800	CI FXG 080200 VPE	768-793	2001*	—	brilliant	transparent	0	296 €
CI FXG/800	CI FXG 080200 NPE	768-793	2001*	—	black elox	transparent	0	296 €
CI FXG/900	CI FXG 090200 VPE	868-893	2001*	—	brilliant	transparent	0	323 €
CI FXG/900	CI FXG 090200 NPE	868-893	2001*	—	black elox	transparent	0	323 €
CI FXG/1000	CI FXG 100200 VPE	968-993	2001*	—	brilliant	transparent	0	350 €
CI FXG/1000	CI FXG 100200 NPE	968-993	2001*	—	black elox	transparent	0	350 €


h* - height including supporting elements

CI FXG (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI FXG	up to 1200 mm	up to 2000* mm	brilliant / black elox	transparent	Z	465 €
CI FXG	up to 1200 mm	up to 2000* mm	brilliant / black elox	rauch	Z	485 €
CI FXG	up to 1200 mm	up to 2000* mm	brilliant / black elox	satinato	Z	505 €
CI FXG	up to 1200 mm	up to 2000* mm	brilliant / black elox	misty	Z	on request

* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.

■ CI FXG -universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

focused on
easy maintenance



■ CI 2BT

CI 2BT

double shower door for niche installation

- generous entrance with double-sided opening inside and outside
- available in Brillant and Black elox design
- standard height 2 000 mm and a large selection of offered variants



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant / Black elox

CI 2BT (double pivot door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
CI 2BT/800	CI 2BT 080200 VPE	760-810	2002*	305	brilliant	transparent	0	639 €
CI 2BT/800	CI 2BT 080200 NPE	760-810	2002*	305	black elox	transparent	0	639 €
CI 2BT/900	CI 2BT 090200 VPE	860-910	2002*	355	brilliant	transparent	0	650 €
CI 2BT/900	CI 2BT 090200 NPE	860-910	2002*	355	black elox	transparent	0	650 €
CI 2BT/1000	CI 2BT 100200 VPE	960-1010	2002*	405	brilliant	transparent	0	662 €
CI 2BT/1000	CI 2BT 100200 NPE	960-1010	2002*	405	black elox	transparent	0	662 €
CI 2BT/1100	CI 2BT 110200 VPE	1060-1110	2002*	455	brilliant	transparent	0	673 €
CI 2BT/1100	CI 2BT 110200 NPE	1060-1110	2002*	455	black elox	transparent	0	673 €
CI 2BT/1200	CI 2BT 120200 VPE	1160-1210	2002*	505	brilliant	transparent	0	684 €
CI 2BT/1200	CI 2BT 120200 NPE	1160-1210	2002*	505	black elox	transparent	0	684 €

h* - height including supporting elements

■ CI 2BT


CI 2BT (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI 2BT	up to 1800 mm	up to 2000* mm	brilliant / black elox	transparent	Z	787 €
CI 2BT	up to 1800 mm	up to 2000* mm	brilliant / black elox	rauch	Z	821 €
CI 2BT	up to 1800 mm	up to 2000* mm	brilliant / black elox	satinato	Z	855 €
CI 2BT	up to 1800 mm	up to 2000* mm	brilliant / black elox	misty	Z	on request

* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).





■ CI PIF

CI PIF

single opening shower door with fixed element
for niche installation

- easy installation and reliable functionality
- RothETC glass surface treatment for easy maintenance
- convenient entry through double-sided opening in and out
- new variants in Black elox colour




6 mm ESG Tempered glass
Transparent



Profile colour
Brillant / Black elox



- CI PIF - universal LEFT and RIGHT solution



CI PIF (single shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
CI PIF/800	CI PIF 080200 VPE	760-810	2023*	440	275-300	brilliant	transparent	0	531 €
CI PIF/800	CI PIF 080200 NPE	760-810	2023*	440	275-300	black elox	transparent	0	531 €
CI PIF/900	CI PIF 090200 VPE	860-910	2023*	540	275-300	brilliant	transparent	0	544 €
CI PIF/900	CI PIF 090200 NPE	860-910	2023*	540	275-300	black elox	transparent	0	544 €
CI PIF/1000	CI PIF 100200 VPE	960-1010	2023*	590	325-350	brilliant	transparent	0	555 €
CI PIF/1000	CI PIF 100200 NPE	960-1010	2023*	590	325-350	black elox	transparent	0	555 €
CI PIF/1100	CI PIF 110200 VPE	1060-1110	2023*	690	325-350	brilliant	transparent	0	566 €
CI PIF/1100	CI PIF 110200 NPE	1060-1110	2023*	690	325-350	black elox	transparent	0	566 €
CI PIF/1200	CI PIF 120200 VPE	1160-1210	2023*	690	425-450	brilliant	transparent	0	576 €
CI PIF/1200	CI PIF 120200 NPE	1160-1210	2023*	690	425-450	black elox	transparent	0	576 €


h* - height including supporting elements

CI PIF (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI PIF	up to 1400 mm	up to 2000* mm	brilliant / black elox	transparent	Z	693 €
CI PIF	up to 1400 mm	up to 2000* mm	brilliant / black elox	rauch	Z	724 €
CI PIF	up to 1400 mm	up to 2000* mm	brilliant / black elox	satinato	Z	754 €
CI PIF	up to 1400 mm	up to 2000* mm	brilliant / black elox	misty	Z	on request

* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



newly available
in Black elox design



CI PIV

**single opening shower door
for niche installation**

- standard height 2 000 mm
- quality lifting mechanism for convenient opening inside and outside
- RothETC glass surface treatment for easy maintenance



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



CI PIV (single shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
CI PIV/800	CI PIV 080200 VPE	760-810	2002*	640	brillant	transparent	0	428 €
CI PIV/800	CI PIV 080200 NPE	760-810	2002*	640	black elox	transparent	0	428 €
CI PIV/900	CI PIV 090200 VPE	860-910	2002*	740	brillant	transparent	0	439 €
CI PIV/900	CI PIV 090200 NPE	860-910	2002*	740	black elox	transparent	0	439 €
CI PIV/1000	CI PIV 100200 VPE	960-1010	2002*	840	brillant	transparent	0	453 €
CI PIV/1000	CI PIV 100200 NPE	960-1010	2002*	840	black elox	transparent	0	453 €


h* - height including supporting elements

CI PIV (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI PIV	up to 1000 mm	up to 2000* mm	brillant / black elox	transparent	Z	521 €
CI PIV	up to 1000 mm	up to 2000* mm	brillant / black elox	rauch	Z	544 €
CI PIV	up to 1000 mm	up to 2000* mm	brillant / black elox	satinato	Z	566 €
CI PIV	up to 1000 mm	up to 2000* mm	brillant / black elox	misty	Z on request	

* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.

■ CI PIV - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



CI PIL / CI PIR

solution for niche installation
with folding door and pivot system

- possibility to fold the door completely to the wall
- quality sealing components and easy maintenance
- convenient entry through double-sided opening in and out



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant

CI PIL / CI PIR (folding shower door for a niche)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method	Price
CI PIL/800	CI PIL 080200 VPE	760-810	2002*	320	322	brilliant	transparent	0	682 €
CI PIL/900	CI PIL 090200 VPE	860-910	2002*	370	372	brilliant	transparent	0	692 €
CI PIL/1000	CI PIL 100200 VPE	960-1010	2002*	420	422	brilliant	transparent	0	703 €
CI PIL/1200	CI PIL 120200 VPE	1160-1210	2002*	520	522	brilliant	transparent	0	725 €
CI PIR/800	CI PIR 080200 VPE	760-810	2002*	320	322	brilliant	transparent	0	682 €
CI PIR/900	CI PIR 090200 VPE	860-910	2002*	370	372	brilliant	transparent	0	692 €
CI PIR/1000	CI PIR 100200 VPE	960-1010	2002*	420	422	brilliant	transparent	0	703 €
CI PIR/1200	CI PIR 120200 VPE	1160-1210	2002*	520	522	brilliant	transparent	0	725 €

h* - height including supporting elements

CI PIL / CI PIR (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI PIL/CI PIR	up to 1200 mm	up to 2000* mm	brilliant	transparent	Z	834 €
CI PIL/CI PIR	up to 1200 mm	up to 2000* mm	brilliant	rauch	Z	870 €
CI PIL/CI PIR	up to 1200 mm	up to 2000* mm	brilliant	satinato	Z	906 €
CI PIL/CI PIR	up to 1200 mm	up to 2000* mm	brilliant	misty	Z	on request


* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



■ CI PIL



■ CI PIR



focused on
easy maintenance



CI RFL / CI RFR

solution for niche installation with fixed element
with folding door and pivot system

- standard height 2 000 mm
- popular folding doors extended by a fixed part for a generous niche door solution
- large selection of offered variants



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

CI RFL / CI RFR (folding shower door for a niche)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	width (s)	profile	glass	delivery method	Price
CI RFL/1100	CI RFL 110200 VPE	1060-1110	2023*	370	372	275-300	brilliant	transparent	0	832 €
CI RFL/1200	CI RFL 120200 VPE	1160-1210	2023*	420	422	275-300	brilliant	transparent	0	846 €
CI RFL/1400	CI RFL 140200 VPE	1360-1410	2023*	420	422	475-500	brilliant	transparent	0	870 €
CI RFL/1600	CI RFL 160200 VPE	1560-1610	2023*	520	522	475-500	brilliant	transparent	0	892 €
CI RFR/1100	CI RFR 110200 VPE	1060-1110	2023*	370	372	275-300	brilliant	transparent	0	832 €
CI RFR/1200	CI RFR 120200 VPE	1160-1210	2023*	420	422	275-300	brilliant	transparent	0	846 €
CI RFR/1400	CI RFR 140200 VPE	1360-1410	2023*	420	422	475-500	brilliant	transparent	0	870 €
CI RFR/1600	CI RFR 160200 VPE	1560-1610	2023*	520	522	475-500	brilliant	transparent	0	892 €


h* - height including supporting elements




CI RFL / CI RFR (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI RFL/CI RFR	up to 1600 mm	up to 2000* mm	brilliant	transparent	Z	1 026 €
CI RFL/CI RFR	up to 1600 mm	up to 2000* mm	brilliant	rauch	Z	1 070 €
CI RFL/CI RFR	up to 1600 mm	up to 2000* mm	brilliant	satinato	Z	1 115 €
CI RFL/CI RFR	up to 1600 mm	up to 2000* mm	brilliant	misty	Z	on request

■ CI RFL



■ CI RFR



* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



CI FXP

side wall with corner profile

- newly available variants in Black elox colour
- side wall for combination with a niche door
- or create a "U" cabin solution





6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox

■ **CI FXP** - universal LEFT and RIGHT solution



CI FXP (side wall with corner profile)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
CI FXP/700	CI FXP 070200 VPE	652-702	2023*	—	brilliant	transparent	0	342 €
CI FXP/700	CI FXP 070200 NPE	652-702	2023*	—	black elox	transparent	0	342 €
CI FXP/750	CI FXP 075200 VPE	702-752	2023*	—	brilliant	transparent	0	350 €
CI FXP/750	CI FXP 075200 NPE	702-752	2023*	—	black elox	transparent	0	350 €
CI FXP/800	CI FXP 080200 VPE	752-802	2023*	—	brilliant	transparent	0	356 €
CI FXP/800	CI FXP 080200 NPE	752-802	2023*	—	black elox	transparent	0	356 €
CI FXP/900	CI FXP 090200 VPE	852-902	2023*	—	brilliant	transparent	0	366 €
CI FXP/900	CI FXP 090200 NPE	852-902	2023*	—	black elox	transparent	0	366 €
CI FXP/1000	CI FXP 100200 VPE	952-1002	2023*	—	brilliant	transparent	0	385 €
CI FXP/1000	CI FXP 100200 NPE	952-1002	2023*	—	black elox	transparent	0	385 €

h* - height including supporting elements

CI FXP (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI FXP	up to 1200 mm	up to 2000* mm	brilliant / black elox	transparent	Z	474 €
CI FXP	up to 1200 mm	up to 2000* mm	brilliant / black elox	rauch	Z	494 €
CI FXP	up to 1200 mm	up to 2000* mm	brilliant / black elox	satinato	Z	515 €
CI FXP	up to 1200 mm	up to 2000* mm	brilliant / black elox	misty	Z	on request

* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.


! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

combination of door with CI FXP side wall




■ CI FXP + CI 2BT

■ CI FXP + CI 2BT + CI FXP




■ CI FXP + CI 2CL + CI FXG

■ CI PIV + CI FXP




■ CI FXP + CI D2L + CI FXP


■ CI FXP + CI PIF



■ CI FXP + CI C2L + CI C2R



■ CI FXP + CI D2R + CI FXP





CI FXO

additional side wall for installation
of CI PIG or CI EPF doors to a niche

- variable solution for easy creation of niche shower door
- create a width of shower door from 960 mm up to 1 810 mm
- universal LEFT and RIGHT solution, also available in the popular Black elox



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant / Black elox



- Universal bottom door seal for installation with or without a threshold strip



CI FXO (additional side panel to CI PIG or CI EPF)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
CI FXO/230	CI FXO 023200 VPE	209 - 234	2023*	brilliant	transparent	0	207 €
CI FXO/230	CI FXO 023200 NPE	209 - 234	2023*	black elox	transparent	0	207 €
CI FXO/330	CI FXO 033200 VPE	309 - 334	2023*	brilliant	transparent	0	218 €
CI FXO/330	CI FXO 033200 NPE	309 - 334	2023*	black elox	transparent	0	218 €
CI FXO/430	CI FXO 043200 VPE	409 - 434	2023*	brilliant	transparent	0	232 €
CI FXO/430	CI FXO 043200 NPE	409 - 434	2023*	black elox	transparent	0	232 €
CI FXO/530	CI FXO 053200 VPE	509 - 534	2023*	brilliant	transparent	0	242 €
CI FXO/530	CI FXO 053200 NPE	509 - 534	2023*	black elox	transparent	0	242 €
CI FXO/630	CI FXO 063200 VPE	609 - 634	2023*	brilliant	transparent	0	259 €
CI FXO/630	CI FXO 063200 NPE	609 - 634	2023*	black elox	transparent	0	259 €

h* - height including supporting elements

CI FXO (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI FXO	up to 1000 mm	up to 2000* mm	brilliant / black elox	transparent	Z	298 €
CI FXO	up to 1000 mm	up to 2000* mm	brilliant / black elox	rauch	Z	311 €
CI FXO	up to 1000 mm	up to 2000* mm	brilliant / black elox	satinato	Z	337 €
CI FXO	up to 1000 mm	up to 2000* mm	brilliant / black elox	misty	Z	on request

* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



Y (min-max)	CI EPF/800	CI EPF/900	CI EPF/1000	CI EPF/1100	CI EPF/1200
	B	B	B	B	B
751-776	751-876	951-976	1051-1076	1151-1176	
CI FXO/230 A 209-234	960-1010	1060-1110	1160-1210	1260-1310	1360-1410
CI FXO/330 A 309-334	1060-1110	1160-1210	1260-1310	1360-1410	1460-1510
CI FXO/430 A 409-434	1160-1210	1260-1310	1360-1410	1460-1510	1560-1610
CI FXO/530 A 509-534	1260-1310	1360-1410	1460-1510	1560-1610	1660-1710
CI FXO/630 A 609-634	1360-1410	1460-1510	1560-1610	1660-1710	1760-1810



Choose the dimension you need!
By using this universal in-line side wall you can create truly perfect door for niche from the standard doors
CI PIG or CI EPF...

- Flexible support bar allows you to set different angles and also solves any wall irregularities - Black elox.





Y (min-max)	CI PIG/800	CI PIG/900	CI PIG/1000
	B	B	B
751-776	851-876	951-976	
CI FXO/230 A 209-234	960-1010	1060-1110	1160-1210
CI FXO/330 A 309-334	1060-1110	1160-1210	1260-1310
CI FXO/430 A 409-434	1160-1210	1260-1310	1360-1410
CI FXO/530 A 509-534	1260-1310	1360-1410	1460-1510
CI FXO/630 A 609-634	1360-1410	1460-1510	1560-1610

■ CI FXO - universal LEFT and RIGHT solution



■ CI FXO - universal LEFT and RIGHT solution



CI D2L / CI D2R

sliding shower door for niche installation
or for combination with side panel CI FXP

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



■ CI D2L

newly available in Black elox design

- modern solution with barrier-free entrance
- tilting system of the bottom part allows easy maintenance
- quiet door movement thanks to modernized rollers



■ Innovated rollers for quiet and smooth door operation



■ CI D2L + CI FXP - sliding shower door with the side wall CI FXP in Black elox design

CI D2L/ CI D2R (sliding shower door)


type	ordering No.	installation width (y)	height (h)	entrance width (c)	side part width (s)	profile	glass	delivery method	Price
CI D2L/1200	CI D2L 120200 VPE	1160-1210	2002	485	530-555	brilliant	transparent	0	544 €
CI D2L/1200	CI D2L 120200 NPE	1160-1210	2002	485	530-555	black elox	transparent	0	544 €
CI D2L/1300	CI D2L 130200 VPE	1260-1310	2002	535	580-605	brilliant	transparent	0	560 €
CI D2L/1300	CI D2L 130200 NPE	1260-1310	2002	535	580-605	black elox	transparent	0	560 €
CI D2L/1400	CI D2L 140200 VPE	1360-1410	2002	585	630-655	brilliant	transparent	0	571 €
CI D2L/1400	CI D2L 140200 NPE	1360-1410	2002	585	630-655	black elox	transparent	0	571 €
CI D2L/1500	CI D2L 150200 VPE	1460-1510	2002	635	680-705	brilliant	transparent	0	582 €
CI D2L/1500	CI D2L 150200 NPE	1460-1510	2002	635	680-705	black elox	transparent	0	582 €
CI D2L/1600	CI D2L 160200 VPE	1560-1610	2002	685	730-755	brilliant	transparent	0	606 €
CI D2L/1600	CI D2L 160200 NPE	1560-1610	2002	685	730-755	black elox	transparent	0	606 €
CI D2R/1200	CI D2R 120200 VPE	1160-1210	2002	485	530-555	brilliant	transparent	0	544 €
CI D2R/1200	CI D2R 120200 NPE	1160-1210	2002	485	530-555	black elox	transparent	0	544 €
CI D2R/1300	CI D2R 130200 VPE	1260-1310	2002	535	580-605	brilliant	transparent	0	560 €
CI D2R/1300	CI D2R 130200 NPE	1260-1310	2002	535	580-605	black elox	transparent	0	560 €
CI D2R/1400	CI D2R 140200 VPE	1360-1410	2002	585	630-655	brilliant	transparent	0	571 €
CI D2R/1400	CI D2R 140200 NPE	1360-1410	2002	585	630-655	black elox	transparent	0	571 €
CI D2R/1500	CI D2R 150200 VPE	1460-1510	2002	635	680-705	brilliant	transparent	0	582 €
CI D2R/1500	CI D2R 150200 NPE	1460-1510	2002	635	680-705	black elox	transparent	0	582 €
CI D2R/1600	CI D2R 160200 VPE	1560-1610	2002	685	730-755	brilliant	transparent	0	606 €
CI D2R/1600	CI D2R 160200 NPE	1560-1610	2002	685	730-755	black elox	transparent	0	606 €

CI D2L/ CI D2R (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI D2L/CI D2R	up to 1600 mm	up to 2000* mm	brilliant / black elox	transparent	Z	697 €
CI D2L/CI D2R	up to 1600 mm	up to 2000* mm	brilliant / black elox	rauch	Z	727 €
CI D2L/CI D2R	up to 1600 mm	up to 2000* mm	brilliant / black elox	satinato	Z	758 €
CI D2L/CI D2R	up to 1600 mm	up to 2000* mm	brilliant / black elox	misty	Z	on request

* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.



■ CI D2L



■ CI D2R



■ CI D2L + CI FXP



■ CI D2R + CI FXP



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

CI C2L + CI C2R

square or rectangular shower enclosure
with two sliding doors

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



■ CI C2L + CI C2R

focused on easy maintenance

- tilting system of the bottom part allows easy maintenance
- modern solution with barrier-free entrance
- new variants in Black elox colour
- square or rectangular solution with a suitable combination of left and right part



■ The solid bottom slider for easy tilting of the door allows easy maintenance even in inaccessible places


■ The upper rollers ensure smooth operation of the door

CI C2L / CI C2R (sliding shower door - left / right part)									
type	ordering No.	installation width (y)	height (h)	entrance width (c)	side part width (s)	profile	glass	delivery method	Price
CI C2L - left part									
CI C2L/800	CI C2L 080200 VPE	775-800	2002*	428	340-365	brilliant	transparent	0	431 €
CI C2L/800	CI C2L 080200 NPE	775-800	2002*	428	340-365	black elox	transparent	0	431 €
CI C2L/900	CI C2L 090200 VPE	875-900	2002*	498	390-415	brilliant	transparent	0	439 €
CI C2L/900	CI C2L 090200 NPE	875-900	2002*	498	390-415	black elox	transparent	0	439 €
CI C2L/1000	CI C2L 100200 VPE	975-1000	2002*	569	440-465	brilliant	transparent	0	455 €
CI C2L/1000	CI C2L 100200 NPE	975-1000	2002*	569	440-465	black elox	transparent	0	455 €
CI C2L/1100	CI C2L 110200 VPE	1075-1100	2002*	640	490-515	brilliant	transparent	0	469 €
CI C2L/1100	CI C2L 110200 NPE	1075-1100	2002*	640	490-515	black elox	transparent	0	469 €
CI C2L/1200	CI C2L 120200 VPE	1175-1200	2002*	710	540-565	brilliant	transparent	0	501 €
CI C2L/1200	CI C2L 120200 NPE	1175-1200	2002*	710	540-565	black elox	transparent	0	501 €
CI C2R - right part									
CI C2R/800	CI C2R 080200 VPE	775-800	2002*	428	340-365	brilliant	transparent	0	431 €
CI C2R/800	CI C2R 080200 NPE	775-800	2002*	428	340-365	black elox	transparent	0	431 €
CI C2R/900	CI C2R 090200 VPE	875-900	2002*	498	390-415	brilliant	transparent	0	439 €
CI C2R/900	CI C2R 090200 NPE	875-900	2002*	498	390-415	black elox	transparent	0	439 €
CI C2R/1000	CI C2R 100200 VPE	975-1000	2002*	569	440-465	brilliant	transparent	0	455 €
CI C2R/1000	CI C2R 100200 NPE	975-1000	2002*	569	440-465	black elox	transparent	0	455 €
CI C2R/1100	CI C2R 110200 VPE	1075-1100	2002*	640	490-515	brilliant	transparent	0	469 €
CI C2R/1100	CI C2R 110200 NPE	1075-1100	2002*	640	490-515	black elox	transparent	0	469 €
CI C2R/1200	CI C2R 120200 VPE	1175-1200	2002*	710	540-565	brilliant	transparent	0	501 €
CI C2R/1200	CI C2R 120200 NPE	1175-1200	2002*	710	540-565	black elox	transparent	0	501 €


■ CI C2L



■ CI C2R



■ CI C2L + CI C2R



CI C2L / CI C2R (atypical customized solution)						
type	width (y)	height (h)	profile	glass	delivery method	Price
CI C2L/CI C2R	up to 1200 mm	up to 2000* mm	brilliant / black elox	transparent	Z	576 €
CI C2L/CI C2R	up to 1200 mm	up to 2000* mm	brilliant / black elox	rauch	Z	601 €
CI C2L/CI C2R	up to 1200 mm	up to 2000* mm	brilliant / black elox	satinato	Z	651 €
CI C2L/CI C2R	up to 1200 mm	up to 2000* mm	brilliant / black elox	misty	Z	on request

* It is now possible to request the production of an atypical version with a height of up to 2250 mm for this product.

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Tower Line

you can rely on

Tower Line



Right in this series you will find a solution for every situation in the place of your daily relaxation

Opening through a special lifting mechanism both ways - inside and outside - in combination with high quality profiles in 2 variations of surface finishing, will find supporters everywhere, where it is necessary to solve the space variably and to use every free space.



QUADRANT



CORNER



NICHE



WALK-IN



Possibility of new glass
and prints - p. 180-181



■ easy entrance through a completely openable door, both inside and outside

■ universal left and right solution

■ superior lifting mechanism is a basic condition for easy door opening, sufficient tightness and long lasting durability of the enclosure

TR1

quadrant shower enclosure
with a double-door opening

- easy entry through fully openable door, with opening in and out
- standard height 2000 mm
- high quality sealing elements and easy maintenance



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Silver (Elox)



■ The magnetic seal for secure closing



■ Threshold strip and bottom door seal




■ Ergonomic handle made of solid aluminum

TR1 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TR1/900	722-9000000-00-02	870-890	2012*	660	—	brilliant	transparent	S	789 €
TR1/900	722-9000000-01-02	870-890	2012*	660	—	silver	transparent	S	774 €
TR1/1000	722-1000000-00-02	970-990	2012*	760	—	brilliant	transparent	O	861 €
TR1/1000	722-1000000-01-02	970-990	2012*	760	—	silver	transparent	O	840 €

R - standard radius R550, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



Opening through a special lifting mechanism both ways - inside and outside - in combination with high quality profiles in 2 types of surface finishing - this is the **Tower Line** series.



■ TR1

Tower Line
you can rely on

proven lifting system
of the door opening

TR2 a TR2 Light

quadrant shower enclosure
with a double-door opening with fixed elements

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Silver (Elox)




easy maintenance thanks to the minimum of profiles

- easy entry through fully openable door, with opening in and out
- standard height 2000 mm
- high quality sealing elements and easy maintenance



■ Support bar of fixed part and lifting profile



■ The light version uses a different set of profiles and door handles - **TR2 Light**



TR2 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TR2/800	723-8000000-00-02	770-790	2019*	420	195-220	brilliant	transparent	0	957 €
TR2/800	723-8000000-01-02	770-790	2019*	420	195-220	silver	transparent	0	942 €
TR2/900	723-9000000-00-02	870-890	2019*	420	295-320	brilliant	transparent	S	966 €
TR2/900	723-9000000-01-02	870-890	2019*	420	295-320	silver	transparent	S	957 €
TR2/1000	723-1000000-00-02	970-990	2019*	420	395-420	brilliant	transparent	0	975 €
TR2/1000	723-1000000-01-02	970-990	2019*	420	395-420	silver	transparent	0	966 €


R - standard radius R550, h* - height including supporting elements

TR2 Light (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TR2 LIGHT 900	738-9000000-00-02	870-890	2017*	420	300-320	brilliant	transparent	S	882 €


R - standard radius R550, h* - height including supporting elements

■ TR2




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

■ TR2 Light



■ TR2 i TR2 Light



Tower Line

you can rely on

proven lifting system
of the door opening

TD01 + TDO1

**square or rectangular shower enclosure
with a double-door opening with fixed part**

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Silver (Elox)



■ Adjustable brace for safe door stability



■ Aluminum handle in a modern design




■ Lifting profile with threshold strip and bottom seal

TD01 (hinged shower door)


type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TD01/800	724-8000000-00-02	775–790	2019*	450	295–320	brilliant	transparent	S	485 €
TD01/800	724-8000000-01-02	775–790	2019*	450	295–320	silver	transparent	O	464 €
TD01/900	724-9000000-00-02	875–890	2019*	550	295–320	brilliant	transparent	S	506 €
TD01/900	724-9000000-01-02	875–890	2019*	550	295–320	silver	transparent	S	479 €
TD01/1000	724-1000000-00-02	975–990	2019*	650	295–320	brilliant	transparent	S	527 €
TD01/1000	724-1000000-01-02	975–990	2019*	650	295–320	silver	transparent	S	494 €
TD01/1100	724-1100000-00-02	1075–1090	2019*	650	395–420	brilliant	transparent	O	548 €
TD01/1100	724-1100000-01-02	1075–1090	2019*	650	395–420	silver	transparent	O	509 €
TD01/1200	724-1200000-00-02	1175–1190	2019*	750	395–420	brilliant	transparent	S	569 €
TD01/1200	724-1200000-01-02	1175–1190	2019*	750	395–420	silver	transparent	O	524 €

h* - height including supporting elements

TD01 + TDO1



■ TD01 - universal LEFT and RIGHT solution!



TD01 (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method	Price
TD01	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z	654 €
TD01	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z	854 €
TD01	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z	711 €
TD01	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z	711 €
TD01	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z	740 €

* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).

easy maintenance thanks
to the minimum of profiles

- quality lifting mechanism for convenient opening inside and outside
- standard height 2000 mm
- perfect tightness and long service life



Tower Line

you can rely on

proven lifting system
of the door opening



TB

side wall for combination with single opening door TDO1 or TCO1

- square or rectangular solution
- huge amount of combinations by size, profile, glass and door types
- quality support bar and sealing components for long service life



6 mm ESG Tempered glass
Transparent / Intimglass




Profile colour
Brillant / Silver (Elox)



TB (side panel to TDO1 or TCO1)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TB/700	725-7000000-00-02	675-690	2008*	—	brilliant	transparent	0	390 €
TB/700	725-7000000-01-02	675-690	2008*	—	silver	transparent	0	375 €
TB/750	725-7500000-00-02	725-740	2008*	—	brilliant	transparent	0	398 €
TB/750	725-7500000-01-02	725-740	2008*	—	silver	transparent	0	384 €
TB/800	725-8000000-00-02	775-790	2008*	—	brilliant	transparent	S	407 €
TB/800	725-8000000-01-02	775-790	2008*	—	silver	transparent	S	392 €
TB/900	725-9000000-00-02	875-890	2008*	—	brilliant	transparent	S	427 €
TB/900	725-9000000-01-02	875-890	2008*	—	silver	transparent	S	412 €
TB/1000	725-1000000-00-02	975-990	2008*	—	brilliant	transparent	S	449 €
TB/1000	725-1000000-01-02	975-990	2008*	—	silver	transparent	S	435 €

h* - height including supporting elements



TB (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method	Price
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z	516 €
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z	674 €
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z	561 €
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z	561 €
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z	584 €

* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

easy maintenance thanks
to the minimum of profiles



TBL / TBP

side wall for combination with single opening door TDO1 or TCO1 in INTIMGLASS version

- in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solution

- Corner profile with magnetic closing seal




TBL / TBP (side panel to TDO1 or TCO1 in Intimglass version)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TBL/800	725-800000L-00-20	775-790	2008*	—	brilliant	intimglass	0	549 €
TBL/800	725-800000L-01-20	775-790	2008*	—	silver	intimglass	0	535 €
TBL/900	725-900000L-00-20	875-890	2008*	—	brilliant	intimglass	0	569 €
TBL/900	725-900000L-01-20	875-890	2008*	—	silver	intimglass	0	554 €
TBL/1000	725-100000L-00-20	975-990	2008*	—	brilliant	intimglass	0	591 €
TBL/1000	725-100000L-01-20	975-990	2008*	—	silver	intimglass	0	577 €
TBP/800	725-800000P-00-20	775-790	2008*	—	brilliant	intimglass	0	549 €
TBP/800	725-800000P-01-20	775-790	2008*	—	silver	intimglass	0	535 €
TBP/900	725-900000P-00-20	875-890	2008*	—	brilliant	intimglass	0	569 €
TBP/900	725-900000P-01-20	875-890	2008*	—	silver	intimglass	0	554 €
TBP/1000	725-100000P-00-20	975-990	2008*	—	brilliant	intimglass	0	591 €
TBP/1000	725-100000P-01-20	975-990	2008*	—	silver	intimglass	0	577 €

h* - height including supporting elements / * in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solution


■ TDO1 + TB




■ TB + TDO1




■ TCO1 + TB




■ TB + TCO1



■ TBP



■ TBL





■ TCO1 + TCO1

TCO1 + TCO1

square or rectangular shower enclosure
with a double-door opening

- choose from a large number of door variants or combine a door with a TB wall
- standard height 2000 mm
- quality lifting mechanism for convenient opening inside and outside



6 mm ESG Tempered glass
Transparent / Intimglass



Profile colour
Brillant / Silver (Elox)




TCO1 (hinged shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TCO1/800	727-8000000-00-02	775-795	2012*	710	brilliant	transparent	S	382 €
TCO1/800	727-8000000-00-20	775-795	2012*	710	brilliant	intimglass	O	578 €
TCO1/800	727-8000000-01-02	775-795	2012*	710	silver	transparent	O	358 €
TCO1/800	727-8000000-01-20	775-795	2012*	710	silver	intimglass	O	554 €
TCO1/900	727-9000000-00-02	875-895	2012*	810	brilliant	transparent	S	403 €
TCO1/900	727-9000000-00-20	875-895	2012*	810	brilliant	intimglass	O	599 €
TCO1/900	727-9000000-01-02	875-895	2012*	810	silver	transparent	S	379 €
TCO1/900	727-9000000-01-20	875-895	2012*	810	silver	intimglass	O	575 €
TCO1/1000	727-1000000-00-02	975-995	2012*	910	brilliant	transparent	S	425 €
TCO1/1000	727-1000000-00-20	975-995	2012*	910	brilliant	intimglass	O	620 €
TCO1/1000	727-1000000-01-02	975-995	2012*	910	silver	transparent	S	400 €
TCO1/1000	727-1000000-01-20	975-995	2012*	910	silver	intimglass	O	596 €
TCO1/1100	727-1100000-00-02	1075-1095	2012*	1010	brilliant	transparent	O	446 €
TCO1/1100	727-1100000-00-20	1075-1095	2012*	1010	brilliant	intimglass	O	641 €
TCO1/1100	727-1100000-01-02	1075-1095	2012*	1010	silver	transparent	O	421 €
TCO1/1100	727-1100000-01-20	1075-1095	2012*	1010	silver	intimglass	O	617 €
TCO1/1200	727-1200000-00-02	1175-1195	2012*	1110	brilliant	transparent	O	467 €
TCO1/1200	727-1200000-00-20	1175-1195	2012*	1110	brilliant	intimglass	O	662 €
TCO1/1200	727-1200000-01-02	1175-1195	2012*	1110	silver	transparent	O	443 €
TCO1/1200	727-1200000-01-20	1175-1195	2012*	1110	silver	intimglass	O	638 €

h* - height including supporting elements

■ TCO1 + TCO1



easy maintenance thanks
to the minimum of profiles



■ TCO1 + TCO1



■ Lifting profile with high quality lifting mechanism



■ Handle made with precision and attention to detail



TCO1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TCO1	up to 1200 mm	up to 2000 mm	silver / brillant	transparent	Z	537 €
TCO1	up to 1200 mm	up to 2000 mm	silver / brillant	intimglass	Z	700 €
TCO1	up to 1200 mm	up to 2000 mm	silver / brillant	chinchilla	Z	584 €
TCO1	up to 1200 mm	up to 2000 mm	silver / brillant	rauch	Z	584 €
TCO1	up to 1200 mm	up to 2000 mm	silver / brillant	satinato	Z	607 €



■ Lifting profile with threshold strip and bottom seal

■ TCO1 - universal LEFT and RIGHT solution



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Tower Line

you can rely on

easy maintenance thanks
to the minimum of profiles



TBD

**universal in-line side wall for TDO1 or TCO1 door
for niche installation**

- variable solution for easy creation of niche shower door
- create a width of shower door from 955 mm up to 1 905 mm



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Silver (Elox)

TBD (universal in-line side wall for TDO1 or TCO1)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
TBD/240	744-0180000-00-02	212-237	2008*	brilliant	transparent	0	178 €
TBD/440	744-0380000-00-02	412-437	2008*	brilliant	transparent	0	208 €
TBD/640	744-0580000-00-02	612-637	2008*	brilliant	transparent	0	217 €
TBD/740	744-0680000-00-02	712-737	2008*	brilliant	transparent	0	292 €

h* - height including supporting elements



■ The flexible support bar ensures safe stability

TBD (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TBD	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z	336 €
TBD	up to 1000 mm	up to 2000 mm	brilliant	intimglass*	Z	438 €
TBD	up to 1000 mm	up to 2000 mm	brilliant	chinchilla	Z	365 €
TBD	up to 1000 mm	up to 2000 mm	brilliant	rauch	Z	365 €
TBD	up to 1000 mm	up to 2000 mm	brilliant	satinato	Z	380 €

* in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solutions



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



Choose the dimension you need! By using this universal in-line side wall you can create truly perfect door for niche from the standard doors TD01 or TCO1.


■ High quality lifting mechanism for easy opening




		Y (min-max)	TD01/800	TD01/900	TD01/1000	TD01/1100	TD01/1200
	B	B	B	B	B	B	B
TBD/240	A	212-237	955-1005	1055-1105	1155-1205	1255-1305	1355-1405
TBD/440	A	412-437	1155-1205	1255-1305	1355-1405	1455-1505	1555-1605
TBD/640	A	612-637	1355-1405	1455-1505	1555-1605	1655-1705	1755-1805
TBD/740	A	712-737	1455-1505	1555-1605	1655-1705	1755-1805	1855-1905

		Y (min-max)	TCO1/800	TCO1/900	TCO1/1000	TCO1/1100	TCO1/1200
	B	B	B	B	B	B	B
TBD/240	A	212-237	968-1008	1068-1108	1168-1208	1268-1308	1368-1408
TBD/440	A	412-437	1168-1208	1268-1308	1368-1408	1468-1508	1568-1608
TBD/640	A	612-637	1368-1408	1468-1508	1568-1608	1668-1708	1768-1808
TBD/740	A	712-737	1468-1508	1568-1608	1668-1708	1768-1808	1868-1908

■ TBD - universal LEFT and RIGHT solution



■ TBD - universal LEFT and RIGHT solution



Tower Line
you can rely on

proven lifting system
of the door opening

TZOL1 + TZOP1

square or rectangular shower enclosure
with folding shower door and pivot system

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



easy maintenance thanks to the minimum of profiles

- easy entry through fully openable door, with opening inside and outside
- possibility to fold the door completely to the wall
- quality sealing components and easy maintenance



■ Embedded door hinges on the inside for easy cleaning




■ The square combination **TZOL1 + TZOP1** is nice, but you can assemble any combination of sizes

TZOP1 / TZOL1 (folding shower door with pivot system)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TZOP1/800	737-800000P-00-02	775-795	2012*	470	292-312	brilliant	transparent	0	551 €
TZOP1/900	737-900000P-00-02	875-895	2012*	470	392-412	brilliant	transparent	0	569 €
TZOP1/1000	737-100000P-00-02	975-995	2012*	570	392-412	brilliant	transparent	0	587 €
TZOP1/1100	737-110000P-00-02	1075-1095	2012*	570	492-512	brilliant	transparent	0	605 €
TZOP1/1200	737-120000P-00-02	1175-1195	2012*	670	492-512	brilliant	transparent	0	623 €
TZOL1/800	737-800000L-00-02	775-795	2012*	470	292-312	brilliant	transparent	0	551 €
TZOL1/900	737-900000L-00-02	875-895	2012*	470	392-412	brilliant	transparent	0	569 €
TZOL1/1000	737-100000L-00-02	975-995	2012*	570	392-412	brilliant	transparent	0	587 €
TZOL1/1100	737-110000L-00-02	1075-1095	2012*	570	492-512	brilliant	transparent	0	605 €
TZOL1/1200	737-120000L-00-02	1175-1195	2012*	670	492-512	brilliant	transparent	0	623 €

h* - height including supporting elements


TZOP1 + TZOL1




TZOP1 / TZOL1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z	716 €
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	intimglass	Z	935 €
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	rauch	Z	779 €
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	satinato	Z	810 €

TZOL1 + TB



TB + TZOP1



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Tower Line

you can rely on

easy maintenance thanks
to the minimum of profiles



■ TZN1

TZN1 / TZN1P

shower door for niche installation
with folding parts and pivot system

- possibility to fold the door completely to the wall
- quality sealing components and easy maintenance
- RothETC glass surface treatment for easy maintenance



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant



TZN1 / TZN1P (folding shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	fixed part width (s)	profile	glass	delivery method	Price
TZN1/800	739-800000L-00-02	775-810	2012*	470	267-292	brillant	transparent	0	485 €
TZN1/900	739-900000L-00-02	875-910	2012*	470	367-392	brillant	transparent	0	527 €
TZN1/1000	739-100000L-00-02	975-1010	2012*	570	367-392	brillant	transparent	0	569 €
TZN1/1100	739-110000L-00-02	1075-1110	2012*	570	467-492	brillant	transparent	0	611 €
TZN1/1200	739-120000L-00-02	1175-1210	2012*	670	467-492	brillant	transparent	0	653 €
TZN1P/800	739-800000P-00-02	775-810	2012*	470	267-292	brillant	transparent	0	485 €
TZN1P/900	739-900000P-00-02	875-910	2012*	470	367-392	brillant	transparent	0	527 €
TZN1P/1000	739-100000P-00-02	975-1010	2012*	570	367-392	brillant	transparent	0	569 €
TZN1P/1100	739-110000P-00-02	1075-1110	2012*	570	467-492	brillant	transparent	0	611 €
TZN1P/1200	739-120000P-00-02	1175-1210	2012*	670	467-492	brillant	transparent	0	653 €


h* - height including supporting elements

TZN1 / TZN1P (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method	Price
TZN1 / TZN1P	up to 1200 mm	up to 2000 mm	brillant	transparent	Z	751 €
TZN1 / TZN1P	up to 1200 mm	up to 2000 mm	brillant	chinchilla	Z	816 €
TZN1 / TZN1P	up to 1200 mm	up to 2000 mm	brillant	rauch	Z	816 €
TZN1 / TZN1P	up to 1200 mm	up to 2000 mm	brillant	satinato	Z	849 €

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

■ TZN1



■ TZN1P



proven lifting system of the door opening



TDN1

**single opening shower door with fixed element
for niche installation**

- easy entry thanks to both-way opening inside and outside
- RothETC glass surface treatment for easy maintenance
- easy installation and reliable functionality



6 mm ESG Tempered glass
Transparent





Profile colour
Brillant / Silver (Elox)

TDN1 (single shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TDN1/800	726-8000000-00-02	775-810	2019*	425	295-320	brilliant	transparent	0	554 €
TDN1/800	726-8000000-01-02	775-810	2019*	425	295-320	silver	transparent	0	530 €
TDN1/900	726-9000000-00-02	875-910	2019*	525	295-320	brilliant	transparent	S	590 €
TDN1/900	726-9000000-01-02	875-910	2019*	525	295-320	silver	transparent	S	566 €
TDN1/1000	726-1000000-00-02	975-1010	2019*	625	295-320	brilliant	transparent	S	626 €
TDN1/1000	726-1000000-01-02	975-1010	2019*	625	295-320	silver	transparent	S	602 €
TDN1/1100	726-1100000-00-02	1075-1110	2019*	625	395-420	brilliant	transparent	0	662 €
TDN1/1100	726-1100000-01-02	1075-1110	2019*	625	395-420	silver	transparent	0	638 €
TDN1/1200	726-1200000-00-02	1175-1210	2019*	725	395-420	brilliant	transparent	0	695 €
TDN1/1200	726-1200000-01-02	1175-1210	2019*	725	395-420	silver	transparent	0	671 €

h* - height including supporting elements

■ TDN1 - universal LEFT and RIGHT solution



TDN1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z	799 €
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z	1 043 €
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z	869 €
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z	869 €
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z	904 €

* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Tower Line
you can rely on

proven lifting system
of the door opening

TCN1

single opening shower door for niche installation
or for combination with side panel TCB

6 mm ESG Tempered glass
Transparent / Intimglass



Profile colour
Brilliant / Silver (Elox)



■ TCN1 - Intimglass

easy maintenance thanks to the minimum of profiles

- standard height 2000 mm and large selection of offered variants
- quality lifting mechanism for convenient opening inside and outside
- RothETC glass surface treatment for easy maintenance



■ The upper part of the TCN1 lifting and wall profile assembly





TCN1 (single shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TCN1/800	728-8000000-00-02	775-810	2012*	680	brilliant	transparent	S	461 €
TCN1/800	728-8000000-00-20	775-810	2012*	680	brilliant	intimglass	O	656 €
TCN1/800	728-8000000-01-02	775-810	2012*	680	silver	transparent	O	440 €
TCN1/800	728-8000000-01-20	775-810	2012*	680	silver	intimglass	O	635 €
TCN1/900	728-9000000-00-02	875-910	2012*	780	brilliant	transparent	S	488 €
TCN1/900	728-9000000-00-20	875-910	2012*	780	brilliant	intimglass	O	683 €
TCN1/900	728-9000000-01-02	875-910	2012*	780	silver	transparent	S	467 €
TCN1/900	728-9000000-01-20	875-910	2012*	780	silver	intimglass	O	662 €
TCN1/1000	728-1000000-00-02	975-1010	2012*	880	brilliant	transparent	S	515 €
TCN1/1000	728-1000000-00-20	975-1010	2012*	880	brilliant	intimglass	O	711 €
TCN1/1000	728-1000000-01-02	975-1010	2012*	880	silver	transparent	S	494 €
TCN1/1000	728-1000000-01-20	975-1010	2012*	880	silver	intimglass	O	689 €
TCN1/1100	728-1100000-00-02	1075-1110	2012*	980	brilliant	transparent	O	542 €
TCN1/1100	728-1100000-00-20	1075-1110	2012*	980	brilliant	intimglass	O	738 €
TCN1/1100	728-1100000-01-02	1075-1110	2012*	980	silver	transparent	O	521 €
TCN1/1100	728-1100000-01-20	1075-1110	2012*	980	silver	intimglass	O	717 €
TCN1/1200	728-1200000-00-02	1175-1210	2012*	1080	brilliant	transparent	O	569 €
TCN1/1200	728-1200000-00-20	1175-1210	2012*	1080	brilliant	intimglass	O	765 €
TCN1/1200	728-1200000-01-02	1175-1210	2012*	1080	silver	transparent	O	548 €
TCN1/1200	728-1200000-01-20	1175-1210	2012*	1080	silver	intimglass	O	744 €

h* - height including supporting elements

■ TCN1 - universal LEFT and RIGHT solution



TCN1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z	654 €
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass	Z	854 €
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla	Z	711 €
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z	711 €
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato	Z	740 €

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).





TCN2

double opening shower door for niche installation
or for combination with side panel TCB

- generous entrance with double-sided opening inside and outside
- quality sealing components and easy maintenance
- RothETC glass surface treatment for easy maintenance



6 mm ESG Tempered glass
Transparent / Intimglass



Profile colour
Brillant / Silver (Elox)



TCN2 (double pivot door for a niche)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TCN2/800	731-8000000-00-02	785-820	2012*	320	brilliant	transparent	S	524 €
TCN2/800	731-8000000-00-20	785-820	2012*	320	brilliant	intimglass	O	720 €
TCN2/800	731-8000000-01-02	785-820	2012*	320	silver	transparent	O	503 €
TCN2/800	731-8000000-01-20	785-820	2012*	320	silver	intimglass	O	698 €
TCN2/900	731-9000000-00-02	885-920	2012*	370	brilliant	transparent	S	539 €
TCN2/900	731-9000000-00-20	885-920	2012*	370	brilliant	intimglass	O	735 €
TCN2/900	731-9000000-01-02	885-920	2012*	370	silver	transparent	S	518 €
TCN2/900	731-9000000-01-20	885-920	2012*	370	silver	intimglass	O	714 €
TCN2/1000	731-1000000-00-02	985-1020	2012*	420	brilliant	transparent	S	554 €
TCN2/1000	731-1000000-00-20	985-1020	2012*	420	brilliant	intimglass	O	750 €
TCN2/1000	731-1000000-01-02	985-1020	2012*	420	silver	transparent	S	533 €
TCN2/1000	731-1000000-01-20	985-1020	2012*	420	silver	intimglass	O	729 €
TCN2/1100	731-1100000-00-02	1085-1120	2012*	470	brilliant	transparent	O	569 €
TCN2/1100	731-1100000-00-20	1085-1120	2012*	470	brilliant	intimglass	O	765 €
TCN2/1100	731-1100000-01-02	1085-1120	2012*	470	silver	transparent	O	548 €
TCN2/1100	731-1100000-01-20	1085-1120	2012*	470	silver	intimglass	O	744 €
TCN2/1200	731-1200000-00-02	1185-1220	2012*	520	brilliant	transparent	S	584 €
TCN2/1200	731-1200000-00-20	1185-1220	2012*	520	brilliant	intimglass	O	780 €
TCN2/1200	731-1200000-01-02	1185-1220	2012*	520	silver	transparent	O	563 €
TCN2/1200	731-1200000-01-20	1185-1220	2012*	520	silver	intimglass	O	759 €

h* - height including supporting elements



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

TCN2



easy maintenance thanks
to the minimum of profiles



TCB

side panel for combination with opening doors
TCN1 or TCN2

- RothETC glass surface treatment for easy maintenance
- universal left and right solution



6 mm ESG Tempered glass
Transparent




Profile colour
Brilliant / Silver (Elox)

TCB (side panel to TCN2 / TCN1)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
TCB/800	741-8000000-00-02	775-800	2025*	—	brilliant	transparent	0	425 €
TCB/800	741-8000000-01-02	775-800	2025*	—	silver	transparent	0	403 €
TCB/900	741-9000000-00-02	875-900	2025*	—	brilliant	transparent	5	440 €
TCB/900	741-9000000-01-02	875-900	2025*	—	silver	transparent	0	409 €
TCB/1000	741-1000000-00-02	975-1000	2025*	—	brilliant	transparent	0	455 €
TCB/1000	741-1000000-01-02	975-1000	2025*	—	silver	transparent	0	434 €

h* - height including supporting elements

TCN1 + TCB




TCB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z	672 €
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z	876 €
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z	730 €
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z	730 €
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z	759 €

* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions

TCN2 + TCB



TCN2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	transparent	Z	523 €
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	intimglass	Z	683 €
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	chinchilla	Z	569 €
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	rauch	Z	569 €
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	satinato	Z	592 €



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Tower Line
you can rely on

proven lifting system
of the door opening

TDN2

double shower door with fixed part for niche installation

6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Silver (Elox)




■ TDN2

easy maintenance thanks to the minimum of profiles

- RothETC glass surface treatment for easy maintenance
- quality lifting mechanism for convenient opening inside and outside

■ TDN2



■ Door profile with quality lifting mechanism

TDN2 (double pivot door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method	Price
TDN2/1100	721-1100000-00-02	1060-1110	2012*	330	195-220	brilliant	transparent	0	795 €
TDN2/1100	721-1100000-01-02	1060-1110	2012*	330	195-220	silver	transparent	0	774 €
TDN2/1200	721-1200000-00-02	1160-1210	2012*	330	245-270	brilliant	transparent	0	828 €
TDN2/1200	721-1200000-01-02	1160-1210	2012*	330	245-270	silver	transparent	0	807 €
TDN2/1300	721-1300000-00-02	1260-1310	2012*	430	195-220	brilliant	transparent	0	864 €
TDN2/1300	721-1300000-01-02	1260-1310	2012*	430	195-220	silver	transparent	0	843 €
TDN2/1400	721-1400000-00-02	1360-1410	2012*	430	245-270	brilliant	transparent	0	900 €
TDN2/1400	721-1400000-01-02	1360-1410	2012*	430	245-270	silver	transparent	0	879 €
TDN2/1500	721-1500000-00-02	1460-1510	2012*	530	195-220	brilliant	transparent	0	936 €
TDN2/1500	721-1500000-01-02	1460-1510	2012*	530	195-220	silver	transparent	0	915 €

h* - height including supporting elements

TDN2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	transparent	Z	936 €
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	intimglass	Z	1 217 €
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	chinchilla	Z	1 030 €
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	rauch	Z	1 030 €
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	satinato	Z	1 076 €
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	transparent	Z	1 076 €
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	intimglass	Z	1 404 €
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	chinchilla	Z	1 170 €
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	rauch	Z	1 170 €
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	satinato	Z	1 217 €

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Tower Line

you can rely on

inspiration for unusual
shower space solutions



TCW1 + TBS

single fixed wall with one pivoting element
and selfstanding side panel

- short pivoting door functions as a smart solution against spray of water
- single fixed wall is stabilised with telescopic support bar
- selfstanding side panel TBS offers a wide range of possibilities



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



TCW1 (single fixed panel with one pivoting element)

type	ordering No.	installation width (y)	height (h)	pivoting element width (c)	profile	glass	delivery method	Price
TCW1/800	745-8000000-00-02	765–790	2025*	383	brillant	transparent	0	626 €
TCW1/900	745-9000000-00-02	865–890	2025*	383	brillant	transparent	0	653 €
TCW1/1000	745-1000000-00-02	965–990	2025*	383	brillant	transparent	0	683 €
TCW1/1200	745-1200000-00-02	1165–1190	2025*	383	brillant	transparent	0	744 €
TCW1/1400	745-1400000-00-02	1365–1390	2025*	383	brillant	transparent	0	804 €


h* - height including supporting elements

TCW1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TCW1	up to 1600 mm	up to 2000 mm	brillant	transparent	Z	925 €
TCW1	up to 1600 mm	up to 2000 mm	brillant	intimglass*	Z	1 206 €
TCW1	up to 1600 mm	up to 2000 mm	brillant	rauch	Z	1 005 €
TCW1	up to 1600 mm	up to 2000 mm	brillant	satinato	Z	1 045 €

* in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solutions

■ TCW1 - universal LEFT and RIGHT solution



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).

easy maintenance thanks
to the minimum of profiles



■ TBS



■ Separately used product TCW1



■ Telescopic support bar lenght up to 1 500 mm


TBS (selfstanding side wall)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
TBS/800	746-8000000-00-02	760-785	2008*	brillant	transparent	0	268 €
TBS/900	746-9000000-00-02	860-885	2008*	brillant	transparent	0	277 €
TBS/1000	746-1000000-00-02	960-985	2008*	brillant	transparent	0	286 €

h* - height including supporting elements

It is suitable to use the side wall TBS as an additional product to TCW1. This gives a variable solution to your shower enclosure regardless of its installation size. TBS you can place at any distance from the corner.

TCW1 + TBS




TBS (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TBS	up to 1200 mm	up to 2000 mm	brillant	transparent	Z	329 €
TBS	up to 1200 mm	up to 2000 mm	brillant	intimglass*	Z	429 €
TBS	up to 1200 mm	up to 2000 mm	brillant	rauch	Z	358 €
TBS	up to 1200 mm	up to 2000 mm	brillant	satinato	Z	372 €

* in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solutions

TBS - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Ambient Line

purity of shapes



QUADRANT



CORNER



NICHE



„U“ CABIN



Purity of shapes and revolutionary design combined with an exceptional sliding mechanism

Ambient Line

By the use of high quality components made out of chrome-plated brass we achieved an unbeatably quiet operation. Standard height of 2 metres with a possibility of any door size combination will truely alleviate your worries about planning of your place for relaxation and wellness.

■ universal sliding door for a niche or in combination with a side panel

■ standard door dimensions from 1 200 to 1 500 mm

■ magnetic seal closure ensures improved tightness

AMR2N

quadrant shower enclosure
with double sliding doors

- high quality components made out of chrome-plated brass have unbeatably quiet operation
- modern design with visible rollers
- RothETC glass surface treatment for easy maintenance



8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant




- Magnetic seal closure with bottom door seal for perfect water-tightness



- Quality stainless steel rollers for quiet operation

AMR2N (quadrant shower enclosure with two sliding doors)								
type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
AMR2N/900	624-9000000-00-02	885–895	2000	510	brilliant	transparent	S	1 148 €
AMR2N/1000	624-1000000-00-02	985–995	2000	510	brilliant	transparent	O	1 290 €

R - standard radius R550



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).



The purity of shapes and distinctive design of this **Ambient Line** series in combination with the exceptional sliding mechanism brings real comfort to your bathroom.



■ AMR2N

Ambient Line

purity of shapes

unbeatably quiet
rollers operation

■ AMD2



AMD2

sliding shower door for niche installation
or in combination with a side panel AMB

- standard door dimensions from 1 200 to 1 500 mm
- modern design with visible rollers
- the possibility to order any glass with „mirror effect“ finishing option - see next double page



8 mm ESG Tempered glass
Transparent



Profile colour
Brillant




AMD2 (sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
AMD2/1200	620-1200000-00-02	1100-1200	2000	410-510	brilliant	transparent	S	680 €
AMD2/1300	620-1300000-00-02	1200-1300	2000	460-560	brilliant	transparent	S	711 €
AMD2/1400	620-1400000-00-02	1300-1400	2000	510-610	brilliant	transparent	S	741 €
AMD2/1500	620-1500000-00-02	1400-1500	2000	560-660	brilliant	transparent	S	774 €

AMD2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
AMD2	up to 1800 mm	up to 2000 mm	brilliant	transparent	Z	890 €

■ AMD2 - universal LEFT and RIGHT solution



- Stainless steel ball bearing rollers



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

universal left and right solution



AMB

**side panel for combination
with sliding door AMD2**

- magnetic seal closure to ensure improved water tightness
- RothETC glass surface treatment for easy maintenance
- the possibility of „mirror effect“ option - see next double page



8 mm ESG Tempered glass
Transparent



Profile colour
Brillant

AMB (side panel for combination with sliding door AMD2)

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
AMB/800	621-8000000-00-02	780-790	2000	—	brilliant	transparent	S	295 €
AMB/900	621-9000000-00-02	880-890	2000	—	brilliant	transparent	S	334 €





AMB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
AMB	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z	384 €

■ AMD2 + AMB

■ AMB + AMD2

■ AMB + AMD2 + AMB



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

In addition - practical
mirror right on the enclosure

Mirror effect

Do you want to have a large mirror that really shows you from head to toe? Or would you like to optically enlarge the space of your bathroom? You can get both straight as part of your new shower.

When you order the shower enclosure, you can also order the mirror effect. Your selected glass will be coated by special layer allowing you to have a practical mirror in your bathroom.

The bathroom area will look more attractive, bigger and it will get another dimension. Mirror effect can be ordered on products from the ALINA, WALK IN LINE - WALK IN ATYP (p. 57) and from AMBIENT LINE - models AMD2 and AMB.




■ **WALK G** - offers a truly large mirror format

■ **AMD2** with both glass panes in „mirror effect“ finishing in combination with side panel **AMB**




Choose, where the mirror effect will be placed

For the atypical WALK IN ATYP solution (p. 57) and the MIRROR EFFECT layer on the selected glass, contact your seller.



WALK IN ATYP G



WALK IN ATYP H

■ ALINA, WALK IN LINE AMBIENT LINE

mirror effect

surcharge for 1 piece of glass selected according to the offer


MIRROR EFFECT	delivery method	PRICE
MIRROR EFFECT	glass size: 0 - 1500 mm	Z on request

XXX-XXXXXXX**-XX-XX**


MODEL NO. LEFT / RIGHT PROFILE COLOUR GLASS TYPE

620-130000L-00-54


model AMD2 / 1300
left / right L - Left
profile colour 00 - Brillant
glass type 54 - I. Transparent + II. Mirror



	I.	II.	Glass type ID	left/right ID
mirror effect	●		52	L
	●	●	53	L
	●	●	54	L




	I.	II.	Glass type ID	left/right ID
mirror effect	●		52	P
	●	●	53	P
	●	●	54	P



AMB – left

mirror effect	L	Glass type ID	left/right ID
	●	51	L




AMB – right

mirror effect	L	Glass type ID	left/right ID
	●	51	P

Proxima Line

success is guaranteed



The most successful line of recent years
has been complemented with new models

Proxima Line

6 mm safety glass, RothETC glass protection
together with a newly specified standard
height of 2 metres, allows extensive
combinations with designed acrylic
or cast marble trays.

■ adjustable pivot door hinges
ensure easy installation

■ long durability rollers with
bottom tilt function for easier
shower enclosure cleaning

■ functional towel holder
on PXD2N model



QUADRANT



CORNER



NICHE

PXR2N

quadrant shower enclosure
with two sliding doors

- PXR2N model available in two heights
1 850 or 2 000 mm



6 mm ESG Tempered glass
Transparent / Satinato / Chinchilla



Profile colour
Brilliant



■ Handle in Brilliant surface finishing



■ Polished aluminium profiles



■ Ball bearing rollers with long service life




■ Bottom tilt function for easy maintenance

PXR2N (quadrant shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
PXR2N - height 1 850 mm								
PXR2N/800	531-800R55N-00-02	780-805	1850	380	brilliant	transparent	S	609 €
PXR2N/800	531-800R55N-00-15	780-805	1850	380	brilliant	satinato	O	708 €
PXR2N/900	531-900R55N-00-02	880-905	1850	520	brilliant	transparent	S	679 €
PXR2N/900	531-900R55N-00-15	880-905	1850	520	brilliant	satinato	S	779 €
PXR2N/900	531-900R55N-00-03	880-905	1850	520	brilliant	chinchilla	S	972 €
PXR2N/1000	531-100R55N-00-02	980-1005	1850	520	brilliant	transparent	S	746 €
PXR2N/1000	531-100R55N-00-15	980-1005	1850	520	brilliant	satinato	O	838 €
PXR2N - height 2 000 mm								
PXR2N/800	532-800R55N-00-02	780-805	2000	380	brilliant	transparent	S	647 €
PXR2N/900	532-900R55N-00-02	880-905	2000	520	brilliant	transparent	S	682 €
PXR2N/900	532-900R55N-00-03	880-905	2000	520	brilliant	chinchilla	S	962 €
PXR2N/1000	532-100R55N-00-02	980-1005	2000	520	brilliant	transparent	O	717 €

R - standard radius R550, h* - height including supporting elements



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



6 mm safety glass, RothETC glass protection together with a newly specified standard height of 2 metres, allows extensive combinations with designed acrylic or cast marble trays.



■ PXR2N

Proxima Line
success is guaranteed

ball bearing rollers
with long service life


PXS2L + PXS2P

square or rectangular shower enclosure
with two sliding doors

6 mm ESG Tempered glass
Transparent / Satinato



Profile colour
Brilliant



■ PXS2L + PXS2P

bottom tilting for easy maintenance

- 6mm safety glass
- RothETC glass protection against limescale deposits



■ Ball bearing rollers with long service life and bottom tilt function for easy maintenance




■ Perfect details processing

PXS2L, PXS2P 2-sectional sliding door (left / right side)


type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
PXS2L - left side / height 1 850 mm								
PXS2L/800	537-8000000-00-02	785-810	1850	385	brilliant	transparent	S	318 €
PXS2L/800	537-8000000-00-15	785-810	1850	385	brilliant	satinato	O	334 €
PXS2L/900	537-9000000-00-02	885-910	1850	455	brilliant	transparent	S	353 €
PXS2L/900	537-9000000-00-15	885-910	1850	455	brilliant	satinato	O	369 €
PXS2L/1000	537-1000000-00-02	985-1010	1850	525	brilliant	transparent	S	388 €
PXS2L/1000	537-1000000-00-15	985-1010	1850	525	brilliant	satinato	O	404 €
PXS2LP - right side / height 1 850 mm								
PXS2P/800	538-8000000-00-02	785-810	1850	385	brilliant	transparent	S	318 €
PXS2P/800	538-8000000-00-15	785-810	1850	385	brilliant	satinato	O	334 €
PXS2P/900	538-9000000-00-02	885-910	1850	455	brilliant	transparent	S	353 €
PXS2P/900	538-9000000-00-15	885-910	1850	455	brilliant	satinato	O	369 €
PXS2P/1000	538-1000000-00-02	985-1010	1850	525	brilliant	transparent	S	388 €
PXS2P/1000	538-1000000-00-15	985-1010	1850	525	brilliant	satinato	O	404 €
PXS2L - left side / height 2 000 mm								
PXS2L/800	528-8000000-00-02	785-810	2000	385	brilliant	transparent	S	329 €
PXS2L/900	528-9000000-00-02	885-910	2000	455	brilliant	transparent	S	364 €
PXS2L/1000	528-1000000-00-02	985-1010	2000	525	brilliant	transparent	S	399 €
PXS2P - right side / height 2 000 mm								
PXS2P/800	529-8000000-00-02	785-810	2000	385	brilliant	transparent	S	329 €
PXS2P/900	529-9000000-00-02	885-910	2000	455	brilliant	transparent	S	364 €
PXS2P/1000	529-1000000-00-02	985-1010	2000	525	brilliant	transparent	S	399 €

h* - height including supporting elements


PXS2L



PXS2P



PXS2L + PXS2P



PXS2L, PXS2P (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
PXS2L	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z	459 €
PXS2L	up to 1000 mm	up to 2000 mm	brilliant	satinato	Z	527 €
PXS2P	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z	459 €
PXS2P	up to 1000 mm	up to 2000 mm	brilliant	satinato	Z	527 €

Proxima Line

success is guaranteed

elegant and pure
design



■ PXDO1N - Satinato

PXDO1N

single opening shower door for niche installation

- RothETC glass surface treatment for easy maintenance
- universal LEFT and RIGHT solution
- 6mm safety glass



■ Adjustable pivot door hinges ensure easy installation



6 mm ESG Tempered glass
Transparent / Satinato




Profile colour
Brilliant

PXDO1N (single shower door)


type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
PXDO1N/800	525-8000000-00-02	772-822	2000	510	brilliant	transparent	S	471 €
PXDO1N/800	525-8000000-00-15	772-822	2000	510	brilliant	satinato	O	485 €
PXDO1N/900	525-9000000-00-02	872-922	2000	610	brilliant	transparent	S	504 €
PXDO1N/900	525-9000000-00-15	872-922	2000	610	brilliant	satinato	O	517 €
PXDO1N/1000	525-1000000-00-02	972-1022	2000	710	brilliant	transparent	O	536 €
PXDO1N/1000	525-1000000-00-15	972-1022	2000	710	brilliant	satinato	O	550 €
PXDO1N/1100	525-1100000-00-02	1072-1122	2000	810	brilliant	transparent	O	568 €
PXDO1N/1100	525-1100000-00-15	1072-1122	2000	810	brilliant	satinato	O	582 €

■ PXDO1N - universal LEFT and RIGHT solution



PXDO1N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
PXDO1N	up to 1100 mm	up to 2000 mm	brilliant	transparent	Z	653 €
PXDO1N	up to 1100 mm	up to 2000 mm	brilliant	satinato	Z	669 €



for combination to sliding door
or single opening door



■ PXDO1N + PXBN

PXBN

side panel for combination with PXDO1N or PXD2N door

- standard dimensions of side panel from 700 to 1000 mm
- 6mm safety glass
- PXBN cannot be used as a self-standing side panel



6 mm ESG Tempered glass
Transparent / Satinato



Profile colour
Brillant

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).


PXBN (side panel to PXDO1N or PXD2N)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
PXBN/700	527-7000000-00-02	680-705	2000	brillant	transparent	0	242 €
PXBN/700	527-7000000-00-15	680-705	2000	brillant	satinato	0	291 €
PXBN/800	527-8000000-00-02	780-805	2000	brillant	transparent	S	248 €
PXBN/800	527-8000000-00-15	780-805	2000	brillant	satinato	0	318 €
PXBN/900	527-9000000-00-02	880-905	2000	brillant	transparent	S	264 €
PXBN/900	527-9000000-00-15	880-905	2000	brillant	satinato	0	345 €
PXBN/1000	527-1000000-00-02	980-1005	2000	brillant	transparent	S	280 €
PXBN/1000	527-1000000-00-15	980-1005	2000	brillant	satinato	0	372 €

PXBN (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
PXBN	up to 1100 mm	up to 2000 mm	brillant	transparent	Z	322 €
PXBN	up to 1100 mm	up to 2000 mm	brillant	satinato	Z	428 €

■ PXBN - universal LEFT and RIGHT solution



■ PXD2N + PXBN

Proxima Line
success is guaranteed

practical design
and comfort accessories


PXD2N

sliding shower door for niche installation
or for combination with side panel PXBN

6 mm ESG Tempered glass
Transparent / Satinato



Profile colour
Brilliant



easy maintenance with tilting of bottom rollers



- functional towel holder
- solid and practical handle
- standard height 2 000 mm
- version with LEFT entry - product must be turned during installation and the rollers replaced (lower to upper)



■ Ball bearing rollers with long service life and bottom tilt function for easy maintenance



■ Robust profile and improved details



■ Multifunctional towel holder on fixed glass of PXD2N

PXD2N (2-sectional sliding door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
PXD2N/1200	526-1200000-00-02	1180-1230	2000	450	brilliant	transparent	S	444 €
PXD2N/1200	526-1200000-00-15	1180-1230	2000	450	brilliant	satinato	O	625 €
PXD2N/1300	526-1300000-00-02	1280-1330	2000	500	brilliant	transparent	S	482 €
PXD2N/1300	526-1300000-00-15	1280-1330	2000	500	brilliant	satinato	O	668 €
PXD2N/1400	526-1400000-00-02	1380-1430	2000	550	brilliant	transparent	S	520 €
PXD2N/1400	526-1400000-00-15	1380-1430	2000	550	brilliant	satinato	O	711 €
PXD2N/1500	526-1500000-00-02	1480-1530	2000	600	brilliant	transparent	S	558 €
PXD2N/1500	526-1500000-00-15	1480-1530	2000	600	brilliant	satinato	O	754 €
PXD2N/1600	526-1600000-00-02	1580-1630	2000	650	brilliant	transparent	S	595 €
PXD2N/1600	526-1600000-00-15	1580-1630	2000	650	brilliant	satinato	O	797 €


PXD2N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
PXD2N	up to 1600 mm	up to 2000 mm	brilliant	transparent	Z	684 €
PXD2N	up to 1600 mm	up to 2000 mm	brilliant	satinato	Z	917 €




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

■ **PXD2N** - universal LEFT and RIGHT solution



■ **PXD2N + PXBN**



■ **PXBN + PXD2N**



A close-up photograph of a woman's face and upper body in a shower. She has dark hair tied back and is looking slightly upwards and to the side with a soft expression. Water droplets are visible on her skin and hair. A red rectangular overlay in the top left corner contains the brand name.

Limaya
easy to be



QUADRANT



CORNER



NICHE



A completely new semi-framed line
with lifting mechanism
represents a new generation
of shower enclosures.

Limaya

just one door type for all combinations
of your shower area
square or rectangular shower enclosure
with double opening doors
square or rectangular shower enclosure
with single opening door and side panel
single opening shower door for niche installation

■ high quality lifting mechanism

■ easy entrance thanks to a both-way opening - in and out

■ standard height 1 950 mm

LYR4

quadrant shower enclosure
with a double-door opening

- quality lifting mechanism
- easy entrance thanks to a both-way opening - in and out
- standard height 1 950 mm



5 mm ESG Tempered glass
Transparent



Profile colour
Brillant



■ Polished aluminium handle



■ Profile with quality lifting mechanism for easy opening




■ Flexible support bar allows the setting of different angles and can solve the wall inaccuracies

LYR4 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	fixed part width (s)	profile	glass	delivery method	Price
LYR4/800	1135008265	767–792	1959*	395	243–268	brillant	transparent	S	727 €
LYR4/900	1135008267	867–892	1959*	395	343–368	brillant	transparent	S	764 €
LYR4/1000	1135008269	967–992	1959*	395	443–468	brillant	transparent	S	805 €

R - standard radius R550, h* - height including supporting elements



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).



The timeless design of the **Limaya** series is the right for your modern bathroom. Polished aluminum profiles lining the vertical line of the shower enclosure complete the overall feeling of freedom and determination.



■ LYR4



LYP2

double shower door
for installation to a niche

- standard door dimensions from 800 to 1 200 mm
- quality lifting mechanism
- both-way opening - in and out



5 mm ESG Tempered glass
Transparent



Profile colour
Brillant



LYP2 (double shower door for a niche)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LYP2/800	1135008220	760–810	1958*	320	brillant	transparent	S	554 €
LYP2/900	1135008222	860–910	1958*	375	brillant	transparent	S	587 €
LYP2/1000	1135008224	960–1010	1958*	425	brillant	transparent	S	620 €
LYP2/1100	1135009844	1060–1110	1958*	475	brillant	transparent	S	652 €
LYP2/1200	1135008226	1160–1210	1958*	525	brillant	transparent	S	685 €

h* - height including supporting elements

LYP2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LYP2	up to 1500 mm	up to 1950 mm	brillant	transparent	Z	788 €

■ LYP2



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).

easy operating
both-sided opening doors



■ LYP2 + LYSW1AP2

LYP2 + LYSW1AP2

**square or rectangular shower enclosure
with a side panel LYSW1AP2**

- easy to assembly wall profile
- the possibility of creating a U-shaped shower enclosure by a combination of the door and two side panels
- protection of glass against limescale by a special treatment RothETC



5 mm ESG Tempered glass
Transparent



Profile colour
Brillant



LYSW1AP2 (side panel to shower door LYP2)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LYSW1AP2/750	1135009971	735–760	1970*	-	brillant	transparent	0	347 €
LYSW1AP2/800	1135009972	785–810	1970*	-	brillant	transparent	0	353 €
LYSW1AP2/900	1135009973	885–910	1970*	-	brillant	transparent	0	374 €
LYSW1AP2/1000	1135009974	985–1010	1970*	-	brillant	transparent	0	395 €

h* - height including supporting elements


LYSW1AP2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LYSW1AP2	do 1000 mm	do 1950 mm	brillant	transparent	Z	454 €


■ **LYSW1AP2** - universal LEFT and RIGHT solution
support bar length 650 mm



■ LYP2 + LYSW1AP2



■ LYSW1AP2 + LYP2 + LYSW1AP2



LYE4

single opening door with a fixed part



5 mm ESG Tempered glass
Transparent



Profile colour
Brillant



■ Opening mechanism with effective seal



■ Lifting profile ensures easy door operation



■ Flexible support bar allows the setting of different angles and can solve the wall inaccuracies

LYE4 (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	fixed part width (s)	profile	glass	delivery method	Price
LYE4/800	1135008253	767–792	1959*	510	243–268	brillant	transparent	S	458 €
LYE4/900	1135008255	867–892	1959*	510	343–368	brillant	transparent	S	485 €
LYE4/1000	1135008257	967–992	1959*	510	443–468	brillant	transparent	S	512 €
LYE4/1100	1135009845	1067–1092	1959*	610	443–468	brillant	transparent	S	539 €
LYE4/1200	1135008259	1167–1192	1959*	710	443–468	brillant	transparent	S	566 €





h* - height including supporting elements

LYE4 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LYE4	up to 1200 mm	up to 1950 mm	brillant	transparent	Z	651 €

■ LYE4 + LYE4

■ LYE4 - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).



Attractive design with elements of elegance, this is the **Limaya** series of shower enclosures. Quality lifting system enabling both-way door opening.



■ LY4 + LY4

Limaya

easy to be

flexible support bar solves
wall inaccuracies



LYE4 + LYSW1S

**square or rectangular shower enclosure
with a single opening door and a side panel LYSW1S**

- easy assembly wall profile
- flexible support bar allows the setting of different angles and can solve the wall inaccuracies
- quality seals for a great result



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



LYSW1S (side panel to shower door LYE4)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LYSW1S/800	1135008232	767-792	1949*	-	brilliant	transparent	S	294 €
LYSW1S/900	1135008234	867-892	1949*	-	brilliant	transparent	S	310 €
LYSW1S/1000	1135008236	967-992	1949*	-	brilliant	transparent	S	326 €


h* - height including supporting elements

LYSW1S (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LYSW1S	up to 1000 mm	up to 1950 mm	brilliant	transparent	Z	375 €

■ LYSW1S - universal LEFT and RIGHT solution

■ LYSW1S+ LYE4



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

practical solution for every bathroom



LYE4 + LZ

single opening door for niche installation

- quality aluminium profile for niche installation
- set of profiles increases the door installation width up by 10-25 mm
- we recommend consulting an expert



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

LZ (set of profiles)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LZ	229-1940025-00	25-35	1941	-	brilliant	-	S	81 €

h* - height including supporting elements





LZ (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LZ	-	up to 1950 mm	brilliant	-	Z	93 €

■ LYE4 + LZ

■ LZ- set of profiles



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Limaya
easy to be

simplicity
and variability

LYE2

single opening door

5 mm ESG Tempered glass
Transparent



Profile colour
Brillant



■ LYE2 + LYE2

one type of door for all combinations

- corner entry with a double door opening
- single opening door with a side panel
- single opening door for a niche installation
- easy entrance thanks to a both-way opening - in and out
- standard height 1 950 mm



■ Quality lifting profile for easy opening

■ Tempered glass 5 mm with bottom seal

■ Slim door handle underlining the whole concept of this series

LYE2 (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LYE2/800	1135008242	767–792	1958*	690	brilliant	transparent	S	362 €
LYE2/900	1135008244	867–892	1958*	790	brilliant	transparent	S	374 €
LYE2/1000	1135008246	967–992	1958*	890	brilliant	transparent	S	383 €





h* - height including supporting elements

LYE2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LYE2	up to 1000 mm	up to 1950 mm	brilliant	transparent	Z	440 €

■ LYE2 + LYE2

■ LYE2 - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).



LYE2 + LYSW1S

square or rectangular shower enclosure
with a single opening door and a side panel LYSW1S

- easy assembly wall profile
- single opening door with a side panel
- simplicity of the whole assembly



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



LYSW1S (side panel to shower door LYE2)




type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LYSW1S/800	1135008232	767–792	1949*	-	brilliant	transparent	S	294 €
LYSW1S/900	1135008234	867–892	1949*	-	brilliant	transparent	S	310 €
LYSW1S/1000	1135008236	967–992	1949*	-	brilliant	transparent	S	326 €

h* - height including supporting elements

LYSW1S (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LYSW1S	up to 1000 mm	up to 1950 mm	brilliant	transparent	Z	375 €

■ LYSW1S - universal LEFT and RIGHT solution



■ LYE2 + LYSW1S



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281–303).

practical solution of the wall inaccuracies



LYE2 + LZ

single opening door for niche installation

- set of profiles can solve the wall inaccuracies
- we recommend consulting an expert
- set of profiles increases the door installation width up by 10-25 mm



5 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

LZ (set of profiles)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LZ	229-1940025-00	25-35	1941	-	brilliant	-	S	81 €


h* - height including supporting elements



LZ (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method	Price
LZ	-	up to 1950 mm	brilliant	-	Z	93 €

■ LYE2 + LZ



■ LZ- set of profiles

installation for niche	installation width (Y)
LYE2/800 + LZ	780-815
LYE2/900 + LZ	880-915
LYE2/1000 + LZ	980-1015



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



Lega Line

comfort within reach

Lega Line

Affordable solution for those,
who prefer price-performance
ratio in their lives...

New generation of enclosures practically combining 4 and 5 mm safety glass with focus on customer comfort during the usage. This complete line offers a practical solution for the standard models as well as large area showers which are more and more popular. Simplicity, durability and excellent price-performance ratio determines this line to become a new star in your bathroom.

- universal pivot mechanism allows inside and outside opening

- durable double rollers on the top assure smooth motion of the door

- the design handle matches the appearance of the fittings



QUADRANT



CORNER



NICHE

Lega Line

comfort within reach

safety glass
in solid frame

LLR2

quadrant shower enclosure
with two sliding doors

5 + 4 mm ESG Tempered glass
Transparent / Grape
5 mm door glass + 4 mm fixed glass



Profile colour
Brilliant / White / Black elox



■ LLR2 - Black elox

possibility to order a pre-assembled version for easy installation



- combination of 4 and 5 mm safety glass with RothETC surface treatment
- standard height of 1900 mm
- 3 profile colours to choose from



■ The best-selling LLR2 model now also in a **white profile** and with the popular **Grape glass**.

■ Durable double top and bottom rollers.

■ LEGA series handles in colour designs.


LLR2 (quadrant shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
LLR2/800	555-8000000-04-02	776-798	1900	410	white	transparent	S	482 €
LLR2/800	555-8000000-04-11	776-798	1900	410	white	grape	S	498 €
LLR2/800	555-8000000-00-02	776-798	1900	410	brilliant	transparent	S	488 €
LLR2/800	555-8000000-00-11	776-798	1900	410	brilliant	grape	S	496 €
LLR2/800	555-8000000-05-02	776-798	1900	410	black elox	transparent	S	484 €
LLR2/900	555-9000000-04-02	876-898	1900	560	white	transparent	S	490 €
LLR2/900	555-9000000-04-11	876-898	1900	560	white	grape	S	515 €
LLR2/900	555-9000000-00-02	876-898	1900	560	brilliant	transparent	S	509 €
LLR2/900	555-9000000-00-11	876-898	1900	560	brilliant	grape	S	520 €
LLR2/900	555-9000000-05-02	876-898	1900	560	black elox	transparent	S	505 €
LLR2 in EASY ASSEMBLY version								
LLR2/800 *	555-8000005-04-02	776-798	1900	410	white	transparent	S	525 €
LLR2/800 *	555-8000005-04-11	776-798	1900	410	white	grape	S	541 €
LLR2/800 *	555-8000005-00-02	776-798	1900	410	brilliant	transparent	S	531 €
LLR2/800 *	555-8000005-00-11	776-798	1900	410	brilliant	grape	S	539 €
LLR2/900 *	555-9000005-04-02	876-898	1900	560	white	transparent	S	533 €
LLR2/900 *	555-9000005-04-11	876-898	1900	560	white	grape	S	558 €
LLR2/900 *	555-9000005-00-02	876-898	1900	560	brilliant	transparent	S	552 €
LLR2/900 *	555-9000005-00-11	876-898	1900	560	brilliant	grape	S	563 €

R - standard radius R550



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).



EASY ASSEMBLY *

Product comes in a pre-assembled version. Just joint the left and right parts, screw to the wall, adjust and seal.

Lega Line

comfort within reach

LLS2

**square or rectangular shower enclosure
solution with practical corner entry**



5 + 4 mm ESG Tempered glass
Transparent / Intimglass
5 mm door glass + 4 mm fixed glass



Profile colour
Brilliant / Black elox



■ Durable double top and bottom rollers for smooth door movement and bottom tilt function for easy maintenance ■ LEGA series handles design

LLS2 (shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
LLS2/800 *	554-8000000-00-02	775-790	1900	430	brilliant	transparent	S	444 €
LLS2/800 *	554-8000000-00-21	775-790	1900	430	brilliant	intimglass	O	606 €
LLS2/800 *	554-8000000-05-02	775-790	1900	430	black elox	transparent	S	441 €
LLS2/900 *	554-9000000-00-02	875-890	1900	460	brilliant	transparent	S	466 €
LLS2/900 *	554-9000000-00-21	875-890	1900	460	brilliant	intimglass	O	628 €
LLS2/900 *	554-9000000-05-02	875-890	1900	460	black elox	transparent	S	463 €
LLS2/1000×800	554-1008000-00-02	(975-990)×(775-790)	1900	505	brilliant	transparent	S	488 €
LLS2/1000×800	554-1008000-00-21	(975-990)×(775-790)	1900	505	brilliant	intimglass	O	649 €
LLS2/1200×800	554-1208000-00-02	(1175-1190)×(775-790)	1900	525	brilliant	transparent	O	509 €
LLS2/1200×800	554-1208000-00-21	(1175-1190)×(775-790)	1900	525	brilliant	intimglass	O	671 €
LLS2/1200×900	554-1209000-00-02	(1175-1190)×(875-890)	1900	535	brilliant	transparent	S	533 €
LLS2/1200×900	554-1209000-00-21	(1175-1190)×(875-890)	1900	535	brilliant	intimglass	O	695 €


LLS2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LLS2	up to 1200 mm	up to 1900 mm	brilliant / black elox	transparent	Z	613 €
LLS2	up to 1200 mm	up to 1900 mm	brilliant / black elox	intimglass	Z	799 €



EASY ASSEMBLY *

Product comes in a pre-assembled version. Just joint the left and right parts, screw to the wall, adjust and seal.





With special attention paid to the balance between the look and functionality of every detail, the **Lega Line** is ready to take its place in any modern bathroom.



Leg Line

comfort within reach

RothETC glass
surface treatment



■ LLDO1 - Intimglass

LLDO1

single opening shower door for niche installation
or for combination with side panel LLB



5 mm ESG Tempered glass
Transparent / Intimglass



Profile colour
Brillant



LLDO1 (single shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
LLD01/700 *	551-7000000-00-02	675-705	1900	460	brilliant	transparent	S	260 €
LLD01/700 *	551-7000000-00-21	675-705	1900	460	brilliant	intimglass	O	320 €
LLD01/800 *	551-8000000-00-02	775-805	1900	560	brilliant	transparent	S	290 €
LLD01/800 *	551-8000000-00-21	775-805	1900	560	brilliant	intimglass	O	350 €
LLD01/900 *	551-9000000-00-02	875-905	1900	660	brilliant	transparent	S	320 €
LLD01/900 *	551-9000000-00-21	875-905	1900	660	brilliant	intimglass	O	380 €
LLD01/1000 *	551-1000000-00-02	975-1005	1900	760	brilliant	transparent	S	350 €
LLD01/1000 *	551-1000000-00-21	975-1005	1900	760	brilliant	intimglass	O	410 €


LLDO1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LLD01	up to 1000 mm	up to 1900 mm	brilliant	transparent	Z	402 €
LLD01	up to 1000 mm	up to 1900 mm	brilliant	intimglass	Z	472 €



EASY ASSEMBLY *

Products LLDO1 and LLD2 come in a pre-assembled version. Just screw to the wall, adjust and seal.



universal pivot mechanism for opening inside and outside



LLD02

double shower door for niche installation
or for combination with side panel LLB



5 mm ESG Tempered glass
Transparent / Intimglass



Profile colour
Brillant




LLD02 (double shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method	Price
LLD02/700 *	552-7000000-00-02	672-704	1900	475	brillant	transparent	S	359 €
LLD02/700 *	552-7000000-00-21	672-704	1900	475	brillant	intimglass	O	407 €
LLD02/800 *	552-8000000-00-02	772-804	1900	575	brillant	transparent	S	377 €
LLD02/800 *	552-8000000-00-21	772-804	1900	575	brillant	intimglass	O	425 €
LLD02/900 *	552-9000000-00-02	872-904	1900	675	brillant	transparent	S	395 €
LLD02/900 *	552-9000000-00-21	872-904	1900	675	brillant	intimglass	O	443 €
LLD02/1000 *	552-1000000-00-02	972-1004	1900	775	brillant	transparent	O	413 €
LLD02/1000 *	552-1000000-00-21	972-1004	1900	775	brillant	intimglass	O	461 €

LLD02 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LLD02	up to 1200 mm	up to 1900 mm	brillant	transparent	Z	475 €
LLD02	up to 1200 mm	up to 1900 mm	brillant	intimglass	Z	530 €



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Lega Line

comfort within reach

timeless solution
with a decent look



LLB

fixed side panel for combination with shower door
LLD01, LLD02, LLD2 and LLD4

- Brillant aluminium profile
- 5-year extended warranty
- tempered safety glass



4 mm ESG Tempered glass
Transparent / Intimglass




Profile colour
Brillant

LLB (side panel to LLD01, LLD02, LLD2 or LLD4)


type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
LLB/700 *	553-7000000-00-02	679-705	1900	brilliant	transparent	S	174 €
LLB/700 *	553-7000000-00-21	679-705	1900	brilliant	intimglass	O	221 €
LLB/750 *	553-7500000-00-02	729-755	1900	brilliant	transparent	S	186 €
LLB/750 *	553-7500000-00-21	729-755	1900	brilliant	intimglass	O	233 €
LLB/800 *	553-8000000-00-02	779-805	1900	brilliant	transparent	S	204 €
LLB/800 *	553-8000000-00-21	779-805	1900	brilliant	intimglass	O	251 €
LLB/900 *	553-9000000-00-02	879-905	1900	brilliant	transparent	S	221 €
LLB/900 *	553-9000000-00-21	879-905	1900	brilliant	intimglass	O	269 €
LLB/1000 *	553-1000000-00-02	979-1005	1900	brilliant	transparent	S	239 €
LLB/1000 *	553-1000000-00-21	979-1005	1900	brilliant	intimglass	O	317 €

* LLB cannot be used as a self-standing side panel

■ **LLB** - universal LEFT and RIGHT solution



■ **LLD01 + LLB**



LLB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LLB	up to 1000 mm	up to 1900 mm	brilliant	transparent	Z	275 €
LLB	up to 1000 mm	up to 1900 mm	brilliant	intimglass	Z	365 €




EASY ASSEMBLY *

Products of Lega Line come in a pre-assembled version. Just screw to the wall, adjust and seal.

combinations of doors with a side panel LLB

■ LLD02 + LLB




■ LLD02 + LLB



■ LLD2 + LLB

■ LLD2 + LLB



■ LLD4 + LLB



■ LLD4 + LLB

Lega Line

comfort within reach

durable rollers
with bottom tilt function



LLD2

sliding shower door for niche installation
or for combination with a side panel LLB

- RothETC glass surface treatment for easy maintenance
- double rollers
- 5-year extended warranty
- possibility of choosing the glass in Intimglass design



5 + 4 mm ESG Tempered glass
Transparent / Intimglass
5 mm door glass + 4 mm fixed panel




Profile colour
Brillant

LLD2 (sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
LLD2/1000 *	556-1000000-00-02	970-1005	1900	385	brillant	transparent	S	353 €
LLD2/1000 *	556-1000000-00-21	970-1005	1900	385	brillant	intimglass	O	467 €
LLD2/1200 *	556-1200000-00-02	1170-1205	1900	485	brillant	transparent	S	395 €
LLD2/1200 *	556-1200000-00-21	1170-1205	1900	485	brillant	intimglass	O	509 €
LLD2/1300 *	556-1300000-00-02	1270-1305	1900	535	brillant	transparent	S	386 €
LLD2/1400 *	556-1400000-00-02	1370-1405	1900	585	brillant	transparent	S	407 €
LLD2/1400 *	556-1400000-00-21	1370-1405	1900	585	brillant	intimglass	O	521 €
LLD2/1500 *	556-1500000-00-02	1470-1505	1900	635	brillant	transparent	O	428 €
LLD2/1600 *	556-1600000-00-02	1570-1605	1900	685	brillant	transparent	S	449 €
LLD2/1600 *	556-1600000-00-21	1570-1605	1900	685	brillant	intimglass	O	563 €

■ **LLD2**
universal LEFT and RIGHT solution



LLD2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LLD2	up to 1800 mm	up to 1900 mm	brillant	transparent	Z	565 €
LLD2	up to 1800 mm	up to 1900 mm	brillant	intimglass	Z	696 €



EASY ASSEMBLY *

Product LLD2 comes in a pre-assembled version. Just screw to the wall, adjust and seal.

practical solution for large format showers



LLD4

sliding shower door for niche installation
or for combination with a side panel LLB

- four-part shower door
- RothETC glass surface treatment
- great price-performance ratio
- Intimglass design available in atypical solution only



5 + 4 mm ESG Tempered glass
Transparent
5 mm door glass + 4 mm fixed panel




Profile colour
Brillant

LLD4 (four-part sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
LLD4/1100	574-1100000-00-02	1080-1110	1900	420	brilliant	transparent	S	479 €
LLD4/1200	574-1200000-00-02	1180-1210	1900	470	brilliant	transparent	S	506 €
LLD4/1300	574-1300000-00-02	1280-1310	1900	520	brilliant	transparent	S	533 €
LLD4/1400	574-1400000-00-02	1380-1410	1900	570	brilliant	transparent	S	560 €
LLD4/1500	574-1500000-00-02	1480-1510	1900	620	brilliant	transparent	S	587 €
LLD4/1600	574-1600000-00-02	1580-1610	1900	670	brilliant	transparent	S	614 €

LLD4 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LLD4	up to 2000 mm	up to 1900 mm	brilliant	transparent	Z	706 €
LLD4	up to 2000 mm	up to 1900 mm	brilliant	intimglass	Z	798 €



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Lega Line

comfort within reach

both-side sliding
door entrance

PD3N

sliding shower door with both side entrance
for niche installation

4 mm ESG Tempered glass
Transparent / Grape
Polystyrol Rugiada



Profile colour
Brilliant / White



EASY ASSEMBLY version for quick mountage

- magnetic seals closure in the same colour as the profiles
- standard height 1900 mm
- robust aluminium frame



EASY ASSEMBLY

Product PD3N comes in a pre-assembled version. Just screw to the wall, adjust and seal.




- Bottom tilting for easy maintenance of the shower door

- Both-side sliding door opening

PD3N (sliding shower door with a both-sided entrance)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	Price
PD3N/800	413-8000000-04-02	750-805	1900	375	white	transparent	S	407 €
PD3N/800	413-8000000-04-11	750-805	1900	375	white	grape	S	450 €
PD3N/800	413-8000000-04-16	750-805	1900	375	white	rugiada	S	404 €
PD3N/800	413-8000000-00-02	750-805	1900	375	brilliant	transparent	S	458 €
PD3N/800	413-8000000-00-11	750-805	1900	375	brilliant	grape	S	469 €
PD3N/900	413-9000000-04-02	850-905	1900	440	white	transparent	S	431 €
PD3N/900	413-9000000-04-11	850-905	1900	440	white	grape	S	458 €
PD3N/900	413-9000000-04-16	850-905	1900	440	white	rugiada	S	434 €
PD3N/900	413-9000000-00-02	850-905	1900	440	brilliant	transparent	S	466 €
PD3N/900	413-9000000-00-11	850-905	1900	440	brilliant	grape	S	485 €
PD3N/1000	413-1000000-04-02	950-1005	1900	505	white	transparent	S	455 €
PD3N/1000	413-1000000-04-11	950-1005	1900	505	white	grape	S	466 €
PD3N/1000	413-1000000-04-16	950-1005	1900	505	white	rugiada	S	463 €
PD3N/1000	413-1000000-00-02	950-1005	1900	505	brilliant	transparent	S	474 €
PD3N/1000	413-1000000-00-11	950-1005	1900	505	brilliant	grape	S	501 €



PD3N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
PD3N	up to 1200 mm	up to 2000 mm	white / brilliant	transparent	Z	545 €
PD3N	up to 1200 mm	up to 2000 mm	white / brilliant	grape	Z	576 €
PD3N	up to 1200 mm	up to 2000 mm	white	rugiada	Z	532 €
PD3N	up to 1200 mm	up to 2000 mm	white / brilliant	rauch	Z	592 €
PD3N	up to 1200 mm	up to 2000 mm	white / brilliant	satinato	Z	616 €



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Lega Line

comfort within reach

wide choice
of glass panels

LLBD

side panel
to sliding shower door PD3N

4 mm ESG Tempered glass
Transparent / Grape



Profile colour
Brilliant / White



universal left and right solution


- standard dimensions of side panel from 700 to 1 000 mm
- universal left and right solution
- wide choice of glass panel types

LLBD (side panel to PD3N)


type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
LLBD/700	412-7000000-04-02	675-695	1900	white	transparent	S	159 €
LLBD/700	412-7000000-04-11	675-690	1900	white	grape	S	198 €
LLBD/700	412-7000000-00-02	675-695	1900	brillant	transparent	S	168 €
LLBD/700	412-7000000-00-11	675-690	1900	brillant	grape	S	204 €
LLBD/750	412-7500000-04-02	725-745	1900	white	transparent	S	204 €
LLBD/750	412-7500000-04-11	725-745	1900	white	grape	S	224 €
LLBD/750	412-7500000-00-02	725-745	1900	brillant	transparent	S	198 €
LLBD/750	412-7500000-00-11	725-745	1900	brillant	grape	S	232 €
LLBD/800	412-8000000-04-02	775-795	1900	white	transparent	S	197 €
LLBD/800	412-8000000-04-11	775-795	1900	white	grape	S	232 €
LLBD/800	412-8000000-00-02	775-795	1900	brillant	transparent	S	205 €
LLBD/800	412-8000000-00-11	775-795	1900	brillant	grape	S	237 €
LLBD/900	412-9000000-04-02	875-895	1900	white	transparent	S	224 €
LLBD/900	412-9000000-04-11	875-895	1900	white	grape	S	259 €
LLBD/900	412-9000000-00-02	875-895	1900	brillant	transparent	S	232 €
LLBD/900	412-9000000-00-11	875-895	1900	brillant	grape	S	264 €
LLBD/1000	412-1000000-04-02	975-995	1900	white	transparent	S	286 €
LLBD/1000	412-1000000-04-11	975-995	1900	white	grape	S	283 €
LLBD/1000	412-1000000-00-02	975-995	1900	brillant	transparent	S	259 €
LLBD/1000	412-1000000-00-11	975-995	1900	brillant	grape	S	291 €

* LLBD cannot be used as a self-standing side panel

PD3N + LLBD




LLBD + PD3N



LLBD

universal LEFT and RIGHT solution





LLBD (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LLBD	up to 1000 mm	up to 1900 mm	white / brillant	transparent	Z	298 €
LLBD	up to 1000 mm	up to 1900 mm	white / brillant	grape	Z	335 €
LLBD	up to 1000 mm	up to 1900 mm	white / brillant	rauch	Z	324 €
LLBD	up to 1000 mm	up to 1900 mm	white / brillant	satinato	Z	337 €

■ installation width of PD3N in combination with side panel LLBD

type	installation width (Z)
PD3N/800 + LLBD	774-829
PD3N/900 + LLBD	874-929
PD3N/1000 + LLBD	974-1029



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 281-303).

Atypical
customized solution

Atypical dimensions

Tailored shower enclosure
within 30 working days!


Do you have a small bathroom or you need a non-standard solution for your shower enclosure? As one of the few manufacturers we will offer you the opportunity to obtain a shower enclosure tailor made.

Extra warranty for 5 years.

We produce shower enclosures tailored to any space. Whether you have limited space or plan the bathroom in an attic or you need a non standard solution we will tune everything into the last millimetre.




! Limit (minimum) widths of glass
for design with cutout






■ Bevel cut on fixed side panel with framing.



■ Details of the connection of shortened side wall to the bathtub



„U“ cabins









As standard it is possible to order sliding doors with a side wall from the AMBIENT, CARIBA (p. 93) and LIMAYA (LYP2+LYSW1AP2) series for the "U" shower cabin. If you require a "U" cabin in other product lines such as TOWER LINE, PROXIMA LINE or LEGA LNE, do not hesitate to contact our sales department with a request. We will be happy to offer you solutions tailored to your needs.

Additional profiles

Extensional profiles and profiles for side connection

ADDITIONAL PROFILES

PROFILE	series / type	extension width	height (length)	profile	ordering No.	delivery method	Price
 	extensional profile Tower Line - TR2, TDxx	10 mm	2000 mm	brilliant	P3061	S	25 €
				silver	P3062	S	19 €
	extensional profile Tower Line - TB	10 mm	1991 mm	brilliant	P3533	S	28 €
				silver	P3534	S	23 €
 	extensional profile Tower Line TR1, TCxx, TB TZN(L(P)1, TZOL(P)1	10 mm	2000 mm	brilliant	P3063	S	27 €
				silver	P3064	S	25 €
 	extensional profile Tower Line TCN1, TDN1, TZN(L(P)1	25 mm	1989 mm	brilliant	P5096	S	40 €
				silver	P5097	S	31 €
 	extensional profile Cariba Line CI P55, CI EPF, CI PIG, CI 2CL(R), CI 2BT, CI PIV, CI PIF, CI PIL(R), CI RFL(R), CI C2L(R), CI D2L(R), CI FXP	25 mm	2000 mm	brilliant	CI EL2 2000 VE	S	35 €
				black elox	CI EL2 2000 NE	S	35 €
 	extensional profile Proxima Line PXD01N, PXD2N	20 mm	2000 mm	brilliant	P5092	S	36 €
 	extensional profile Limaya Line LYR4, LYP2, LY4, LY2, LYSW1AP2	25 mm	1948 mm	brilliant	P4066	S	28 €
	extensional profile Limaya Line LYSW1S, LZ			brilliant	P4067	S	24 €
	extensional profile Lega Line LLR2, LLS2, LLDO1, LLD4 LLD02, LLD2, LLB, LLBD	15 mm	1900 mm	brilliant	P5093	S	26 €
				white	P5094	S	26 €

Additional profiles enable to solve construction unevenness without the necessity to order an atypical product.

ADDITIONAL PROFILES							
PROFILE	series / type	extension width	height (length)	profile	ordering No.	delivery method	Price
 	extensional profile Lega Line PD3N	13 mm	1900 mm	brilliant	P5095	S	30 €
				white	P4055	S	23 €
 	extensional profile Project Line LD3, LSB	10 mm	1800 mm	white	P2376	S	11 €
				brilliant	P5842	S	54 €
 	profile for side connection Tower Line TDN1, TCN1, TZN1(P)1	25 mm	1991 mm	silver	P5843	S	54 €
				brilliant	CI PRO 2000 VE	S	54 €
 	profile for side connection Cariba Line CI P55, CI EPF, CI PIG, CI 2CL(R), CI ZBT, CI PIV, CI PIF, CI PIL(R), CI RFL(R), CI C2L(R), CI D2L(R), CI FXP	25 mm	2000 mm	black elox	CI PRO 2000 NE	S	54 €
				brilliant	P5845	S	54 €
 	profile for side connection Limaya Line LYR4, LYP2, LY4, LYE2, LYSW1AP2	25 mm	1948 mm	brilliant	P5846	S	54 €
				brilliant	P5841	S	38 €
 	profile for side connection Lega Line whole line	15 mm	1900 mm	brilliant	P5841	S	38 €
				brilliant	P5846	S	54 €



note:

maximum recommended number of extensional profiles by drawings above (three or two profiles shown in red colour)

Perfect glass

Protective shield against
dirt and limescale!

Shower enclosures without special glass treatment can suffer from limescale and impurities. With Roth shower enclosures this will not happen. Our unique coating based on nanotechnology RothETC will protect your shower enclosure to look like new all the time.



■ Glass with **RothETC** treatment
FREE to all Roth glass panels



■ Untreated glass

Protective coating will last 10 years

Persistent water repellent layer RothETC with oleophobic properties guarantees long-life inert surface protection with very good mechanical and chemical consistence. Thanks to these characteristics your shower enclosure will be very easy to clean.



RothETC


type	volume	ordering No.	delivery method	Price
RothETC COMPLETE CARE	3x500 ml	5139800	S	109 €
RothETC CLEANER	500 ml	5139810	S	19 €

SHELF UNI

hanging shelf

Get organized in cosmetics in your shower and get rid of hygiene products around the edges of the tray. Buy a new universal shelf, which could be easily hang on a screen of your shower enclosure, so you have everything nicely accessible and organized. Double hanging shelf SHELF UNI is made of quality materials in the chrome finishing, which guarantees 100% protection against corrosion.

Dimension: 750×250 mm



SHELF UNI

type	ordering No.	delivery method	Price
SHELF UNI - hanging shelf	8000279	S	62 €



CLEANING BLADE

MAKE YOUR MAINTENANCE EASIER

Do you want to make your cleaning of shower enclosure easier? We recommend to wipe the glass after every usage with a practical cleaning blade. The width of the wiping surface is 245 mm. The practical chrome handle has a length of 150 mm.



CLEANING BLADE

type	ordering No.	delivery method	Price
CLEANING BLADE	8000201	S	27 €
CLEANING BLADE HOLDER	8000247	S	8 €

Profiles and glass panels of our shower enclosures

Profile colours

- shower enclosure profiles - 5 colour designs
- color options can be found in the product description next to this icon




■ Brillant



■ Silver



■ Black elox



■ Gold




■ White

Types of glass panel finishing

- in the offer you will find 12 types of glass panels and 6 types of prints
- ESG tempered safety glass 4, 5, 6, 8, and 10 mm with RothETC glass protection
- for every shower enclosure the possibility of different glass panel



■ Transparent



■ Chinchilla



■ Rauch




■ Satinato



■ Grape



■ Rugiada (polystyrol)




■ Carre



■ Flex




■ Flute



■ Ligne



■ Point




■ Soft




For our shower enclosures with 6 and 8 mm thick glass, you can request several new interesting **structured glass panels** as an atypical solution..

You can also choose from our **new special prints**, which can also be prepared for you on 4 and 5 mm glass. For information on prices and production options for a specific product, contact your sales representative.






■ intimglass (Lega line)



■ intimglass (Tower line)


Try high-quality safety ESG glass with plastic decors or with white graphic prints, which will give your bathroom **an original look and a sense of intimacy.**



■ intimglass Misty



■ Dots printing



■ Drops printing



■ Rhomb printing

Shower trays
of cast marble

Marmo Prestol

■ a new generation of durable shower trays using the advantages of cast marble

■ top quality processing



■ 5-year warranty



PRESTOL

rectangular cast marble shower tray
with integrated double siphon and cover
made out of polished stainless steel

120×80 / 120×90
140×80 / 140×90
150×80 / 150×90



■ Solid stainless steel cover highlights the design of this product

■ A double self-cleaning siphon drain guarantee better drainage rate which ensures that during showering water will not accumulate anywhere

PRESTOL (cast marble shower tray with stainless steel cover)

type	ordering No.	dimension (mm)	delivery method	Price
PRESTOL 1200×800	8000300	1200×800×35	S	323 €
PRESTOL 1200×900	8000301	1200×900×35	S	350 €
PRESTOL 1400×800	8000302	1400×800×35	S	372 €
PRESTOL 1400×900	8000303	1400×900×35	S	399 €
PRESTOL 1500×800	8000304	1500×800×35	S	426 €
PRESTOL 1500×900	8000305	1500×900×35	S	453 €

prices including 9 pcs of adjustable legs (adjustability 8 ÷ 10 cm) and the stainless steel cover

PRESTOL	L	W	H	E	ø
1200×800	1200	800	35	97	2×60
1200×900	1200	900	35	97	2×60
1400×800	1400	800	35	97	2×60
1400×900	1400	900	35	97	2×60
1500×800	1500	800	35	97	2×60
1500×900	1500	900	35	97	2×60

PRESTOL (double siphon drain)

type	ordering No.	description	delivery method	Price
PRESTOL SIPHON	8100300	double siphon drain Ø 60	S	54 €


Marmo Neo

Cast marble shower trays

> new series of cast marble shower trays in a modern straight design

> the perfectly smooth surface of the trays is non-absorbent and accessible over the entire surface for easy cleaning


> high quality barrier-free solution
easy maintenance



Marmo Neo ROUND

quadrant cast marble shower tray

80x80 / 90x90 / 100x100



Marmo Neo ROUND


type	ordering No.	dimension (mm)	delivery method	Price
Marmo Neo ROUND 800	MAN RO 080080 2E	800x800x30, R550	S	233 €
Marmo Neo ROUND 900	MAN RO 090090 2E	900x900x30, R550	S	266 €
Marmo Neo ROUND 1000	MAN RO 100100 2E	1000x1000x30, R550	S	281 €
front panel 800	8010069	height=100	S	81 €
front panel 900	8010067	height=100	S	81 €
front panel 1000	8010074	height=100	S	81 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

Marmo Neo SQUARE

square cast marble shower tray

80x80 / 90x90 / 100x100



Marmo Neo SQUARE	L	W	H1	H2	E	S	Ø
800x800	800	800	30	110-130	45	180	90
900x900	900	900	30	110-130	45	180	90
1000x1000	1000	1000	30	110-130	45	180	90


Marmo Neo SQUARE

type	ordering No.	dimension (mm)	delivery method	Price
Marmo Neo SQUARE 800	MAN SQ 080080 2E	800x800x30	S	236 €
Marmo Neo SQUARE 900	MAN SQ 090090 2E	900x900x30	S	263 €
Marmo Neo SQUARE 1000	MAN SQ 100100 2E	1000x1000x30	S	299 €
front panel 800	8010070	height=100	S	89 €
front panel 900	8010066	height=100	S	92 €
front panel 1000	8010081	height=100	S	135 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

rectangular cast marble shower tray

90x70 / 80x90 / 100x80 / 100x90 / 110x80 / 110x90 / 120x80 / 120x90
130x80 / 130x90 / 140x80 / 140x90 / 150x80 / 150x90 / 160x80 / 160x90



Marmo Neo SQUARE	L	W	H1	H2	E	S1	S2	Ø
900x700	900	700	30	110-130	50	350	180	90
800x900 *	800	900	30	110-130	50	450	180	90
1000x800	1000	800	30	110-130	50	400	180	90
1000x900	1000	900	30	110-130	50	450	180	90
1100x800	1100	800	30	110-130	50	400	180	90
1100x900	1100	900	30	110-130	50	450	180	90
1200x800	1200	800	35	115-135	50	400	180	90
1200x900	1200	900	35	115-135	50	450	180	90
1300x800	1300	800	35	115-135	50	400	180	90
1300x900	1300	900	35	115-135	50	450	180	90
1400x800	1400	800	35	115-135	50	400	180	90
1400x900	1400	900	35	115-135	50	450	180	90
1500x800	1500	800	35	115-135	50	400	180	90
1500x900	1500	900	35	115-135	50	450	180	90
1600x800	1600	800	35	115-135	50	400	180	90
1600x900	1600	900	35	115-135	50	450	180	90

Marmo Neo SQUARE

type	ordering No.	dimension (mm)	delivery method	Price
Marmo Neo SQUARE 9070	MAN SQ 090070 2E	900x700x30	S	239 €
Marmo Neo SQUARE 8090	MAN SQ 080090 2E	800x900x30	S	266 €
Marmo Neo SQUARE 10080	MAN SQ 100080 2E	1000x800x30	S	263 €
Marmo Neo SQUARE 10090	MAN SQ 100090 2E	1000x900x30	S	281 €
Marmo Neo SQUARE 11080	MAN SQ 110080 2E	1100x800x30	S	296 €
Marmo Neo SQUARE 11090	MAN SQ 110090 2E	1100x900x30	S	314 €
Marmo Neo SQUARE 12080	MAN SQ 120080 2E	1200x800x35	S	344 €
Marmo Neo SQUARE 12090	MAN SQ 120090 2E	1200x900x35	S	359 €
* Marmo Neo SQUARE 13080	MAN SQ 130080 2E	1300x800x35	S	369 €
* Marmo Neo SQUARE 13090	MAN SQ 130090 2E	1300x900x35	S	377 €
* Marmo Neo SQUARE 14080	MAN SQ 140080 2E	1400x800x35	S	386 €
* Marmo Neo SQUARE 14090	MAN SQ 140090 2E	1400x900x35	S	407 €
* Marmo Neo SQUARE 15080	MAN SQ 150080 2E	1500x800x35	S	412 €
* Marmo Neo SQUARE 15090	MAN SQ 150090 2E	1500x900x35	S	417 €
* Marmo Neo SQUARE 16080	MAN SQ 160080 2E	1600x800x35	S	422 €
* Marmo Neo SQUARE 16090	MAN SQ 160090 2E	1600x900x35	S	437 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm) / * 8 pcs of legs included

* with the size of the 800 x 900 tray, the siphon is on the longer side


Marmo Classic

Cast marble shower trays

DREAM-M

quadrant cast marble shower tray

80x80 / 90x90



DREAM-M	L	W	H1	H2	S	P	E	R	Ø
800x800	800	800	30	110-130	150	100	40	550	90
900x900	900	900	30	110-130	180	100	40	550	90



DREAM-M


type	ordering No.	dimension (mm)	delivery method	Price
DREAM-M 800	8000151	800x800x30, R550	S	226 €
DREAM-M 900	8000150	900x900x30, R550	S	248 €
front panel 800	8010069	height=100	S	81 €
front panel 900	8010067	height=100	S	81 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

TAHITI-M

quadrant cast marble shower tray

80x80 / 90x90 / 100x100



TAHITI-M


type	ordering No.	dimension (mm)	delivery method	Price
TAHITI-M 800	8000064	800x800x30, R550	S	221 €
TAHITI-M 900	8000065	900x900x30, R550	S	251 €
TAHITI-M 1000	8000082	1000x1000x30, R550	S	286 €
front panel 800	8010069	height=100	S	81 €
front panel 900	8010067	height=100	S	81 €
front panel 1000	8010074	height=100	S	81 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

ALOHA-M

square cast marble shower tray

80x80 / 90x90



ALOHA-M	L	W	H1	H2	S	P	E	Ø
800x800	800	800	30	110-130	150	100	40	90
900x900	900	900	30	110-130	180	100	40	90



ALOHA-M


type	ordering No.	dimension (mm)	delivery method	Price
ALOHA-M 800	8000155	800x800x30	S	229 €
ALOHA-M 900	8000154	900x900x30	S	259 €
front panel 800	8010070	height=100	S	89 €
front panel 900	8010066	height=100	S	92 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

MACAO-M

square cast marble shower tray

80x80 / 90x90 / 100x100



MACAO-M	L	W	H1	H2	S	P	E	R	Ø
800x800	800	800	30	110-130	170	100	90	550	90
900x900	900	900	30	110-130	190	100	90	550	90
1000x1000	1000	1000	30	110-130	190	100	90	550	90



MACAO-M

type	ordering No.	dimension (mm)	delivery method	Price
MACAO-M 800	8000062	800x800x30	S	256 €
MACAO-M 900	8000063	900x900x30	S	261 €
MACAO-M 1000	8000165	1000x1000x30	S	302 €
front panel 800	8010070	height=100	S	89 €
front panel 900	8010066	height=100	S	92 €
front panel 1000	8010081	height=100	S	135 €

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)



Cast marble trays are possible to build directly into the floor. A part of these trays is a set of legs for the case, if you would like to place the tray on an already tiled floor.

In case, you have decided to place the tray on an already tiled floor by using the legs, we recommend ordering an acrylic front cover panel together with the tray.




Marmo Classic

Cast marble shower trays

RECTAN-M

rectangular cast marble shower tray

90×80 / 100×80 / 100×90
120×80 / 120×90




RECTAN-M	L	W	H1	H2	E	S	Ø
900×800	900	800	30	110-130	50	150	90
1000×800	1000	800	30	110-130	50	150	90
1000×900	1000	900	30	110-130	50	150	90
1200×800	1200	800	30	110-130	50	150	90
1200×900	1200	900	30	110-130	50	190	90

RECTAN-M

type	ordering No.	dimension (mm)	delivery method	Price
RECTAN-M 900×800	8000450	900×800×30	S	243 €
RECTAN-M 1000×800	8000166	1000×800×30	S	256 €
RECTAN-M 1000×900	8000451	1000×900×30	S	269 €
RECTAN-M 1200×800	8000167	1200×800×30	S	277 €
RECTAN-M 1200×900	8000168	1200×900×30	S	307 €

prices including 5 pcs of adjustable legs (adjustability 8 ± 10 cm)



Cast marble shower trays allow, due to its low entrance edge, comfortable access to the shower.



■ MACAO-M, TAHITI-M



■ ALOHA-M, DREAM-M, RECTAN-M




Anti slip finishing of cast marble trays for more safety in the shower.

Acrylic shower trays

- up to 10 years warranty
- asymmetric and classic shapes
- wide selection of dimensions

almost widest
range in the market



- 800×800
- 900×900
- 1000×1000

- 800×800
- 900×900
- 1000×1000

- 800×1000 / 1100 / 1200 / 1300 / 1400 / 1500
- 900×1000 / 1100 / 1200 / 1300 / 1400 / 1500
- 800×900 / 1200×1000
- 750×1500 / 1600


Shower trays

acrylic

FLAT ROUND

quadrant acrylic shower tray

80x80 / 90x90 / 100x100



FLAT ROUND	L	W	H	S	E	P	R	ø
800x800	800	800	50	150	50	80	550	90
900x900	900	900	50	150	50	80	550	90
1000x1000	1000	1000	50	175	50	80	550	90



FLAT ROUND

type	ordering No.	dimension (mm)	delivery method	Price
FLAT ROUND	8000115	800x800x50, R550	S	154 €
FLAT ROUND	8000116	900x900x50, R550	S	164 €
FLAT ROUND	8000117	1000x1000x50, R550	S	221 €
front PANEL 800	8010082	height=80	S	85 €
front PANEL 900	8010083	height=80	S	85 €
front PANEL 1000	8010084	height=80	S	97 €


■ front panel FLAT ROUND



HAWAII

quadrant acrylic shower tray

80x80 / 90x90




HAWAII

type	ordering No.	dimension (mm)	delivery method	Price
HAWAII 800	8000007	800x800x150, R550	S	159 €
HAWAII 900	8000026	900x900x160, R550	S	169 €

HAWAII-P

quadrant self-supporting shower tray
made out of coextruded shell with PU support

80x80 / 90x90



HAWAII-P	L	W	H	W1	S	R	Ø
800x800	800	800	170	250	140	550	60
900x900	900	900	170	350	140	550	60


HAWAII-P

type	ordering No.	dimension (mm)	delivery method	Price
HAWAII-P 800	8000024	800x800x170, R550	S	195 €
HAWAII-P 900	8000025	900x900x170, R550	S	221 €

FLAT KVADRO

square acrylic shower tray

80x80 / 90x90 / 100x100



FLAT KVADRO	L	W	H	S	E	P	Ø
800x800	800	800	50	150	50	80	90
900x900	900	900	50	150	50	80	90
1000x1000	1000	1000	50	175	50	80	90

FLAT KVADRO

type	ordering No.	dimension (mm)	delivery method	Price
FLAT KVADRO	8000118	800x800x50	S	154 €
FLAT KVADRO	8000119	900x900x50	S	164 €
FLAT KVADRO	8000120	1000x1000x50	S	221 €
front panel 800	8010085	height=80	S	85 €
front panel 900	8010086	height=80	S	85 €
front panel 1000	8010087	height=80	S	97 €

■ front panel FLAT KVADRO




Shower trays

acrylic

COLA

square acrylic shower tray

80x80 / 90x90



COLA	L	W	H1	H2	S	E	Ø
800x800	800	800	35	170	170	70	60
900x900	900	900	35	170	225	70	60


COLA

type	ordering No.	dimension (mm)	delivery method	Price
COLA 800	8000003	800x800x160	S	159 €
COLA 900	8000004	900x900x170	S	169 €

COLA-P

square self-supporting shower tray
made out of coextruded shell with PU support

80x80 / 90x90



COLA-P	L	W	H	S	Ø
800x800	800	800	170	140	60
900x900	900	900	170	140	60


COLA-P

type	ordering No.	dimension (mm)	delivery method	Price
COLA-P 800	8000022	800x800x170	S	195 €
COLA-P 900	8000023	900x900x170	S	221 €

FLAT KVADRO

rectangular acrylic shower tray

750×1500 / 1600
 900×800 / 1200×1000
 800×1000 / 1100 / 1200 / 1300 / 1400 / 1500
 900×1000 / 1100 / 1200 / 1300 / 1400 / 1500



FLAT KVADRO

FLAT KVADRO	L	W	H	S	E	ø
900×800	900	800	50	150	50	90
1000×800	1000	800	50	150	50	90
1000×900	1000	900	50	150	50	90
1100×800	1100	800	50	150	50	90
1100×900	1100	900	50	150	50	90
1200×800	1200	800	50	150	50	90
1200×900	1200	900	50	150	50	90
1200×1000	1200	1000	50	150	50	90
1300×800	1300	800	50	150	50	90
1300×900	1300	900	50	150	50	90
1400×800	1400	800	50	150	50	90
1400×900	1400	900	50	150	50	90
1500×800	1500	800	60	150	50	90
1500×900	1500	900	60	150	50	90
1500×750	1500	750	60	160	50	90
1600×750	1600	750	60	160	50	90

type	ordering No.	dimension (mm)	delivery method	Price
FLAT KVADRO	8000161	900×800×50	S	164 €
FLAT KVADRO	8000121	1000×800×50	S	199 €
FLAT KVADRO	8000122	1000×900×50	S	215 €
FLAT KVADRO	8000248	1100×800×50	S	202 €
FLAT KVADRO	8000252	1100×900×50	S	227 €
FLAT KVADRO	8000123	1200×800×50	S	215 €
FLAT KVADRO	8000124	1200×900×50	S	280 €
FLAT KVADRO	8000160	1200×1000×50	S	314 €
FLAT KVADRO	8000249	1300×800×50	S	236 €
FLAT KVADRO	8000253	1300×900×50	S	298 €
FLAT KVADRO	8000125	1400×800×50	S	280 €
FLAT KVADRO	8000254	1400×900×50	S	316 €
FLAT KVADRO	8000251	1500×800×60	S	294 €
FLAT KVADRO	8000255	1500×900×60	S	343 €
FLAT KVADRO	8000243	1500×750×60	S	280 €
FLAT KVADRO	8000244	1600×750×60	S	314 €

■ shower tray FLAT KVADRO 1500




Shower trays

acrylic

INTEGRO

120×90 / 140×90 / 150×90

rectangular acrylic shower tray with integrated siphon cover made out of polished stainless steel



INTEGRO	L	W	H	S	D	E	Ø
1200×900	1200	900	50	450	155	50	90
1400×900	1400	900	50	450	155	50	90
1500×900	1500	900	50	450	155	50	90

INTEGRO

type	ordering No.	dimension (mm)	delivery method	Price
INTEGRO 1200	8000169	1200×900×50	S	356 €
INTEGRO 1400	8000170	1400×900×50	S	381 €
INTEGRO 1500	8000171	1500×900×50	S	406 €

FLAT acrylic trays are possible to build directly into the floor. In case you would like to place the tray on legs, we recommend to use a set of legs for acrylic trays. This set contains 5 pcs of adjustable legs (with them you will easily level the tray) and a set of mounts (for fixing the tray to the wall).



Set of legs

■ legs adjustability: 7 ÷ 9 cm

LEGS FOR ACRYLIC SHOWER TRAYS	5139200	5 pcs of adjustable legs, set of mounts for wall mounting	S	17 €
-------------------------------	---------	---	---	------

FLAT STONE EFFECT


■ FLAT STONE White



■ FLAT STONE Anthracite



These shower trays are made of structured acrylate with a very pleasant surface to touch. FLAT STONE EFFECT is produced in the shape of a square in three dimensions or in a rectangle design, where there are an incredible 14 dimensions to choose from. All this in two colour variants - ageless sanitary white colour and modern anthracite.



FLAT STONE	L	W	H	S	E	Ø
800x800	800	800	50	150	50	90
900x900	900	900	50	150	50	90
1000x1000	1000	1000	50	175	50	90
900x800	900	800	50	150	50	90
1000x800	1000	800	50	150	50	90
1000x900	1000	900	50	150	50	90
1100x800	1100	800	50	150	50	90
1100x900	1100	900	50	150	50	90
1200x800	1200	800	50	150	50	90
1200x900	1200	900	50	150	50	90
1200x1000	1200	1000	50	150	50	90
1300x800	1300	800	50	150	50	90
1300x900	1300	900	50	150	50	90
1400x800	1400	800	50	150	50	90
1400x900	1400	900	50	150	50	90
1500x800	1500	800	50	150	50	90
1500x900	1500	900	50	150	50	90



Shower trays FLAT STONE EFFECT are designed not only for modern bathrooms with a spacious shower.

FLAT STONE EFFECT

type	colour	ordering No.	dimension (mm)	delivery method	Price
FLAT STONE 80x80	anthracite	8000310	800x800x50		158 €
	white	8000311			
FLAT STONE 90x90	anthracite	8000312	900x900x50		169 €
	white	8000313			
FLAT STONE 100x100	anthracite	8000314	1000x1000x50		227 €
	white	8000315			
FLAT STONE 90x80	anthracite	8000316	900x800x50		169 €
	white	8000317			
FLAT STONE 100x80	anthracite	8000318	1000x800x50		205 €
	white	8000319			
FLAT STONE 100x90	anthracite	8000320	1000x900x50		221 €
	white	8000321			
FLAT STONE 110x80	anthracite	8000322	1100x800x50		208 €
	white	8000323			
FLAT STONE 110x90	anthracite	8000324	1100x900x50		233 €
	white	8000325			
FLAT STONE 120x80	anthracite	8000326	1200x800x50		221 €
	white	8000327			
FLAT STONE 120x90	anthracite	8000328	1200x900x50		288 €
	white	8000329			
FLAT STONE 120x100	anthracite	8000330	1200x1000x50		323 €
	white	8000331			
FLAT STONE 130x80	anthracite	8000332	1300x800x50		243 €
	white	8000333			
FLAT STONE 130x90	anthracite	8000334	1300x900x50		307 €
	white	8000335			
FLAT STONE 140x80	anthracite	8000336	1400x800x50		288 €
	white	8000337			
FLAT STONE 140x90	anthracite	8000338	1400x900x50		325 €
	white	8000339			
FLAT STONE 150x80	anthracite	8000340	1500x800x50		302 €
	white	8000341			
FLAT STONE 150x90	anthracite	8000342	1500x900x50		352 €
	white	8000343			

Bathtubs
freestanding

Are you also **enchanted by freestanding bathtubs?** We do! That's why we bring you **two more news in this category.**




NEW

LINEA STONE WHITE

freestanding bathtub made of cast marble

167×72



- recommended drainage area



LINEA STONE WHITE

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
LINEA STONE WHITE	5261000	1670×725×595	240	Z	2 541 €


Bathtub is equipped by the integrated siphon with the cover.

weight: 136 kg

ALBERENA WHITE

freestanding bathtub made of cast marble

159×70



- recommended drainage area



ALBERENA WHITE

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
ALBERENA WHITE	5271000	1590×700×610	275	Z	2 629 €

Bathtub is equipped by the integrated siphon with the cover.

weight: 104 kg

Bathtubs





freestanding

With the new **ALLYSA** bathtub,
you can now choose between
black and white variant for your interior!

ALLYSA WHITE / BLACK

freestanding bathtub made of cast marble

170×80




ALLYSA					
type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
ALLYSA WHITE	5231000	1705x800x550	312	Z	2 694 €
ALLYSA BLACK	5232000	1705x800x550	312	Z	2 963 €

Bathtub is equipped by the integrated siphon

weight: 115 kg



- Recommended drainage area



■ Bathtub in black design - ALLYSA BLACK







■ ALLYSA WHITE - a white version of the bathtub



ALEGRIA SILK

elegant freestanding bathtub made of Solid Surface material

194×83



Note:
Before installation the drain has to be pre-built
into the floor



ALEGRIA SILK

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
ALEGRIA SILK	9950000	1945×830×715	280	Z	4 041 €



The integrated drain cover of this bathtub is specially made of Solid Surface material

weight: 128 kg

STONE AMORE

freestanding bathtub made of cast marble

160×85



STONE AMORE

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
STONE AMORE	9930000	1600×850×720	260	Z	2 519 €

Bathtub is equipped by the integrated siphon

weight: 127 kg



Bathtubs

acrylic

KUBIC NEO

rectangular acrylic bathtub

150×70 / 160×70 / 160×80
170×75 / 180×80



recommended accessories
legs EXCLUSIVE or VARIO
page 231



BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI

KUBIC NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
KUBIC NEO 150×70	9300000	1500×700	200	S	329 €
KUBIC NEO 160×70	9310000	1600×700	210	S	337 €
KUBIC NEO 160×80	9320000	1600×800	225	S	364 €
KUBIC NEO 170×75	9330000	1700×750	230	S	423 €
KUBIC NEO 180×80	9340000	1800×800	250	S	439 €
Front PANEL 150	9300001	1500×560	–	S	194 €
Front PANEL 160	9310001	1600×560	–	S	195 €
Front PANEL 170	9330001	1700×560	–	S	216 €
Front PANEL 180	9340001	1800×560	–	S	216 €
Side PANEL 70	9300002	700×560	–	S	168 €
Side PANEL 75	9330002	750×560	–	S	168 €
Side PANEL 80	9340002	800×560	–	S	175 €


KUBIC NEO	L	W	H	G	D	R	P	S	E	F	Z
1495×695	1495	695	435	330	970	40	560	400	1360	560	290
1595×695	1595	695	435	330	1070	40	560	400	1460	560	290
1595×795	1595	795	455	350	1070	40	560	450	1460	660	290
1695×750	1695	750	435	330	1170	40	560	420	1560	610	290
1795×795	1795	795	455	350	1270	40	560	450	1660	660	290

KUBIC NEO SLIM

rectangular acrylic bathtub with extra slim rim

150×70 / 160×70 / 160×80
170×75 / 180×80

KUBIC NEO SLIM					
type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
KUBIC NEO SLIM 150×70	9300SLM	1500×700	200	S	383 €
KUBIC NEO SLIM 160×70	9310SLM	1600×700	210	S	391 €
KUBIC NEO SLIM 160×80	9320SLM	1600×800	225	S	404 €
KUBIC NEO SLIM 170×75	9330SLM	1700×750	230	S	423 €
KUBIC NEO SLIM 180×80	9340SLM	1800×800	250	S	501 €



recommended accessories
legs EXCLUSIVE or VARIO
page 231



BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI



KUBIC NEO	L	W	H	G	D	R	P	S	E	F	Z
1495×695	1495	695	435	340	970	18	560	400	1360	560	290
1595×695	1595	695	435	340	1070	18	560	400	1460	560	290
1595×795	1595	795	455	360	1070	18	560	450	1460	660	290
1695×750	1695	750	435	340	1170	18	560	420	1560	610	290
1795×795	1795	795	455	360	1270	18	560	450	1660	660	290

New extra slim rim for more luxurious bathing ...





Bathtubs

acrylic

MALIBU NEO

rectangular acrylic bathtub

160×75 / 170×75 / 180×80



■ MALIBU NEO
with bath screen LLVB+LLV2



recommended accessories
legs EXCLUSIVE or VARIO
page 231



BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI

MALIBU NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
MALIBU NEO 160	9200000	1600×750	200	S	377 €
MALIBU NEO 170	9190000	1700×750	210	S	404 €
MALIBU NEO 180	9180000	1795×795	220	S	431 €
Front PANEL 160	9310001	1600×560	–	S	195 €
Front PANEL 170	9330001	1700×560	–	S	216 €
Front PANEL 180	9180001	1800×580	–	S	216 €
Side PANEL 75	9330002	750×560	–	S	168 €
Side PANEL 80	9180002	800×580	–	S	168 €

MALIBU NEO	L	W	H	G	D	R	P	S	E	F	F1	Z
1595x750	1595	750	430	330	1010	40	560	375	1480	630	60	255
1695x750	1695	750	465	320	1150	40	560	445	1590	630	60	255
1795x795	1795	795	465	330	1210	40	580	465	1680	670	60	270

KUBIC NEO

rectangular acrylic bathtub



120×70 / 130×70



recommended accessories
legs EXCLUSIVE or VARIO
page 231



BV2, TV1, TV2, SWING,
PXV1, SCREEN MINI



KUBIC NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
KUBIC NEO 120	9350000	1200×700	145	S	264 €
KUBIC NEO 130	9360000	1300×700	160	S	280 €

KUBIC NEO	L	W	H	G	D	R	S	E	F	Z
1195×695	1195	695	435	330	670	40	400	1060	560	290
1295×695	1295	695	435	330	770	40	400	1160	560	290

KUBIC

rectangular acrylic bathtub

190×90



recommended accessories
legs EXCLUSIVE or VARIO
page 231





BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI



KUBIC 190

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
KUBIC 190	9390000	1900×900	220	S	412 €



Bathtubs

acrylic

SAVONA NEO

rectangular acrylic bathtub

170×80 / 180×80



recommended accessories
legs EXCLUSIVE or VARIO
page 231





BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI



SAVONA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
SAVONA NEO 170	9290000	1700×800	190	S	399 €
SAVONA NEO 180	9280000	1800×800	200	S	412 €

SAVONA NEO	L	W	H	G	D	R	S	F1	F2	Z
1700×800	1700	800	440	350	1140	40	580	60	90	265
1800×800	1800	800	440	350	1240	40	580	60	90	265



VANESSA NEO

rectangular acrylic bathtub

140×70 / 150×70 / 160×70 / 170×70



recommended accessories
legs EXCLUSIVE or VARIO
page 231




BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI




VANESSA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
VANESSA NEO 140	9550000	1400×700	150	S	248 €
VANESSA NEO 150	9560000	1500×700	155	S	269 €
VANESSA NEO 160	9570000	1600×700	160	S	296 €
VANESSA NEO 170	9580000	1700×700	165	S	323 €
Front PANEL 140	9550001	1400×530	-	S	145 €
Front PANEL 150	8930001	1500×530	-	S	152 €
Front PANEL 160	8940001	1600×530	-	S	158 €
Front PANEL 170	8950001	1700×530	-	S	165 €
Side PANEL 70	8930002	700×530	-	S	111 €

■ front panel for VANESSA NEO bathtub



■ side panel for VANESSA NEO bathtub



VANESSA NEO	L	W	H	G	D	R	P	S	E	F	Z
1395x695	1395	695	435	330	870	40	530	380	1270	560	270
1495x695	1495	695	435	330	970	40	530	380	1370	560	270
1595x695	1595	695	435	330	1070	40	530	380	1470	560	270
1695x695	1695	695	435	330	1170	40	530	380	1570	510	270

Bathtubs

acrylic

ACTIVA

asymmetric corner acrylic bathtub

150×90 / 160×90 / 170×90



recommended accessories
legs EXCLUSIVE or VARIO
page 231



BV2, TZVL(P)2, TV1, TV2,
SWING, PXV1, SCREEN MINI




ACTIVA

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
ACTIVA 150 (L)	8410000	1500×900	200	S	383 €
ACTIVA 150 (P)	8400000	1500×900	200	S	383 €
ACTIVA 160 (L)	8430000	1600×900	210	S	404 €
ACTIVA 160 (P)	8420000	1600×900	210	S	404 €
ACTIVA 170 (L)	8170000	1700×900	280	S	431 €
ACTIVA 170 (P)	8180000	1700×900	280	S	431 €
Front PANEL 150	8400001	height=580	–	S	246 €
Front PANEL 160	8420001	height=580	–	S	253 €
Front PANEL 170	8170001	height=580	–	S	263 €



■ panel for ACTIVA bathtub



ACTIVA	L	W	H	G	G1	D	R	P	L1	E	F	Z	Z1	Z2
1495×895	1495	895	465	330	240	1000	45	580	800	1430	570	210	340	230
1595×895	1595	895	465	330	240	1200	45	580	850	1500	570	210	340	230
1695×895	1695	895	475	330	240	1250	45	580	950	1570	570	210	340	230

MINI

asymmetric corner acrylic bathtub


160×70



recommended accessories
legs EXCLUSIVE or VARIO
page 231



PXV1, SCREEN MINI



(L) (P)

MINI

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
MINI 160x70 (L)	N-8000073	1600x700	210	S	226 €
MINI 160x70 (P)	N-8000074	1600x700	210	S	226 €


EVA SIDE

asymmetric corner acrylic bathtub

150×80




recommended accessories
legs EXCLUSIVE or VARIO
page 231



(L) (P)

EVA SIDE

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
EVA SIDE 150x80 (L)	9780000	1500x800	200	S	380 €
EVA SIDE 150x80 (P)	9790000	1500x800	200	S	380 €
Front PANEL 150 (L)	9780001	height=540	-	S	189 €
Front PANEL 150 (P)	9790001	height=540	-	S	189 €
Side PANEL 55	9780002	height=540	-	S	162 €



(L) (P)

Bathtubs

acrylic

ISABELLA NEO

asymmetric corner acrylic bathtub

170×110





recommended accessories
legs EXCLUSIVE or VARIO
page 231



ISABELLA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
ISABELLA NEO 170 (L)	9700000	1700×1100	240	S	533 €
ISABELLA NEO 170 (P)	9710000	1700×1100	240	S	533 €
front PANEL 170 (L)	9700001	height=570	–	S	242 €
front PANEL 170 (P)	9710001	height=570	–	S	242 €

■ panel for ISABELLA NEO bathtub



HARMONIA

asymmetric corner acrylic bathtub

150×95 / 160×95





recommended accessories
legs EXCLUSIVE or VARIO
page 231



HARMONIA

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
HARMONIA 150 (L)	9800000	1500×950	200	S	391 €
HARMONIA 150 (P)	9810000	1500×950	200	S	391 €
HARMONIA 160 (L)	9820000	1600×950	225	S	434 €
HARMONIA 160 (P)	9830000	1600×950	225	S	434 €
Front PANEL 150	9800001	height=560	–	S	202 €
Front PANEL 160	9820001	height=560	–	S	202 €

HARMONIA	L	W	H	G	D	R	P	S	E	Z1	Z2
1495×950	1495	950	450	330	1050	40	560	440	1390	905	515
1595×950	1595	950	470	335	1205	40	560	475	1490	965	515



ACTIVA NEO


spacious asymmetric corner bathtub

150×90 / 160×90 / 170×90



recommended accessories
legs EXCLUSIVE or VARIO
page 231

ACTIVA NEO					
type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
ACTIVA NEO 150 (L)	9840000	1500×900	210	S	356 €
ACTIVA NEO 150 (P)	9850000	1500×900	210	S	356 €
ACTIVA NEO 160 (L)	9860000	1600×900	215	S	376 €
ACTIVA NEO 160 (P)	9870000	1600×900	215	S	376 €
ACTIVA NEO 170 (L)	9880000	1700×900	230	S	412 €
ACTIVA NEO 170 (P)	9890000	1700×900	230	S	412 €
Front PANEL 150	9840001	height=570	-	S	232 €
Front PANEL 160	9860001	height=570	-	S	273 €
Front PANEL 170	9880001	height=570	-	S	279 €



New design of ACTIVA NEO bathtub provides maximum space to enjoy a comfortable bath even in smaller bathrooms!

ACTIVA NEO	L	W1	W	H	G	D	R	P	L1	E	F	Z	Z1	Z2
1500×900	1500	900	800	460	350	1000	40	570	850	1380	560	530	300	550
1600×900	1600	900	800	460	350	1100	40	570	980	1480	560	530	300	550
1700×900	1600	900	800	460	350	1150	40	570	1060	1580	560	530	300	550

Bathtubs

acrylic

KUBIC ASYMMETRIC

asymmetric corner acrylic bathtub

160×103 / 170×110




recommended accessories
legs EXCLUSIVE or VARIO
page 231



KUBIC ASYMMETRIC

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
KUBIC ASYMMETRIC 160 (L)	9660000	1600×1030	220	S	431 €
KUBIC ASYMMETRIC 160 (P)	9670000	1600×1030	220	S	431 €
KUBIC ASYMMETRIC 170 (L)	9680000	1700×1100	240	S	501 €
KUBIC ASYMMETRIC 170 (P)	9690000	1700×1100	240	S	501 €
Front PANEL 160	9660001	height=520	–	S	253 €
Front PANEL 170	9680001	height=520	–	S	264 €

KUBIC ASYM.	L	W	H	G	D	R	P	E	F	F2	F3
1595×1025	1595	1025	450	320	950	50	520	1450	870	630	500
1695×1095	1695	1095	450	320	1050	50	520	1550	940	700	570



AMORE

rectangular acrylic bathtub for two persons

180×120



we recommend to order
2 x set of legs EXCLUSIVE
or VARIO page 231




BV2, TZVL(P)2, TV1, TV2,
SWING, PXV2, PXVB, PXV1,
LLV2, LLVB, SCREEN MINI



AMORE

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
AMORE	9720000	1800×1200	300	S	862 €
Front PANEL 180	9720001	1800×580	–	S	186 €
Side PANEL 120	9720002	1200×580	–	S	162 €



FLORA NEO


corner acrylic bathtub



recommended accessories
legs EXCLUSIVE or VARIO
page 231

FLORA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
FLORA NEO 120	9590000	1200x1200	140	S	431 €
Front PANEL 120	9590001	height=520	-	S	202 €



recommended accessories
legs EXCLUSIVE or VARIO
page 231


SABRINA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
SABRINA NEO 140	9620000	1400x1400	250	S	431 €
SABRINA NEO 150	9630000	1500x1500	320	S	485 €
Front PANEL 140	9620001	height=570	-	S	202 €
Front PANEL 150	9630001	height=570	-	S	202 €

SABRINA NEO

corner acrylic bathtub


140x140 / 150x150




SABRINA NEO	L	A	B	H	G	D	R	P	S	E	Z
1395x1395	1395	1410	1950	480	320	990	40	570	630	1370	1150
1495x1495	1495	1540	2100	480	320	1100	40	570	750	1600	1310

Bath screens

Do you need a practical bath screen? Fixed, with sliding door, opening or folding?
Just pick ...



■ CI 2PR



■ CI BAF



■ LLVB + LLV2

Bath screens

practical supplement

convenient assembly
with pre-installed hinges

NEW



■ AC BAE - Chrome

AC BAE

bath screen with a both-way opening

- height of the screen up to 1 700 mm
- we deliver the product as a **custom solution**, made exactly for your space
- RothETC glass surface treatment against the limescale



6 mm ESG Tempered glass
Transparent




Colour
Chrome / Black / Gold brushed

AC BAE (custom-made bath screen with a both-way opening)

type	screen width (y)	height (h)	colour	glass	delivery method	Price
AC BAE AT1150	up to 1000 mm	up to 1500*	chrome	transparent	Z	1 334 €
AC BAE AT2170	up to 1000 mm	up to 1700*	chrome	transparent	Z	1 598 €
AC BAE AT1150	up to 1000 mm	up to 1500*	black	transparent	Z	1 334 €
AC BAE AT2170	up to 1000 mm	up to 1700*	black	transparent	Z	1 598 €
AC BAE AT1150	up to 1000 mm	up to 1500*	gold brushed	transparent	Z	1 466 €
AC BAE AT2170	up to 1000 mm	up to 1700*	gold brushed	transparent	Z	1 760 €

Optional surcharged cutouts, slopes, and other glass types. / h* - maximum glass height without anchoring elements

■ AC BAE




■ AC BAE / left


■ AC BAE / right

- The hinge for connection to the wall enables both-sided opening thanks to the 180° action radius.

! The product is CUSTOM-MADE specifically for your situation, so it is necessary to measure the space well and specify the order in terms of determining the product variants, their required dimensions within the possible range according to the table, determining the side (left and right variants) and any other requirements. The resulting price is calculated individually by the merchant.



3 variants of the colour design to choose from



NEW

AC BAF

bath screen with a both-way opening and a fixed part

- we deliver the product as a **custom solution**, made exactly for your space
- height of the screen up to 1 700 mm
- RothETC glass surface treatment against the limescale



8 + 6 mm ESG Tempered glass
Transparent
8 mm fixed glass + 6 mm door glass




Colour
Chrome / Black / Gold brushed

AC BAF (custom-made bath screen with a both-way opening and a fixed part)

type	screen width (y)	height (h)	colour	glass	delivery method	Price
AC BAF AT1150	up to 1500 mm	up to 1500*	chrome	transparent	Z	1 736 €
AC BAF AT2170	up to 1500 mm	up to 1700*	chrome	transparent	Z	2 084 €
AC BAF AT1150	up to 1500 mm	up to 1500*	black	transparent	Z	1 736 €
AC BAF AT2170	up to 1500 mm	up to 1700*	black	transparent	Z	2 084 €
AC BAF AT1150	up to 1500 mm	up to 1500*	gold brushed	transparent	Z	1 912 €
AC BAF AT2170	up to 1500 mm	up to 1700*	gold brushed	transparent	Z	2 295 €


Optional surcharged cutouts, slopes, and other glass types. / h* - maximum glass height without anchoring elements

■ AC BAF




■ Bath screen AC BAF - Black

■ AC BAE / left



■ AC BAE / right




! The product is CUSTOM-MADE specifically for your situation, so it is necessary to measure the space well and specify the order in terms of determining the product variants, their required dimensions within the possible range according to the table, determining the side (left and right variants) and any other requirements. The resulting price is calculated individually by the merchant.

Bath screens

practical supplement

easy maintenance thanks
to the minimum of profiles



CI BAE

bath screen with a both-way opening

- both-way opening - inside / outside
- newly available variants
in Black elox colour
- RothETC glass surface treatment
against the limescale



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



CI BAE (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method	Price
CI BAE/750	CI BAE 075150 VPE	740-765	1502*	665	brilliant	transparent	0	318 €
CI BAE/750	CI BAE 075150 NPE	740-765	1502*	665	black elox	transparent	0	318 €

h* - height including supporting elements



CI BAE (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI BAE	up to 1000 mm	up to 1500 mm	brilliant / black elox	transparent	Z	366 €
CI BAE	up to 1000 mm	up to 1500 mm	brilliant / black elox	rauch	Z	398 €
CI BAE	up to 1000 mm	up to 1500 mm	brilliant / black elox	satinato	Z	413 €



■ CI BAE

universal LEFT and RIGHT solution



■ Lifting mechanism for easy opening
in polished aluminium - Brilliant

innovated lifting mechanism for opening



CI BAF

bath screen with a both-way opening and a fixed part

- minimalist design without frame
- newly available variants in Black elox colour
- both-way opening



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant / Black elox



CI BAF (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c)	width (s)	profile	glass	delivery method	Price
CI BAF/1000	CI BAF 110150 VPE	990-1015	1523*	570	420-445	brilliant	transparent	0	392 €
CI BAF/1000	CI BAF 110150 NPE	990-1015	1523*	570	420-445	black elox	transparent	0	392 €

h* - height including supporting elements


CI BAF (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI BAF	up to 1800 mm	up to 1500 mm	brilliant / black elox	transparent	Z	451 €
CI BAF	up to 1800 mm	up to 1500 mm	brilliant / black elox	rauch	Z	490 €
CI BAF	up to 1800 mm	up to 1500 mm	brilliant / black elox	satinato	Z	510 €



CI BAF

universal LEFT and RIGHT solution



■ Stable support bar of the fixed part - Black elox



CI 2PL / CI 2PR

folding bath screen
with a pivot wall system

- profile with quality lifting mechanism for easy opening
- door hinges are embedded from inside to the glass level for better convenience when cleaning
- RothETC glass surface treatment against the limescale



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant





CI 2PL / CI 2PR (folding bath screen)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method	Price
CI 2PL/1000	CI 2PL 100150 VPE	980-1005	1502*	446	459	brillant	transparent	0	510 €
CI 2PL/1200	CI 2PL 120150 VPE	1180-1205	1502*	546	559	brillant	transparent	0	531 €
CI 2PR/1000	CI 2PR 100150 VPE	980-1005	1502*	446	459	brillant	transparent	0	510 €
CI 2PR/1200	CI 2PR 120150 VPE	1180-1205	1502*	546	559	brillant	transparent	0	531 €

h* - height including supporting elements

CI 2PL / CI 2PR (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
CI 2PL / CI 2PR	up to 1600 mm	up to 1500 mm	brillant	transparent	Z	611 €
CI 2PL / CI 2PR	up to 1600 mm	up to 1500 mm	brillant	rauch	Z	664 €
CI 2PL / CI 2PR	up to 1600 mm	up to 1500 mm	brillant	satinato	Z	690 €



■ Design hinge in chrome finish



Choose the right **bath screen** for your bathroom, thanks to which not a drop will fall on the floor when showering. The bathtub screen is an ideal solution in the bathroom, if you also use your bathtub for showering. Roth safety glass screens are not only practical, but also nicely designed. You can also choose from many types, such as with sliding doors and a fixed side wall or with opening on both sides.



■ Bathtub KUBIC NEO with bath screen TZVP2

Bath screens

practical supplement

practical solution
for comfortable relaxation



TZVL2 / TZVP2

**folding bath screen
with a swivel wall system**

- profile with quality lifting mechanism for easy opening
- RothETC glass surface treatment against the limescale
- door hinges are embedded from inside to the glass level for better convenience when cleaning



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant



TZVL2 / TZVP2 (folding bath screen)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method	Price
TZVL2/1000	742-100000L-00-02	990–1005	1400*	520	420	brilliant	transparent	0	488 €
TZVP2/1000	742-100000P-00-02	990–1005	1400*	520	420	brilliant	transparent	0	488 €
TZVL2/1100	742-110000L-00-02	1090–1105	1400*	570	470	brilliant	transparent	0	512 €
TZVP2/1100	742-110000P-00-02	1090–1105	1400*	570	470	brilliant	transparent	0	512 €
TZVL2/1200	742-120000L-00-02	1190–1205	1400*	620	520	brilliant	transparent	0	554 €
TZVP2/1200	742-120000P-00-02	1190–1205	1400*	620	520	brilliant	transparent	0	554 €


h* - height including supporting elements

TZVL2 / TZVP2 (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method	Price
TZVL(P)2	up to 1600 mm	up to 1500 mm	brilliant	transparent	Z	637 €



■ TZVL2



■ TZVP2



■ Door hinges in chrome surface finishing

stability
and easy maintenance



TV2

bath screen with a both-way opening and a fixed part

- minimalist design without frame
- safety glass with RothETC treatment
- both-way opening



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

TV2 (bath screen with a both-way opening and a fixed part)

type	ordering No.	installation width (y)	height (h)	width (s)	width (c)	profile	glass	delivery method	Price
TV2	732-9700000-00-02	970–980	1427*	430	540	brilliant	transparent	S	321 €

h* - height including supporting elements





TV2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TV2	up to 1800 mm	up to 1500 mm	brilliant	transparent	Z	369 €
TV2	up to 1800 mm	up to 1500 mm	brilliant	chinchilla	Z	401 €
TV2	up to 1800 mm	up to 1500 mm	brilliant	rauch	Z	401 €
TV2	up to 1800 mm	up to 1500 mm	brilliant	satinato	Z	417 €



■ TV2 - universal LEFT and RIGHT solution



■ Lifting mechanism for easy opening

Bath screens

practical supplement

simple line
in elegant concept



TV1

bath screen with a both-way opening

- elegant frameless solution
- RothETC glass surface treatment against the limescale
- extended 5-years warranty
- universal left / right solution



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Silver (Elox)



TV1 (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method	Price
TV1/700	706-7000000-00-02	670-685	1400	620	brilliant	transparent	S	312 €
TV1/700	706-7000000-01-02	670-685	1400	620	silver	transparent	S	296 €
TV1/750	706-7500000-00-02	720-735	1400	670	brilliant	transparent	S	323 €
TV1/750	706-7500000-01-02	720-735	1400	670	silver	transparent	S	312 €
TV1/800	706-8000000-00-02	770-785	1400	720	brilliant	transparent	S	350 €
TV1/800	706-8000000-01-02	770-785	1400	720	silver	transparent	S	337 €

h* - height including supporting elements


TV1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	transparent	Z	403 €
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	chinchilla*	Z	438 €
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	rauch	Z	438 €
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	satinato*	Z	455 €


* in the CHINCHILLA and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions



■ TV1 - universal LEFT and RIGHT solution



■ Handle with chrome surface finishing



design and functional
solution to every bathroom



SWING

bath screen with a both-way opening

- design of frameless bath screen
- safety glass with RothETC treatment
- lifting mechanism



6 mm ESG Tempered glass
Transparent




Profile colour
Brilliant / Silver (Elox)



SWING (bath screen with a both-way opening)


type	ordering No.	installation width (y)	height (h)	width (c1)	profile	glass	delivery method	Price
SWING/850	657-8500000-00-02	855-870	1400	805	brilliant	transparent	S	521 €
SWING/850	657-8500000-01-02	855-870	1400	805	silver	transparent	S	503 €

h* - height including supporting elements



- Both-way screen opening saves the space

- **SWING** - universal LEFT and RIGHT solution





SCREEN MINI

bath screen with a both-way opening

- profile with quality lifting mechanism for easy opening
- RothETC glass surface treatment against the limescale
- extended 5-years warranty



8 mm ESG Tempered glass
Transparent




Profile colour
Brillant

SCREEN MINI (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method	Price
SCREEN MINI	217-7000000-00-09	660	1 400	635	brilliant	transparent	S	275 €



■ SCREEN MINI - universal LEFT and RIGHT solution



- Quality polished hinges for improved stability



solution for your bathroom
in a simple design



PXV1

fixed bath screen

- safety glass with RothETC treatment
- brace with a chrome surface finish
- extended 5-years warranty



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



PXV1 (fixed bath screen)


type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method	Price
PXV1/700	453-7000000-00-02	635-660	1517*	—	brilliant	transparent	S	236 €
PXV1/750	453-7500000-00-02	685-710	1517*	—	brilliant	transparent	S	251 €
PXV1/800	453-8000000-00-02	735-760	1517*	—	brilliant	transparent	O	257 €

h* - height including supporting elements

PXV1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
PXV1	up to 1200 mm	up to 1500 mm	brilliant	transparent	Z	296 €

■ **PXV1** - universal LEFT and RIGHT solution



■ The brace in a chrome finish ensures perfect stability

Bath screens


practical supplement

precise processing
attention to detail

PXV2L / PXV2P

bath screen with sliding door

- aluminium profiles and ball bearing rollers
- RothETC glass surface treatment
- all installation options:
along the wall, to a corner or to a niche



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



PXV2L / PXV2P (bath screen with sliding door)



type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
PXV2L/1500	451-150000L-00-02	1480–1530	1500	600	brilliant	transparent	0	425 €
PXV2P/1500	451-150000P-00-02	1480–1530	1500	600	brilliant	transparent	0	425 €
PXV2L/1600	451-160000L-00-02	1580–1630	1500	650	brilliant	transparent	0	437 €
PXV2P/1600	451-160000P-00-02	1580–1630	1500	650	brilliant	transparent	0	437 €
PXV2L/1700	451-170000L-00-02	1680–1730	1500	700	brilliant	transparent	0	449 €
PXV2P/1700	451-170000P-00-02	1680–1730	1500	700	brilliant	transparent	0	449 €
PXV2L/1800	451-180000L-00-02	1780–1830	1500	750	brilliant	transparent	0	461 €
PXV2P/1800	451-180000P-00-02	1780–1830	1500	750	brilliant	transparent	0	461 €

PXV2L / PXV2P (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
PXV2L(P)2	up to 1800 mm	up to 1500 mm	brilliant	transparent	Z	530 €

■ PXV2L

■ PXV2P



■ Multifunctional towel holder on the fixed glass

functionality and originality
for everyone



PXVB

bath side panel for PXV2L / PXV2P

- safety glass with RothETC treatment
- standard height 1 500 mm



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant



PXVB (side panel)


type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
PXVB/700	452-7000000-00-02	680–705	1500	brilliant	transparent	0	195 €
PXVB/750	452-7500000-00-02	730–755	1500	brilliant	transparent	0	210 €
PXVB/800	452-8000000-00-02	780–805	1500	brilliant	transparent	0	221 €

PXVB (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method	Price
PXVB	do 900 mm	up to 1500 mm	brilliant	transparent	Z	254 €

- **PXVB** - universal LEFT and RIGHT solution

■ **PXV2L + PXVB**



■ **PXVB + PXV2L + PXVB**



■ **PXVB + PXV2P + PXVB**



Bath screens

practical supplement

polished profiles
and quality rollers



LLV2

bath screen with sliding door

- aluminium profiles and ball bearing rollers
- RothETC glass surface treatment
- all installation options:
along the wall, to a corner or to a niche



5 + 4 mm ESG Tempered glass
Transparent
5 mm door glass + 4 mm fixed panel



Profile colour
Brillant

LLV2 (bath screen with sliding door)



type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
LLV2/1200	572-1200000-00-02	1170–1205	1500	485	brilliant	transparent	S	446 €
LLV2/1400	572-1400000-00-02	1370–1405	1500	585	brilliant	transparent	S	461 €
LLV2/1500	572-1500000-00-02	1470–1505	1500	585	brilliant	transparent	S	476 €
LLV2/1600	572-1600000-00-02	1570–1605	1500	685	brilliant	transparent	S	491 €

LLV2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LLV2	up to 1800 mm	up to 1500 mm	brilliant	transparent	Z	565 €




■ LLV2 - universal LEFT and RIGHT solution



■ Handle underlines the decent design of the series

technical solution
underlines the style



LLVB

bath side panel for LLV2

- safety glass with RothETC treatment
- standard height 1 500 mm



5 + 4 mm ESG Tempered glass
Transparent
5 mm door glass + 4 mm fixed panel



Profile colour
Brilliant



LLVB (side panel)


type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
LLVB/700	573-7000000-00-02	679-705	1500	brilliant	transparent	S	245 €
LLVB/750	573-7500000-00-02	729-755	1500	brilliant	transparent	S	260 €
LLVB/800	573-8000000-00-02	779-805	1500	brilliant	transparent	S	275 €
LLVB/900	573-9000000-00-02	879-905	1500	brilliant	transparent	S	290 €

LLVB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method	Price
LLVB	do 900 mm	up to 1500 mm	brilliant	transparent	Z	333 €

- **LLVB** - universal LEFT and RIGHT solution

■ LLV2 + LLVB







■ LLVB + LLV2 + LLVB



Accessories
for trays and bathtubs

Shower tray siphons



■ chrome-plastic Ø 50/60





■ chrome-plastic Ø 90

■ metal lux Ø 90

■ reduced chrome plastic Ø 90

Shower tray siphons

type	ordering No.	delivery method	Price
SHOWER TRAY SIPHON - CHROME-PLASTIC Ø 50/60	8100002	S	16 €
SHOWER TRAY SIPHON - CHROME-PLASTIC Ø 90	8100016	S	25 €
SHOWER TRAY SIPHON - METAL LUX Ø 90	8100021	S	38 €
SHOWER TRAY SIPHON REDUCED - CHROME-PLASTIC Ø 90	8100034	S	25 €
SHOWER TRAY SIPHON - ST. STEEL GRID Ø 50/60	8100000	S	14 €
SHOWER TRAY SIPHON - WHITE PLASTIC Ø 50/60	8100001	S	14 €
SHOWER TRAY SIPHON - ST. STEEL GRID Ø 90	8100014	S	19 €
SHOWER TRAY SIPHON - WHITE PLASTIC Ø 90	8100015	S	21 €




■ st. steel grid Ø 50/60

■ white plastic Ø 50/60

■ st. steel grid Ø 90

■ white plastic Ø 90

Bathtub siphons



Bathtub siphons

type	ordering No.	delivery method	Price
BATHTUB SIPHON COMPLETE - METAL (L=570 mm)	8100011	S	40 €
BATHTUB SIPHON WITH AN OVERFLOW FILLING (L=570 mm)	8100022	S	156 €

Bathtub legs EXCLUSIVE

Recommended as a supporting element to ensure a simple way to level the bathtub before its sub-walling and cladding. Part of the leg package is also a set of mounts for fixing the bathtub to the wall.

Legs adjustability: 12–18 cm



Bathtub legs

type	ordering No.	delivery method	Price
BATHTUB LEGS EXCLUSIVE	5139300	S	25 €

Bathtub legs VARIO

To make it easier to position the bathtub, we now offer VARIO bathtub legs with a wider range of adjustability. You can simply level the bathtub before its sub-walling and cladding.. Part of the leg package is also a set of mounts for fixing the bathtub to the wall.

Legs adjustability: 10–21 cm



Bathtub legs

type	ordering No.	delivery method	Price
BATHTUB LEGS VARIO	5140100	S	23 €

Mounting kit for shower trays

Tray sealing system recommended by a producer.

CONTENTS: silicone sealant PROFI – 310ml
covering strip 2x100 cm
self adhesive plastic foam belt
mounting instructions



Mounting kit

type	ordering No.	delivery method	Price
MOUNTING KIT FOR TRAYS	8010142	S	38 €

Special cleaners for surfaces care

Recommended agents for cleaning and renewing the surface of shower trays and bathtubs with regard to their material.
SOLID SURFACE CLEANER - designed for cast marble surfaces
ACRYLIC CLEANER - designed for acrylic shower trays and bathtubs


VOLUME: 500 ml



Cleaner for shower trays and bathtubs

type	ordering No.	delivery method	Price
SOLID SURFACE CLEANER	5139820	S	25 €
ACRYLIC CLEANER	5139830	S	25 €

Vinata®
shower cabines



CORNER

NICHE

Vinata®

Safe, comfortable and carefree solutions
for every generation

Vinata is designed specifically for the needs of people who no longer want to repeat the lengthy renovation of the bathroom while still wanting to replace the old bathtub with a safe and easily accessible shower. And all this without demanding construction work.

The cabine is a closed solution, so you just need to build it and connect it to the already established water and waste connection. Quality shower Hansgrohe set is part of the shower cabine.



Mounting
in 1 day only



High
safety



Equipment
Hansgrohe

Vinata®

comfortable



extra flat shower tray - height 3 cm
sliding doors with entry width 44.5-69.5 cm *

* according to the size of the complete cabine

Comfortable and Safe

shower cabine, which will appreciate not only seniors



Installation

- Corner or niche installation options
- Possibility to install the tray directly on the tiles (floor)
- Supporting adjustable legs are included, including a cover system



Vinata® Comfort

- Complete shower cabine with sliding doors
- Height - 2160 mm
- Width - 4 variants from 1200 to 1700 mm
- Depth - 3 variants from 700 to 900 mm
- Cast marble tray with certified non-slip finish and low step on edge (30 mm)
- Hansgrohe shower set - thermostatic faucet, height-adjustable holder, hand shower, shelf
- Solid Safe Handle 2 pcs (for 1200 mm - 1 piece)
- 6 mm safety glass back panels in two colors White / Anthracite
- 6 mm safety glass sliding door in two designs Transparent / Flow
- All glasses are coated with **RothETC** for better protection against limescale
- As standard: practical footrest shelf ideal for legs or foot care in the shower
- Optional: Arsis seat set with spacious seat in White / Anthracite



■ Glass design FLOW

Vinata® comfortable

Vinata® Spirit

- Complete shower cabine with sliding doors
- Height - 2160 mm
- Width - 4 variants from 1200 to 1700 mm
- Depth - 3 variants from 700 to 900 mm
- Cast marble tray with low step on edge - 30 mm
- Complete Hansgrohe shower set
thermostatic faucet, height-adjustable holder,
hand shower, shelf
- Solid Safe Handle 2 pcs
(for 1200 mm - 1 piece)
- 6 mm safety glass back panels
in two colors White / Anthracite
- 6 mm safety glass sliding door
in two designs Transparent / Flow
- All glasses are coated with **RothETC**
for better protection against limescale



Installation

- Corner or niche installation options
- Possibility to install the tray directly on the tiles (floor)
- Supporting adjustable legs are included, including
a cover system



**Comfortable
shower cabine**
for the whole
family




■ Glass design FLOW



Specifications	Comfort	Spirit
Glass sliding door in Transparent or Flow design	✓	✓
Back glass walls in White or Anthracite	✓	✓
Sliding doors and rear walls treated with anti-scale RothETC	✓	✓
All glasses made from safety glass ESG - thickness 6 mm	✓	✓
Cast marble tray with low step on edge - 30 mm	✓	✓
Shower tray surface with certified anti-slip finish	✓	-
Solid internal handles in chrome finish 2 pcs (for model 1200 mm - 1 piece)	✓	-
Shower set with thermostatic faucet Croma Select E	✓	✓
Options for installation in a corner or for installation in a niche	✓	✓
3 variants of width from 1200 to 1700 mm	✓	✓
3 variants of depth from 700 to 900 mm	✓	✓
"Footrest" shelf Pellet	✓	-
Foldable shower seat - optional	✓*	-

* must be ordered separately



Vinata®

equipment / accessories



Complete Hansgrohe shower set

- Hand shower, shower thermostat, shower hose, slider, soap shelf
- Hand shower Croma Select E
- Adjustable head shower angle, current type - Rain
- Thermostat Ecostat Universal
- Safety lock at 40 ° C

Handles



- Elegant and design shape
- Elliptical tube for better grip (38 x 25 mm)
- Corrosion resistant
- The primary material is aluminum in brilliant finishing

Practical shelf

- Ideal for taking care of your legs or feet in the shower: no risk of slipping!
- It can be easily released to allow mounting of the ARSIS seat
- Multifunctional: also used for hygiene products
- Made of White / Anthracite polymer



ARSIS seat

- Cast 450 mm White or Anthracite Polymer Seat
- Aluminum construction (tube Ø 25 mm)
Locking position, lock resistant to unintentional movement
- Can be disconnected from the wall holder
for easy cleaning
- Innovative and unique product:
can be released to allow the shelf to be mounted
- Large seat with elegant design for maximum comfort
- An ideal concept for conversion of shower
into a safe area



Vinata® Comfort - corner


Technical specifications + price list



■ Technical specification Vinata® Comfort - corner

Height* [mm]	Dimension [mm]	ESG back Walls - White Sliding Door - Transparent		ESG back Walls - White Sliding Door - Flow		ESG back Walls - Anthracite Sliding Door - Transparent		ESG back Walls - Anthracite Sliding Door - Flow	
		Ordering number	Price	Ordering number	Price	Ordering number	Price	Ordering number	Price
2160	1160 x 677	1416000297	4 103 €	1416000764	4 151 €	1416000299	4 103 €	1416000765	4 151 €
2160	1160 x 777	1416000301	4 224 €	1416000766	4 273 €	1416000303	4 224 €	1416000767	4 273 €
2160	1160 x 877	1416000305	4 346 €	1416000768	4 394 €	1416000307	4 346 €	1416000769	4 394 €
2160	1360 x 677	1416000309	4 240 €	1416000770	4 289 €	1416000311	4 240 €	1416000771	4 289 €
2160	1360 x 777	1416000313	4 362 €	1416000772	4 410 €	1416000315	4 362 €	1416000773	4 410 €
2160	1360 x 877	1416000013	4 483 €	1416000774	4 532 €	1416000016	4 483 €	1416000775	4 532 €
2160	1560 x 677	1416000317	4 487 €	1416000776	4 536 €	1416000319	4 487 €	1416000777	4 536 €
2160	1560 x 777	1416000321	4 609 €	1416000778	4 657 €	1416000323	4 609 €	1416000779	4 657 €
2160	1560 x 877	1416000325	4 730 €	1416000780	4 779 €	1416000327	4 730 €	1416000781	4 779 €
2160	1660 x 677	1416000329	4 609 €	1416000782	4 657 €	1416000331	4 609 €	1416000783	4 657 €
2160	1660 x 777	1416000333	4 730 €	1416000784	4 779 €	1416000335	4 730 €	1416000785	4 779 €
2160	1660 x 877	1416000337	4 852 €	1416000786	4 900 €	1416000339	4 852 €	1416000787	4 900 €

* from the bottom of the tray to the top of the shower



Dimension	X	Y	E	F	G1	G2	A	B
1160 x 677	1160	677	445	475	1160	-	1185-1410	717-927
1360 x 677	1360	677	545	675	850	510	1385-1610	717-927
1560 x 677	1560	677	645	875	850	710	1585-1810	717-927
1660 x 677	1660	677	695	975	850	810	1685-1910	717-927
1160 x 777	1160	777	445	475	1160	-	1185-1410	817-1027
1360 x 777	1360	777	545	675	850	510	1385-1610	817-1027
1560 x 777	1560	777	645	875	850	710	1585-1810	817-1027
1660 x 777	1660	777	695	975	850	810	1685-1910	817-1027
1160 x 877	1160	877	445	475	1160	-	1185-1410	917-1127
1360 x 877	1360	877	545	675	850	510	1385-1610	917-1127
1560 x 877	1560	877	645	875	850	710	1585-1810	917-1127
1660 x 877	1660	877	695	975	850	810	1685-1910	917-1127

Vinata® Comfort - niche



Technical specifications + price list



■ Technical specification Vinata® Comfort - niche

Height* [mm]	Dimension [mm]	ESG back Walls - White Sliding Door - Transparent		ESG back Walls - White Sliding Door - Flow		ESG back Walls - Anthracite Sliding Door - Transparent		ESG back Walls - Anthracite Sliding Door - Flow	
		Ordering number	Price	Ordering number	Price	Ordering number	Price	Ordering number	Price
2160	1160 x 677	1416000341	4 184 €	1416000788	4 232 €	1416000343	4 184 €	1416000789	4 232 €
2160	1160 x 777	1416000345	4 305 €	1416000790	4 354 €	1416000347	4 305 €	1416000791	4 354 €
2160	1160 x 877	1416000349	4 427 €	1416000792	4 475 €	1416000351	4 427 €	1416000793	4 475 €
2160	1360 x 677	1416000353	4 321 €	1416000794	4 370 €	1416000355	4 321 €	1416000795	4 370 €
2160	1360 x 777	1416000357	4 443 €	1416000796	4 491 €	1416000359	4 443 €	1416000797	4 491 €
2160	1360 x 877	1416000361	4 564 €	1416000798	4 613 €	1416000363	4 564 €	1416000799	4 613 €
2160	1560 x 677	1416000365	4 568 €	1416000800	4 617 €	1416000367	4 568 €	1416000801	4 617 €
2160	1560 x 777	1416000369	4 690 €	1416000802	4 738 €	1416000371	4 690 €	1416000803	4 738 €
2160	1560 x 877	1416000373	4 811 €	1416000804	4 860 €	1416000375	4 811 €	1416000805	4 860 €
2160	1660 x 677	1416000377	4 690 €	1416000806	4 738 €	1416000379	4 690 €	1416000807	4 738 €
2160	1660 x 777	1416000381	4 811 €	1416000808	4 860 €	1416000383	4 811 €	1416000809	4 860 €
2160	1660 x 877	1416000385	4 933 €	1416000810	4 981 €	1416000387	4 933 €	1416000811	4 981 €

* from the bottom of the tray to the top of the shower



Dimension	X	Y	E	F	G1	G2	A	B
1160 x 677	1160	677	445	475	1160	-	1210-1660	717-927
1360 x 677	1360	677	545	675	850	510	1410-1860	717-927
1560 x 677	1560	677	645	875	850	710	1610-2060	717-927
1660 x 677	1660	677	695	975	850	810	1710-2160	717-927
1160 x 777	1160	777	445	475	1160	-	1210-1660	817-1027
1360 x 777	1360	777	545	675	850	510	1410-1860	817-1027
1560 x 777	1560	777	645	875	850	710	1610-2060	817-1027
1660 x 777	1660	777	695	975	850	810	1710-2160	817-1027
1160 x 877	1160	877	445	475	1160	-	1210-1660	917-1127
1360 x 877	1360	877	545	675	850	510	1410-1860	917-1127
1560 x 877	1560	877	645	875	850	710	1610-2060	917-1127
1660 x 877	1660	877	695	975	850	810	1710-2160	917-1127

Vinata® Spirit - corner


Technical specifications + price list



■ Technical specification Vinata® Spirit - corner

Height* [mm]	Dimension [mm]	ESG back Walls - White Sliding Door - Transparent		ESG back Walls - White Sliding Door - Flow		ESG back Walls - Anthracite Sliding Door - Transparent		ESG back Walls - Anthracite Sliding Door - Flow	
		Ordering number	Price	Ordering number	Price	Ordering number	Price	Ordering number	Price
2160	1160 x 677	1416000003	3 382 €	1416000620	3 430 €	1416000005	3 382 €	1416000621	3 430 €
2160	1160 x 777	1416000007	3 503 €	1416000622	3 552 €	1416000009	3 503 €	1416000623	3 552 €
2160	1160 x 877	1416000021	3 625 €	1416000624	3 673 €	1416000023	3 625 €	1416000625	3 673 €
2160	1360 x 677	1416000025	3 519 €	1416000626	3 568 €	1416000027	3 519 €	1416000627	3 568 €
2160	1360 x 777	1416000029	3 641 €	1416000628	3 689 €	1416000031	3 641 €	1416000629	3 689 €
2160	1360 x 877	1416000010	3 762 €	1416000630	3 811 €	1416000012	3 762 €	1416000631	3 811 €
2160	1560 x 677	1416000033	3 766 €	1416000632	3 815 €	1416000035	3 766 €	1416000633	3 815 €
2160	1560 x 777	1416000037	3 888 €	1416000634	3 936 €	1416000039	3 888 €	1416000635	3 936 €
2160	1560 x 877	1416000041	4 009 €	1416000636	4 058 €	1416000043	4 009 €	1416000637	4 058 €
2160	1660 x 677	1416000045	3 888 €	1416000638	3 936 €	1416000047	3 888 €	1416000639	3 936 €
2160	1660 x 777	1416000049	4 009 €	1416000640	4 058 €	1416000051	4 009 €	1416000641	4 058 €
2160	1660 x 877	1416000053	4 131 €	1416000642	4 179 €	1416000055	4 131 €	1416000643	4 179 €

* from the bottom of the tray to the top of the shower



Dimension	X	Y	E	F	G1	G2	A	B
1160 x 677	1160	677	445	475	1160	-	1185-1410	717-927
1360 x 677	1360	677	545	675	850	510	1385-1610	717-927
1560 x 677	1560	677	645	875	850	710	1585-1810	717-927
1660 x 677	1660	677	695	975	850	810	1685-1910	717-927
1160 x 777	1160	777	445	475	1160	-	1185-1410	817-1027
1360 x 777	1360	777	545	675	850	510	1385-1610	817-1027
1560 x 777	1560	777	645	875	850	710	1585-1810	817-1027
1660 x 777	1660	777	695	975	850	810	1685-1910	817-1027
1160 x 877	1160	877	445	475	1160	-	1185-1410	917-1127
1360 x 877	1360	877	545	675	850	510	1385-1610	917-1127
1560 x 877	1560	877	645	875	850	710	1585-1810	917-1127
1660 x 877	1660	877	695	975	850	810	1685-1910	917-1127

Vinata® Spirit - niche



Technical specifications + price list



■ Technical specification Vinata® Spirit - niche

Height* [mm]	Dimension [mm]	ESG back Walls - White Sliding Door - Transparent		ESG back Walls - White Sliding Door - Flow		ESG back Walls - Anthracite Sliding Door - Transparent		ESG back Walls - Anthracite Sliding Door - Flow	
		Ordering number	Price	Ordering number	Price	Ordering number	Price	Ordering number	Price
2160	1160 x 677	1416000057	3 463 €	1416000644	3 511 €	1416000059	3 463 €	1416000645	3 511 €
2160	1160 x 777	1416000061	3 584 €	1416000646	3 633 €	1416000063	3 584 €	1416000647	3 633 €
2160	1160 x 877	1416000065	3 706 €	1416000648	3 754 €	1416000067	3 706 €	1416000649	3 754 €
2160	1360 x 677	1416000069	3 600 €	1416000650	3 649 €	1416000071	3 600 €	1416000651	3 649 €
2160	1360 x 777	1416000073	3 722 €	1416000652	3 770 €	1416000075	3 722 €	1416000653	3 770 €
2160	1360 x 877	1416000077	3 843 €	1416000654	3 892 €	1416000079	3 843 €	1416000655	3 892 €
2160	1560 x 677	1416000081	3 847 €	1416000656	3 896 €	1416000083	3 847 €	1416000657	3 896 €
2160	1560 x 777	1416000085	3 969 €	1416000658	4 017 €	1416000087	3 969 €	1416000659	4 017 €
2160	1560 x 877	1416000089	4 090 €	1416000660	4 139 €	1416000091	4 090 €	1416000661	4 139 €
2160	1660 x 677	1416000093	3 969 €	1416000662	4 017 €	1416000095	3 969 €	1416000663	4 017 €
2160	1660 x 777	1416000097	4 090 €	1416000664	4 139 €	1416000099	4 090 €	1416000665	4 139 €
2160	1660 x 877	1416000101	4 212 €	1416000666	4 260 €	1416000103	4 212 €	1416000667	4 260 €

* from the bottom of the tray to the top of the shower




Dimension	X	Y	E	F	G1	G2	A	B
1160 x 677	1160	677	445	475	1160	-	1210-1660	717-927
1360 x 677	1360	677	545	675	850	510	1410-1860	717-927
1560 x 677	1560	677	645	875	850	710	1610-2060	717-927
1660 x 677	1660	677	695	975	850	810	1710-2160	717-927
1160 x 777	1160	777	445	475	1160	-	1210-1660	817-1027
1360 x 777	1360	777	545	675	850	510	1410-1860	817-1027
1560 x 777	1560	777	645	875	850	710	1610-2060	817-1027
1660 x 777	1660	777	695	975	850	810	1710-2160	817-1027
1160 x 877	1160	877	445	475	1160	-	1210-1660	917-1127
1360 x 877	1360	877	545	675	850	510	1410-1860	917-1127
1560 x 877	1560	877	645	875	850	710	1610-2060	917-1127
1660 x 877	1660	877	695	975	850	810	1710-2160	917-1127

Vinata® Comfort - accessories

Technical specifications + price list

■ Technical specifications Vinata® seat

Vinata® Comfort folding seat Roth			
Color	Dimension	Ordering number	Price
WHITE	442 × 450 × 500	1135009092	502 €
ANHTRACITE	442 × 450 × 500	1135009093	502 €



■ **Vinata® seat** - must be ordered separately, available only for **Vinata® Comfort**



Vipanel
cladding panels

Inspiration
for individual
bathroom design

VIPANEL

Roth has been an expert in the bathroom industry for over 50 years and we are pleased to introduce our new VIPANEL wall panels, which easily adjust the shower area and bathroom in both new and refurbished areas.



Easy
installation



11 different
decors



Lightweight and durable
aluminium composite panels



VIPANEL

**Make the old shower area a new
quickly and easily!**

- > for new construction and reconstruction
- > jointless cladding - easy maintenance
- > gives a new look to old tiles





■ Roth Vipanel - modern and innovative

Today's bathrooms are individually oriented towards their users. Whether it's the size of the room, its equipment or the overall look. With the new Roth Vipanel design boards, you can create your resting place easily and precisely by your ideas.

Large-format boards are lightweight and easy to stick to the wall. Whether on existing tiles for modernization and partial renovation, or directly on plaster (plasterboard) in new buildings.

There are no creative limits with Vipanel. So you can easily bring architectural and life trends into your bathroom.



VIPANEL


cladding panels in wood decor



Wood - Oak



Wood - Maple



Wood - Teak

- easy-care aluminum composite panels guarantee perfect tightness of the walls
- you can choose from three attractive wood decors

■ Vipanel is very easy to clean thanks to its surface finish and in conjunction with jointless panel laying creates a perfectly clean environment for your shower space or the entire bathroom

■ Technical specifications Vipanel WOOD

Width [mm]	Height [mm]	Thickness [mm]	Area [m ²]	WOOD OAK E014238-00		WOOD MAPLE E013002-01		WOOD TEAK E016075-01	
				Ordering No.	Price	Ordering No.	Price	Ordering No.	Price
1000	2100	3	2,100	1420000000	302 €	1420000009	302 €	1420000005	302 €
1500	2550	3	3,825	1420000003	412 €	1420000011	412 €	1420000007	412 €


goods IN STOCK

delivery at the earliest possible date



• possibility of using the finishing bars

dimensions:
(L) 1000 × (H) 2100 mm
(L) 1500 × (H) 2550 mm




board thickness 3 mm



Wood - Oak


Wood - Maple

Wood - Teak



VIPANEL

cladding panels in stone decor



- with concrete decors you can easily replace large-format tiles
- we emphasize the design of patterns and surface textures that are indistinguishable from real materials thanks to special 3D technology

■ Technical specifications Vipanel STONE

Width [mm]	Height [mm]	Thickness [mm]	Area [m ²]	STONE BEIGE E017035-00		STONE GREY E017035-02		STONE BLACK E017088-05	
				Ordering No.	Price	Ordering No.	Price	Ordering No.	Price
1000	2100	3	2,100	1420000037	302 €	1420000033	302 €	1420000041	302 €
1500	2550	3	3,825	1420000039	412 €	1420000035	412 €	1420000043	412 €

goods IN STOCK


delivery at the earliest possible date



jointless
panel laying

• possibility of using the finishing bars

dimensions:
(L) 1000 × (H) 2100 mm
(L) 1500 × (H) 2550 mm




board thickness 3 mm

Stone - Beige

Stone - Grey

Stone - Black



VIPANEL


cladding panels in concrete decor



Concrete - Black



Concrete - Anthracite



Concrete - Grey

- the modern screed design can be easily transferred to your bathroom, with a choice of three shades
- Vipanel easily adapts to all bathroom configurations and offers a clean and jointless design thanks to installation with no profile

■ Technical specifications Vipanel CONCRETE

Width [mm]	Height [mm]	Thickness [mm]	Area [m ²]	CONCRETE BLACK E016076-02		CONCRETE ANTHRACITE E016077-01		CONCRETE GREY E014140-00	
				Ordering No.	Price	Ordering No.	Price	Ordering No.	Price
1000	2100	3	2,100	1420000029	302 €	1420000025	302 €	1420000021	302 €
1500	2550	3	3,825	1420000031	412 €	1420000027	412 €	1420000023	412 €


goods IN STOCK

delivery at the earliest possible date



- possibility of using the finishing bars

dimensions:
(L) 1000 × (H) 2100 mm
(L) 1500 × (H) 2550 mm



board thickness 3 mm



Concrete - Black

Concrete - Anthracite

Concrete - Grey



VIPANEL

cladding panels in marble decor



Marble - Beige



Marble - White

- construction boards have a thickness of three millimetres and are available in heights of 2100 and 2550 millimetres and widths of 1000 and 1500 millimetres
- the dimensions are easy to cut to any size, giving you a distinctive look of your bathroom
- by installation in a corner shower, niche, space above the bathtub, behind a shower or sink you will save your time and money

■ Technical specifications Vipanel MARBLE

Width [mm]	Height [mm]	Thickness [mm]	Area [m ²]	MARBLE BEIGE E017004-01		MARBLE WHITE E13073-00	
				Ordering No.	Price	Ordering No.	Price
1000	2100	3	2,100	1420000017	302 €	1420000013	302 €
1500	2550	3	3,825	1420000019	412 €	1420000015	412 €

goods IN STOCK


delivery at the earliest possible date



jointless
panel laying

• possibility of using the finishing bars

dimensions:
(L) 1000 × (H) 2100 mm
(L) 1500 × (H) 2550 mm




board thickness 3 mm







Marble - Beige


Marble - White



Vipanel


accessories

	Description	Dimensions	Colour	Accessories	
				Ordering No.	Price
1	 <p>Finishing profile for 3 mm thick panels</p>	height (length) 2550 mm	Gloss " brillant"	PM FIN 2550 03 V	19 €
2	 <p>Inner corner profile 90° angle for 3 mm thick panels</p>	height (length) 2550 mm	Gloss " brillant"	PM INT 2550 03 V	24 €
3	 <p>Outer corner profile 90° angle for 3 mm thick panels</p>	height (length) 2550 mm	Gloss " brillant"	PM EXT 2550 03 V	24 €
4	 <p>Connecting profile for 3 mm thick panels</p>	height (length) 2550 mm	Gloss " brillant"	PM LIA 2550 03 V	24 €
	 <p>Connecting steel plate a tool for ensuring a perfect jointless connection of two boards without the connection profile</p>	height (length) 3000 mm width 100 mm thickness 1 mm	natural	1420000050	57 €
	 <p>Magnetic clip a tool for ensuring a perfect jointless connection of two boards using a steel plate</p>	—	—	1420000049	84 €



Connecting steel plate

a tool for ensuring
a perfect jointless
connection of two boards



Outer edge

created after milling
the V-shaped groove
on the back of the board



Technical data sheet Vipanel

Material

- Aluminum composite panel with two 0.2 mm thick cladding layers and LDPE polyethylene core
- Weight 3,80 kg / m² (3 mm)
- Temperature resistance from -50° C to +80° C
- Water absorption 0,01 % according to DIN 53495
- Fire classification class B2 according to DIN 4102-1
- High bending strength and dimensional stability

Working

Roth Vipanel can be machined using the usual tools for working with wood and metal (jigsaw, circular saw, cordless screwdriver with steel drill, top cutter, etc.)



WATERPROOF



RESISTANCE

Technical data / Mechanical properties

board thickness (total)	3 [mm]
thickness of cladding layer (aluminum)	0,2 - 0,3 [mm]
bending strength	865 [kNm ² /m]
modulus of elasticity	70 000 [N/mm ²]
linear expansion coefficient	2,4 [mm/m/100°C]
water absorption according to DIN 53495	0,01 [%]
weight	3,8 [kg/m ²]
tensile strength of the cover plate	RP 0,2 > 200 [N/mm ²]

DIN 53495

DIN 68861

EI TWF


large frameless shower screen



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



■ universal LEFT and RIGHT solution

EI TWF (large frameless shower screen)

type	ordering No. Brilliant version	ordering No. Black elox version	installation width (y)	height (h)	profile	glass	delivery method	Price
EI TWF/800	EI TWF 08020 VPE	EI TWF 08020 NPE	770-790	2007*	brilliant	transparent	S	216 €
EI TWF/900	EI TWF 09020 VPE	EI TWF 09020 NPE	870-890	2007*	brilliant	transparent	S	240 €
EI TWF/1000	EI TWF 10020 VPE	EI TWF 10020 NPE	970-990	2007*	brilliant	transparent	S	264 €
EI TWF/1200	EI TWF 12020 VPE	EI TWF 12020 NPE	1170-1190	2007*	brilliant	transparent	S	289 €
EI TWF/1400	EI TWF 14020 VPE	EI TWF 14020 NPE	1370-1390	2007*	brilliant	transparent	S	337 €

h* - height including supporting elements

NEW



■ **EI TWF - Black elox**



■ Support bar in Chrom / Brilliant finish
(maximum length 1 200 mm)



■ Flexible support bar allows the setting of different angles and can solve the wall inaccuracies

EI TWA

folding part to product EI TWF in Brillant version



■ TWF + TWA

the short folding part serves as a screen
against water splashes



■ TWF + TWA

EI TWP



telescopic strut for mounting to the ceiling



■ TWF + TWP

■ Telescopic stabilizing element mounted to the ceiling designed for the EI TWF shower screen - maximum strut height 3000 mm

■ EI TWF + EI TWA - universal LEFT and RIGHT solution



6 mm ESG Tempered glass
Transparent



Profile colour
Brillant

EI TWA / EI TWP

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
EI TWA/400	EI TWA 04020 VPE	390	2000	brilliant	transparent	S	120 €
EI TWP	EI TWP 3000 VE	—	max 3000 mm	brilliant	—	S	72 €



The EI TWP telescopic strut can also be used for self standing side panels with 6 mm safety glass - we therefore recommend it in combination with the following products: TBD, TBS, PXV1

Project Line

project solutions

NEW

ARDIS


quadrant shower enclosure
with single opening door



6 mm ESG Tempered glass
Transparent + Printing



Profile colour
Brilliant



JANDIS

quadrant shower enclosure
with single opening door


- R - standard radius R550
- Universal LEFT and RIGHT solution



6 mm ESG Tempered glass
Transparent



Profile colour
Black elox



ARDIS / JANDIS

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
ARDIS 800	N0798	770-790	1950	640	brilliant	printing	S	332 €
ARDIS 900	N0799	870-890	1950	640	brilliant	printing	S	344 €
JANDIS 800	N0800	770-790	1950	640	black elox	transparent	S	314 €
JANDIS 900	N0801	870-890	1950	640	black elox	transparent	S	326 €


TALDIS / MUNDIS

lowered quadrant shower enclosure
with two sliding doors for combination
with SEMIDEEP NEO or VIKI LUX shower trays


- R - standard radius R550
- Ball bearing rollers with bottom tilt function



5 mm ESG Tempered glass
Matt glass / Tweed



Profile colour
Brilliant



■ Tweed glass with embossed pattern

■ Matt glass with embossed pattern

TALDIS / MUNDIS

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
TALDIS 800	N0802	770-790	1650	400	brilliant	matt glass	S	284 €
TALDIS 900	N0803	870-890	1650	524	brilliant	matt glass	S	300 €
MUNDIS 800	N0804	770-790	1650	400	brilliant	tweed	S	354 €
MUNDIS 900	N0805	870-890	1650	524	brilliant	tweed	S	370 €

NEW



- Design of the handle

Project Line


project solutions

NEW

ALBIS

quadrant shower enclosure
with two sliding doors

- R - standard radius R550
- Ball bearing rollers with bottom tilt function



5 mm ESG Tempered glass
Transparent / Matt glass / Tweed




Profile colour
Brillant



SUNDIS

square shower enclosure
with two sliding doors

- Ball bearing rollers with bottom tilt function



5 mm ESG Tempered glass
Transparent / Matt glass / Tweed



Profile colour
Brillant




ALBIS / SUNDIS

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
ALBIS 800	N0776	770-790	1900	400	brillant	transparent	S	298 €
ALBIS 900	N0777	870-890	1900	524	brillant	transparent	S	317 €
ALBIS TWEED 800	N0790	770-790	1900	400	brillant	tweed	S	362 €
ALBIS TWEED 900	N0791	870-890	1900	524	brillant	tweed	S	378 €
ALBIS MATT 800	N0792	770-790	1900	400	brillant	matt glass	S	324 €
ALBIS MATT 900	N0793	870-890	1900	524	brillant	matt glass	S	340 €
SUNDIS 800	N0778	770-790	1900	423	brillant	transparent	S	296 €
SUNDIS 900	N0779	870-890	1900	494	brillant	transparent	S	314 €
SUNDIS TWEED 800	N0794	770-790	1900	423	brillant	tweed	S	360 €
SUNDIS TWEED 900	N0795	870-890	1900	494	brillant	tweed	S	376 €
SUNDIS MATT 800	N0796	770-790	1900	423	brillant	matt glass	S	322 €
SUNDIS MATT 900	N0797	870-890	1900	494	brillant	matt glass	S	338 €



■ Embossed Tweed glass



■ Embossed Matt glass


ALBIS BLACK

**quadrant shower enclosure
with two sliding doors**

- R - standard radius R550
- Ball bearing rollers with bottom tilt function



5 mm ESG Tempered glass
Transparent



Profile colour
Black elox



SUNDIS BLACK

**square shower enclosure
with two sliding doors**


- Ball bearing rollers with bottom tilt function



5 mm ESG Tempered glass
Transparent



Profile colour
Black elox




ALBIS BLACK / SUNDIS BLACK

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method	Price
ALBIS BLACK 800	N0786	770-790	1900	400	black elox	transparent	S	314 €
ALBIS BLACK 900	N0787	870-890	1900	524	black elox	transparent	S	334 €
SUNDIS BLACK 800	N0788	770-790	1900	423	black elox	transparent	S	312 €
SUNDIS BLACK 900	N0789	870-890	1900	494	black elox	transparent	S	332 €

NEW

Project Line

project solutions



OBR2


quadrant shower enclosure with two sliding doors



6 mm ESG Tempered glass
Transparent




Profile colour
Brilliant



OBR2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBR2/800	4000701	775–790	1850	440	brilliant	transparent	S	351 €
OBR2/900	4000702	875–890	1850	540	brilliant	transparent	S	379 €

Ball bearing rollers with bottom tilt function / Standard radius: R 550 mm



OBS2

square shower enclosure with two sliding doors



6 mm ESG Tempered glass
Transparent




Profile colour
Brilliant



OBS2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBS2/800	4000703	775–790	1850	480	brilliant	transparent	S	353 €
OBS2/900	4000704	875–890	1850	480	brilliant	transparent	S	382 €

Ball bearing rollers with bottom tilt function



Project Line

project solutions

OBD2


sliding shower door to niche or for combination with a side panel OBB



6 mm ESG Tempered glass
Transparent




Profile colour
Brilliant



OBD2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBD2/1000	4000705	980–1010	1850	390	brilliant	transparent	S	267 €
OBD2/1200	4000706	1180–1210	1850	490	brilliant	transparent	S	299 €
OBD2/1400	4000707	1380–1410	1850	590	brilliant	transparent	S	331 €

Ball bearing rollers with bottom tilt function / Universal LEFT and RIGHT solution



OBDO1

single opening door to a niche or for combination with a side panel OBB



6 mm ESG Tempered glass
Transparent




Profile colour
Brilliant



OBDO1

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBDO1/800	4000708	780–810	1850	520	brilliant	transparent	S	250 €
OBDO1/900	4000709	880–910	1850	620	brilliant	transparent	S	269 €
OBDO1/1000	4000710	980–1010	1850	720	brilliant	transparent	S	287 €

Universal LEFT and RIGHT solution



OBB

side panel for combination with OBD2 or OBDO1 door



6 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

- Installation width with OBD2 or OBDO1


Combination	Installation width
OBD2/1000+OBB	985-1000
OBD2/1200+OBB	1185-1200
OBD2/1400+OBB	1385-1400
OBDO1/800+OBB	785-800
OBDO1/900+OBB	885-900
OBDO1/1000+OBB	985-1000



OBB

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBB/800	4000711	785-800	1850	—	brilliant	transparent	S	169 €
OBB/900	4000712	885-900	1850	—	brilliant	transparent	S	184 €

Universal LEFT and RIGHT solution / OBB cannot be used as a self-standing side panel



Variants with black profile

OBZD2 / OBZB

sliding shower door to niche or for combination with a side panel OBZB



Project Line

project solutions

OBZD2


sliding shower door to niche or for combination with a side panel OBZB



8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox



OBZD2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBZD2/1200	4000713	1180–1220	1950	490	brilliant	transparent	S	399 €
OBZD2/1200	4000800	1180–1220	1950	490	black elox	transparent	S	452 €
OBZD2/1400	4000714	1380–1420	1950	590	brilliant	transparent	S	438 €
OBZD2/1400	4000801	1380–1420	1950	590	black elox	transparent	S	495 €

Universal LEFT and RIGHT solution



OBZB

side panel for combination with OBZD2



8 mm ESG Tempered glass
Transparent



Profile colour
Brilliant / Black elox

■ Installation width with OBZD2

Combination	Installation width
OBZD2/1200+OBZB	1190-1210
OBZD2/1400+OBZB	1390-1410



■ OBZD2 + OBZB



■ OBZB

OBZB

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
OBZB/800	4000715	780–800	1950	—	brilliant	transparent	S	202 €
OBZB/800	4000802	780–800	1950	—	black elox	transparent	S	226 €
OBZB/900	4000716	880–900	1950	—	brilliant	transparent	S	222 €
OBZB/900	4000803	880–900	1950	—	black elox	transparent	S	248 €

Universal LEFT and RIGHT solution / OBZB cannot be used as a self-standing side panel

LD3 / LSB

sliding shower door for niche installation
or for combination with a side panel LSB



3 mm ESG Tempered glass

Grape


3 mm polystyrol **Damp**



Profile colour

White


■ LD3 - universal LEFT and RIGHT solution



LD3 (sliding shower door) / LSB (side panel)

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method	Price
LD3/800	215-8000000-04-04	760-820	1800	400	white	damp	S	250 €
LD3/800	215-8000000-04-11	760-820	1800	400	white	grape	S	267 €
LD3/900	215-9000000-04-04	880-940	1800	480	white	damp	S	264 €
LD3/900	215-9000000-04-11	880-940	1800	480	white	grape	S	284 €
LD3/950	215-9500000-04-04	940-1000	1800	520	white	damp	S	274 €
LD3/950	215-9500000-04-11	940-1000	1800	520	white	grape	S	334 €
LSB/750	216-7500000-04-04	740-800	1800	—	white	damp	0	126 €
LSB/750	216-7500000-04-11	740-800	1800	—	white	grape	0	152 €
LSB/850	216-8500000-04-04	800-860	1800	—	white	damp	0	142 €
LSB/850	216-8500000-04-11	800-860	1800	—	white	grape	0	171 €
LSB/900	216-9000000-04-04	860-920	1800	—	white	damp	S	158 €
LSB/900	216-9000000-04-11	860-920	1800	—	white	grape	0	190 €

* LSB cannot be used as a self-standing side panel




Project Line

project solutions

DREAM-P

quadrant self-supporting shower tray
made of coextruded shell with GREENSIR support

80x80 / 90x90



■ DREAM-P shower trays are delivered with a siphon drain

DREAM-P


DREAM-P	L	W	H	S1	S2	W1	R	Ø
800x800	800	800	125	230	170	250	550	60
900x900	900	900	125	230	190	350	550	60

type	ordering No.	dimension (mm)	delivery method	Price
DREAM-P 800	8000099	800x800x125, R550	S	144 €
DREAM-P 900	8000030	900x900x125, R550	S	168 €

DREAM FLAT

FLAT quadrant shower tray made of coextruded shell with GREENSIR support

80x80 / 90x90



DREAM FLAT


DREAM FLAT	L	W	H	S1	S2	W1	R	Ø
800x800	800	800	60	230	170	250	550	60
900x900	900	900	60	230	190	350	550	60

type	ordering No.	dimension (mm)	delivery method	Price
DREAM FLAT 800	8000284	800x800x60, R550	S	132 €
DREAM FLAT 900	8000285	900x900x60, R550	S	144 €

ALOHA-P

square self-supporting shower tray
made of coextruded shell with GREENSIR support

80x80 / 90x90



■ ALOHA-P shower trays are delivered with a siphon drain

ALOHA-P


ALOHA-P	L	W	H	S1	S2	Ø
800x800	800	800	125	200	195	60
900x900	900	900	125	185	180	60

type	ordering No.	dimension (mm)	delivery method	Price
ALOHA-P 800	8000148	800x800x125	S	132 €
ALOHA-P 900	8000149	900x900x125	S	156 €

ALOHA FLAT

FLAT square shower tray made of coextruded shell with GREENSIR support

80x80 / 90x90



ALOHA FLAT


ALOHA FLAT	L	W	H	S1	S2	Ø
800x800	800	800	60	200	195	60
900x900	900	900	60	185	180	60

type	ordering No.	dimension (mm)	delivery method	Price
ALOHA FLAT 800	8000282	800x800x60	S	132 €
ALOHA FLAT 900	8000283	900x900x60	S	144 €

SEMIDEEP NEO

semideep quadrant self-supporting shower tray
reinforced with a GREENSIR technology

80x80 / 90x90



SEMIDEEP NEO

type	ordering No.	dimension (mm)	description	delivery method	Price
SEMIDEEP NEO 800	8000197	800x800x290	self-supporting tray - monobloc	S	219 €
SEMIDEEP NEO 900	8000198	900x900x300	self-supporting tray - monobloc	S	240 €


- Delivered as MONOBLOC (with mounts to the wall)
- The package includes a DREAM-P siphon drain

- Height of tray: 290 (300) mm
- Depth of tray: 200 mm

VIKI LUX

deep quadrant shower tray
reinforced with a GREENSIR technology

80x80 / 90x90



VIKI LUX

type	ordering No.	dimension (mm)	description	delivery method	Price
VIKI LUX 800	8000047	800x800x480	deep tray, adjustable legs, removable front panel	S	361 €
VIKI LUX 900	8000046	900x900x480	deep tray, adjustable legs, removable front panel	S	385 €
TRAY SIPHON VIKI	8100009	-	siphon with a plastic plug	S	13 €
TRAY SIPHON VIKI LUX	8100033	-	siphon Click Clack - CHROME	S	47 €



CLASSIC PRO

rectangular acrylic bathtub

150×70 / 160×70 / 170×70



recommended accessories
legs EXCLUSIVE or VARIO
page 231




SCREEN, SCREEN PRO



CLASSIC PRO

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
CLASSIC PRO 150	9040000	1500×700	150	S	216 €
CLASSIC PRO 160	9050000	1600×700	160	S	226 €
CLASSIC PRO 170	9060000	1700×700	170	S	257 €

CLASSIC PRO	L	W	H	G	D	R	S	E	F	Z
1495×695	1495	695	390	295	1080	35	450	1350	555	235
1595×695	1595	695	395	300	1170	35	440	1435	545	230
1695×695	1695	695	390	295	1240	35	420	1540	540	250



SALVIA

rectangular acrylic bathtub

170×75



recommended accessories
legs EXCLUSIVE or VARIO
page 231




SCREEN, SCREEN PRO



SALVIA

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
SALVIA 170	5241000	1700×750	170	S	264 €

SALVIA	L	W	H	G	D	R	S	E	F	Z
1700×750	1700	750	405	315	1210	40	440	1565	615	280



Project Line

project solutions

TULLIP

asymmetric corner acrylic bathtub

150×100 / 160×100





recommended accessories
legs EXCLUSIVE or VARIO
page 231



TULLIP

type	ordering No.	dimension (mm)	volume (l)	delivery method	Price
TULLIP 150 (L)	5157000	1500×1000	200	S	274 €
TULLIP 150 (P)	5158000	1500×1000	200	S	274 €
TULLIP 160 (L)	5159000	1600×1000	210	S	277 €
TULLIP 160 (P)	5161000	1600×1000	210	S	277 €
Front PANEL 150 (L)	5157002	height=570	–	S	252 €
Front PANEL 150 (P)	5157001	height=570	–	S	252 €
Front PANEL 160 (L)	5159002	height=570	–	S	261 €
Front PANEL 160 (P)	5159001	height=570	–	S	261 €

TULLIP	L	W	H	G	W1	D	R	P	E	Z1	Z2
1495×995	1495	995	460	330	700	1100	35	570	1390	1050	350
1595×995	1595	995	460	335	700	1200	35	570	1490	1120	350



SCREEN


bath screen with a both-way opening



6 mm ESG Tempered glass
Pattern



Profile colour
White



SCREEN PRO


bath screen with a both-way opening



4 mm ESG Tempered glass
Transparent




Profile colour
White



SCREEN / SCREEN PRO

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method	Price
SCREEN	4000222	750	1300	bílá	pattern	S	115 €
SCREEN PRO	4000688	810	1400	bílá	transparent	S	108 €



■ Universal LEFT and RIGHT solution

SIMPLE

basic quadrant model of the shower box



4 mm ESG Tempered glass
Transparent



Profile colour
White



- mechanical lever faucet
 - spacing of water supply 150 mm
- sliding doors and shower complete
- self-supporting shower tray with siphon
- rear panels in Green Satinato colour

SIMPLE

type	ordering No.	dimensions	profile	glass	delivery method	Price
SIMPLE 800	4000248	800×800×2050	white	transparent	S	510 €
SIMPLE 900	4000249	900×900×2050	white	transparent	S	539 €

SIMPLE SQUARE

basic square model of the shower box



4 mm ESG Tempered glass
Transparent



Profile colour
White



- mechanical lever faucet
 - spacing of water supply 150 mm
- sliding doors and shower complete
- self-supporting shower tray with siphon
- rear panels in Green Satinato colour

SIMPLE SQUARE

type	ordering No.	dimensions	profile	glass	delivery method	Price
SIMPLE SQUARE 800	4000692	800×800×2050	white	transparent	S	546 €
SIMPLE SQUARE 900	4000693	900×900×2050	white	transparent	S	594 €

TECHNICAL SPECIFICATIONS:

size for outlet connection: 40mm

size for faucet connection: 1/2"

water supply pressure: 1,8–3 bar



LANETA

basic quadrant model of the shower box with sliding doors

NEW



5 mm ESG Tempered glass
Transparent



Profile colour
Black

- mechanical lever faucet and shower set with adjustable hand shower holder
- top cover with overhead shower, shelf
- sliding doors with bottom tilt function
- shower tray (height 150 mm) with siphon (diameter 90 mm)
- rear panels in White colour



LANETA

type	ordering No.	dimensions	profile	glass	delivery method	Price
LANETA 900	4000875	900x900x2190	black	transparent	S	611 €

MARINE

basic square model of the shower box with sliding doors

NEW



5 mm ESG Tempered glass
Transparent



Profile colour
Black

- mechanical lever faucet and shower set with adjustable hand shower holder
- top cover with overhead shower, shelf
- sliding doors with bottom tilt function
- shower tray (height 150 mm) with siphon (diameter 90 m)
- rear panels in White colour



MARINE

type	ordering No.	dimensions	profile	glass	delivery method	Price
MARINE 900	4000876	900x900x2190	black	transparent	S	618 €

TECHNICAL SPECIFICATIONS:

size for outlet connection: 40mm
size for faucet connection: 1/2"
water supply pressure: 1,8-3 bar



LUCIDUS ROUND

NEW

quadrant shower box with two sliding doors



4 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

- massage shower panel with hand shower and shelf
- ESG glass top cover with overhead shower
- sliding doors with bottom tilt function
- **LOCK system** for easy and **silicone-free installation**
- shower tray (height 150 mm) with siphon (diameter 90 m)
- rear panels in White colour



LUCIDUS ROUND

type	ordering No.	dimensions	profile	glass	delivery method	Price
LUCIDUS ROUND 900	4000897	900x900x2150	brillant	transparent	S	666 €

LUCIDUS SQUARE

NEW

square shower box with two sliding doors



4 mm ESG Tempered glass
Transparent



Profile colour
Brilliant

- massage shower panel with hand shower and shelf
- ESG glass top cover with overhead shower
- sliding doors with bottom tilt function
- **LOCK system** for easy and **silicone-free installation**
- shower tray (height 150 mm) with siphon (diameter 90 m)
- rear panels in White colour



LUCIDUS SQUARE

type	ordering No.	dimensions	profile	glass	delivery method	Price
LUCIDUS SQUARE 900	4000898	900x900x2150	brillant	transparent	S	686 €

TECHNICAL SPECIFICATIONS:

size for outlet connection: 40mm
size for faucet connection: 1/2"
water supply pressure: 1,8–3 bar



FLORIDA

1020×220

- shower set, handheld shower
- head shower, rod with sliding holder

FLORIDA COMBI

1070×220

- shower set with faucet - spacing 150 mm
- handheld shower, head shower
- rod with sliding holder

FLORIDA / FLORIDA COMBI

type	ordering No.	dimensions	delivery method	Price
FLORIDA	4000321	1020×220	0	119 €
FLORIDA COMBI	4000322	1070×220	0	171 €



SELMA

1020×221

- shower set, handheld shower
- head shower, rod with sliding holder

SELMA COMBI

1070×210

- shower set with faucet - spacing 150 mm
- handheld shower, head shower
- rod with sliding holder

SELMA / SELMA COMBI

type	ordering No.	dimensions	delivery method	Price
SELMA	4000323	1020×210	0	108 €
SELMA COMBI	4000324	1070×210	0	156 €

GENERAL INFORMATION

XXX-XXXXXX-XX-XX



ORDERING NUMBER

723-8000000-01-02

shower enclosure	TR2/800
finishing	Silver / Transparent

TERMS AND CONDITIONS

Prices are recommended, set by valid price list for a given period. Delivery times are agreed individually according to the particular business cases. For standard products, delivery times are listed for each type in the table (see explanatory notes).

Explanatory notes

Delivery method:	
S	items in STOCK - delivery in the earliest possible date
O	items to ORDER - delivery time should not exceed 21 working days
Z	CUSTOMIZED - delivery time should not exceed 35 working days

MAINTENANCE OF SHOWER ENCLOSURES



Shower enclosures and shower cabins in standard versions are used to prevent splashing water in bathroom spaces. In order to maintain the satisfactory and proper function of it, it is necessary to maintain the products regularly. The maintenance of shower enclosures is very easy. Shower enclosures and cabins are possible to be maintained by recommended Roth Czech common cleaning detergents which do not include abrasive elements (as sand, grinded marmor etc). These hard elements cause unrecoverable damage to the glass and on the painted surfaces of metal parts. Avoid contact with concentrated acids, high concentration detergents, volatile substances and alcohol as well as detergents with a high rate of chloral, concentrated essences for the bath and different colour concentrates.

It is necessary for the moving parts of shower enclosures to be regularly greased by water adhesive greases (water vaseline or commonly used silicone creams). This is necessary to do in accordance with the frequency and conditions of usage of the shower enclosure. Minimally once or twice per month.

CONSTRUCTION OF SHOWER ENCLOSURES

Shower enclosures and screens are designed for normal use. For usage by permanently or temporarily disabled people it is necessary to consult with a producer in advance.

TIGHTNESS OF SHOWER ENCLOSURES

From the perspective of tightness is possible to split products in two categories:



FRAME SOLUTION

■ PROXIMA, LEGA, PROJECT

Roth Czech guarantees maximum tightness during normal use of the shower and hydromassage equipment.



FRAMELESS SOLUTION

■ ALINA, HITECH NEO, MELINA, WALK IN, ELEGANT NEO, CARIBA, TOWER, AMBIENT, LIMAYA

Roth Czech guarantees sufficient tightness during normal use of the shower and hydromassage equipment. But does not guarantee the water penetration, if the critical areas are exposed to a continuous direct stream of water.

MAINTENANCE OF ACRYLIC PRODUCTS

Material from which the bathtubs and shower trays are produced is smooth and shiny in the entire structure and thanks to its properties there are very small deposits of microbes and dirt. Therefore we recommend just wiping the bath with a wet cloth using common household detergents. Avoid the use of abrasive elements. Avoid contact with concentrated acids, chloral and materials as alcohol, acetones etc. as well as with concentrates of perfume essences and colour concentrates. Bathtubs and shower trays should never be installed to fixed bricking, the product has to be removable (in upper direction) without any construction impacts!!!

Maximum weight resistance of bathtubs and shower trays is 0,1kg/1cm²

For ideal sealing we recommend the use of Roth Czech assembly set. In the case of manipulation during usage there could be some scratches on the product we recommend to fix them with a very mild water resistant sand paper (density 1000 and higher) and then to polish the area with metal or car polishing substances.

Caution: In case you decide to repair a bathtub (tray) by yourself, you do it on your own responsibility!

I) Guarantee period:

Guarantee period starts on the day of purchase by the buyer. This date is mentioned in the guarantee certificate as the date of sale or the date of installation made by an authorized person (if this installation has been ordered within 3 weeks from the date of purchase). With all products of Roth Czech s.r.o. is provided to a consumer* the basic guarantee for 2 years from the day of purchase of the product. With compliance of the extra conditions listed below is provided an extended guarantee. Guarantee period consists of a statutory period (of 2 years) and, eventually, of the extended guarantee period.

* With selected products the guarantee to buyers is from the producer, who are not consumers too, reduced to 6 months and complaints are handled within 90 days from the day of applying for the claim. Statutory rights of final customer (consumer) are not affected by this, the guarantee to him is applicable by law.

II a) Basic guarantee - 2 years:

The claim to launch warranty fulfillment (repairing or replacing) of defective products on costs to the manufacturer lapses in the following cases:

- the product is not used in correspondence with its determination or manual instruction
- if a valid document of product purchase is not presented (so the customer has no proof of guarantee period beginning)
- when improper installation is detected
- in case a product was unauthorized or unprofessional manipulation made by the owner, or by other unqualified persons
- none or incorrect maintenance (see „maintenance instructions“)

Guarantee period for product groups is following:

Items of Roth Czech product lines:

Shower enclosures, screens - ALINA, HITECH NEO, MELINA, WALK IN, ELEGANT NEO, CARIBA, TOWER, AMBIENT	5 years
Shower enclosures, screens - PROXIMA, LIMAYA, LEGA	3 years
acrylic and cast marble bathtubs	10 years
self-supporting acrylic shower trays	2 years
FLAT acrylic shower trays	10 years
cast marble shower trays	5 years
others (Accessories, ...)	2 years

Items of PROJECT LINE:

complete assortment	2 years
---------------------	---------

The guarantee does not apply on:

- mechanical damage on the products, where this damage is caused by improper manipulation, caused by a retailer, installer or by user
- defects and damages caused by incorrect product installation (in contradiction to a mounting instruction, which is part of the product)
- early wear caused by incorrect product installation
- defects caused by incorrect product use (see „description and purpose of use“)
- none or incorrect maintenance (see „maintenance instructions“)
- damage caused by limescale deposits
- defects caused by unauthorized usage, improper connection, defects caused by power surges or coming from usage in extreme conditions (for example in a sauna room, swimming pool, ...)
- the water pressure for operation of the hydromassage (steam) cabins and panels can not exceed a nominal pressure of 3 bars, otherwise there is a danger of damage on water-installation materials used in the product

Caution:

Seats and handles for hydromassage boxes are not structurally designed for persons with reduced mobility within the meaning of the standards ES 93/42/EHS for medical aids. These devices serve users with full mobility, as the supporting tool.

Lifetime of consumables as the sealing components (PVC sealings), illumination, cartridges, thermostats, ball bearing rollers, shower hoses, or handheld shower can be shorter, than the guarantee period set by law.

All the components, which were mounted within installation, the customer must replace himself, e.g. shower hose, door rollers.

In case of missing purchase documents, all the service works are charged to the customer according to a valid pricelist of service works by Roth Czech.


More informations on www.roth-czech.cz/en

TECHNICAL SPECIFICATIONS

WAYS TO INSTALL SHOWER ENCLOSURES

Prior to installation of shower enclosure ON TILES it is necessary to check product dimensions in TECHNICAL SPECIFICATIONS section.


MOUNTING ON THE TRAY



Nominal sizes of shower enclosures are intended for installation on the tray.

Shower enclosures in standard and atypical sizes are always mounted with an indentation (7 to 25 mm; by type) from the tray edge.


MOUNTING ON THE TILES



With installation on the tiles are shower enclosures mounted without an indentation.


There is a risk, that the size of shower enclosure will be smaller, than measured width of the tiles.

■ HI PI2 + HI PI2




Variant	Y (mm)	X (mm)	C (mm)
800	782-798	754-770	663
900	882-898	854-870	763
1000	982-998	954-970	863

■ HI PI2 + HI FXP




Variant	X (mm)	Y (mm)	Z (mm)	C (mm)
800	767-783	780-796	777-793	671
900	867-883	880-896	877-893	771
1000	967-983	980-996	977-993	871

■ HI PI2 + HI SET




Variant	Y (mm)	C (mm)
800	783-815	671
900	883-915	771
1000	983-1015	871

■ HI 2B2




Variant	Y (mm)	C (mm)
800	783-815	311
900	883-915	361
1000	983-1015	411
1200	1183-1215	511

■ MI D55




A




Variant	Y (mm)	X (mm)	C (mm)
800	780–805	763–813	389
900	880–905	863–913	389
1000	980–1005	963–1013	389

■ MI PIG + MI PIG




A




Variant	Y (mm)	X (mm)	C (mm)
800	780–830	763–813	664/689
900	880–930	863–913	764/789
1000	980–1030	963–1013	864/889

Dimensions including modification +25 mm

■ MI EPF + MI EPF




A




Variant	Y (mm)	X (mm)	C (mm)
800	780–830	763–813	503/528
900	880–930	863–913	603/628
1000	980–1030	963–1013	703/728
1100	1080–1130	1063–1113	753/778
1200	1180–1230	1163–1213	803/828

Dimensions including modification +25 mm

■ MI PIV





A



Variant	Y (mm)	C (mm)
800	770–845	620/645
900	870–945	720/745
1000	970–1045	820/845

Dimensions including modification +25 mm



■ MI PIF

A

 Settings
on delivery

Modification +25 mm



Variant	Y (mm)	C (mm)
800	770–845	459/484
900	870–945	559/584
1000	970–1045	659/684
1100	1070–1145	709/734
1200	1170–1245	759/784

Dimensions including modification +25 mm


■ MI FXP

A

 Settings
on delivery

Modification +25 mm




Variant	Y (mm)
800	780–830
900	880–930
1000	980–1030

Dimensions including modification +25 mm


■ MI D2L(R)


Variant	C (mm)	Y (mm)
1000	400	970–1010
1100	450	1070–1110
1200	500	1170–1210
1300	550	1270–1310
1400	600	1370–1410
1500	650	1470–1510
1600	700	1570–1610
1700	750	1670–1710
1800	800	1770–1810

■ MI D2L(R) + MI FX2



MI D2L(R)	C (mm)	Y (mm)	MI FX2	X (mm)
1000	400	980–1020	750	725–750
1100	450	1080–1120	800	775–800
1200	500	1180–1220	900	875–900
1300	550	1280–1320	1000	975–1000
1400	600	1380–1420	1100	1075–1100
1500	650	1480–1520	1200	1175–1200
1600	700	1580–1620		
1700	750	1680–1720		
1800	800	1780–1820		

■ MI DWL / MI DWR




Variant	C (mm)	Y (mm)
1000	400	985-1010
1100	450	1085-1110
1200	500	1185-1210
1300	550	1285-1310
1400	600	1385-1410
1500	650	1485-1510
1600	700	1585-1610
1700	750	1685-1710
1800	800	1785-1810

■ GR2N




Variant	X (mm)	Y (mm)	C (mm)
900-1000	885-985	879-979	710-900
1000-1100	985-1085	979-1079	860-1050

■ GDO1N + GDO1N




Variant	X (mm)	Y (mm)	C (mm)
700-800	679-779	685-785	510-650
800-900	779-879	785-885	650-790
900-1000	879-979	885-985	790-930
1000-1100	979-1079	985-1085	930-1070
1100-1200	1079-1179	1085-1185	1070-1210

■ GDO1N + GBN




Variant	V (mm)	Z (mm)	C (mm)
700-800	685-785	691-791	380-480
800-900	785-885	791-891	480-580
900-1000	885-985	891-991	580-680
1000-1100	985-1085	991-1091	680-780
1100-1200	1085-1185	1091-1191	780-880


■ GDO1N + GZN




■ BI PF2 + BI FXP



■ BI PF2 + BI SET




■ CI R55




Variant	Y (mm)	C (mm)
800	777-802	400
900	877-902	500
1000	977-1002	500

■ CI P55




Variant	X (mm)	Y (mm)
900	858-883	867-892
1000	958-983	967-992

■ CI D3L / CI D3R




Variant	Y (mm)	C (mm)
800	760-810	375
900	860-910	442
1000	960-1010	509
1100	1060-1110	576
1200	1160-1210	643
1400	1360-1410	843

■ CI EPF + CI EPF




Variant	X (mm)	Y (mm)
800	758-783	767-792
900	858-883	867-892
1000	958-983	967-992
1100	1058-1083	1067-1092
1200	1158-1183	1167-1192

■ CI EPF + CI FXG




Variant	X1 (mm)	Y1 (mm)	X2 (mm)	Y2 (mm)
800	762-787	771-796	759-784	768-793
900	862-887	871-896	859-884	868-893
1000	962-987	971-996	959-984	968-993
1100	1062-1087	1071-1096	-	-
1200	1162-1187	1171-1196	-	-

■ CI PIG + CI PIG




Variant	X (mm)	Y (mm)
800	758-783	767-792
900	858-883	867-892
1000	958-983	967-992

■ CI PIG + CI FXG




Variant	X1 (mm)	Y1 (mm)	X2 (mm)	Y2 (mm)
800	762-787	771-796	759-784	768-793
900	862-887	871-896	859-884	868-893
1000	962-987	971-996	959-984	968-993

■ CI 2CL + CI 2CR




Variant	X (mm)	Y (mm)
800	758-783	767-792
900	858-883	867-892
1000	958-983	967-992

■ CI 2CL / CI 2CR + CI FXG




Variant	X1 (mm)	Y1 (mm)	X2 (mm)	Y2 (mm)
800	762-787	771-796	759-784	768-793
900	862-887	871-896	859-884	868-893
1000	962-987	971-996	959-984	968-993

■ CI 2BT





Variant	Y (mm)
800	760-810
900	860-910
1000	960-1010
1100	1060-1110
1200	1160-1210

■ CI 2BT + CI FXP





Variant	X1 (mm)	Y1 (mm)	X2 (mm)	Y2 (mm)
700	641-691	652-702	-	-
750	691-741	702-752	-	-
800	741-791	752-802	759-804	770-815
900	841-891	852-902	859-904	870-915
1000	941-991	952-1002	959-1004	970-1015
1100	-	-	1059-1104	1070-1115
1200	-	-	1159-1204	1170-1215

■ CI PIF





Variant	Y (mm)
800	760-810
900	860-910
1000	960-1010
1100	1060-1110
1200	1160-1210

■ CI PIV





Variant	Y (mm)
800	760-810
900	860-910
1000	960-1010

■ CI PIR / CI PIR




Variant	Y (mm)
800	760-810
900	860-910
1000	960-1010
1200	1160-1210

■ CI RFR / CI RFL



Variant	Y (mm)
1100	1060-1110
1200	1160-1210
1400	1360-1410
1600	1560-1610


■ CI FXO + CI PIG



CI FXO	S (mm)
230	209–234
330	309–334
430	409–434
530	509–534
630	609–634


Y	CI PIG/800	CI PIG/900	CI PIG/1000
CI FXO/230	960–1010	1060–1110	1160–1210
CI FXO/330	1060–1110	1160–1210	1260–1310
CI FXO/430	1160–1210	1260–1310	1360–1410
CI FXO/530	1260–1310	1360–1410	1460–1510
CI FXO/630	1360–1410	1460–1510	1560–1610

■ CI C2L + CI C2R




Variant	Y (mm)	C1 (mm)
800	775–800	305
900	875–900	355
1000	975–1000	405
1100	1075–1100	455
1200	1175–1200	505

■ CI D2L / CI D2R




Variant	Y (mm)	C (mm)
1200	1160–1210	485
1300	1260–1310	535
1400	1360–1410	585
1500	1460–1510	635
1600	1560–1610	685

■ CI D2L + CI FXP




CI FXP	Y1 (mm)	CI D2L/R	Y2 (mm)
700	652–702	1200	1163–1213
750	702–752	1300	1263–1313
800	752–802	1400	1363–1413
900	852–902	1500	1463–1513
1000	952–1002	1600	1563–1613

■ TR1




Variant	X (mm)	Y (mm)
900	850-870	867-887
1000	950-970	967-987

■ TR2




Variant	X (mm)	Y (mm)
800	750-770	770-790
900	850-870	870-890
1000	950-970	970-990

■ TR2 light




Variant	X (mm)	Y (mm)
900	850-870	870-890

■ TZNL1 / TZNP1




Variant	Y (mm)
800	775-810
900	875-910
1000	975-1010
1100	1075-1110
1200	1175-1210

■ TD01 + TD01




Variant	X (mm)	Y (mm)
800	750-770	770-790
900	850-870	870-890
1000	950-970	970-990
1100	1050-1070	1070-1090
1200	1150-1170	1170-1190

■ TD01 + TB




TD01	X (mm)	Y (mm)	TB	X (mm)	Y (mm)
800	755-770	775-790	700	655-670	675-690
900	855-870	875-890	750	705-720	725-740
1000	955-970	975-990	800	755-770	775-790
1100	1055-1070	1075-1090	900	855-870	875-890
1200	1155-1170	1175-1190	1000	955-970	975-990

■ TCO1 + TCO1




Variant	X (mm)	Y (mm)
800	755-775	772-792
900	855-875	872-892
1000	955-975	972-992
1100	1055-1075	1072-1092
1200	1155-1175	1172-1192

■ TCO1 + TB



TCO1	X (mm)	Y (mm)	TB	V (mm)	Z (mm)
800	765-780	785-800	700	650-670	667-687
900	865-880	885-900	750	700-720	717-737
1000	965-980	985-1000	800	750-770	767-787
1100	1065-1080	1085-1100	900	850-870	867-887
1200	1165-1180	1185-1200	1000	950-970	967-987


■ TCO1 + TBD



TBD	A (mm)	TCO1	B (mm)
240	212-237	800	756-771
440	412-437	900	856-871
640	612-637	1000	956-971
740	712-737	1100	1056-1071
		1200	1156-1171

Y	TCO1/800	TCO1/900	TCO1/1000	TCO1/1100	TCO1/1200
TBD/240	968-1008	1068-1108	1168-1208	1268-1308	1368-1408
TBD/440	1168-1208	1268-1308	1368-1408	1468-1508	1568-1608
TBD/640	1368-1408	1468-1508	1568-1608	1668-1708	1768-1808
TBD/740	1468-1508	1568-1608	1668-1708	1768-1808	1868-1908


■ TDO1 + TBD



TBD	A (mm)	TDO1	B (mm)	C (mm)	D (mm)
240	212-237	800	743-768	442	298-323
440	412-437	900	843-868	542	298-323
640	612-637	1000	943-968	642	298-323
740	712-737	1100	1043-1068	642	398-423
		1200	1143-1168	742	398-423


Y	TDO1/800	TDO1/900	TDO1/1000	TDO1/1100	TDO1/1200
TBD/240	955-1005	1055-1105	1155-1205	1255-1305	1355-1405
TBD/440	1155-1205	1255-1305	1355-1405	1455-1505	1555-1605
TBD/640	1355-1405	1455-1505	1555-1605	1655-1705	1755-1805
TBD/740	1455-1505	1555-1605	1655-1705	1755-1805	1855-1905

■ TDN1




Variant	Y (mm)
800	775-810
900	875-910
1000	975-1010
1100	1075-1110
1200	1175-1210

■ TCN1




Variant	Y (mm)
800	775-810
900	875-910
1000	975-1010

■ TCN2




Variant	Y (mm)
800	785-820
900	885-920
1000	985-1020
1100	1085-1120
1200	1185-1220

■ TCN2 + TCB




Variant	X (mm)	Y (mm)
800	775-800	795-835
900	875-900	895-935
1000	975-1000	995-1035
1100	-	1095-1135
1200	-	1195-1235

■ TZ01L + TZ01P




Variant	X (mm)	Y (mm)
800	755-775	775-795
900	855-875	875-895
1000	955-975	975-995
1100	1055-1075	1075-1095
1200	1155-1175	1175-1195

■ TZ01 + TB




TZ01	X (mm)	Y (mm)	TB	V (mm)	Z (mm)
800	770-795	790-815	700	650-670	667-687
900	870-895	890-915	750	700-720	717-737
1000	970-995	990-1015	800	750-770	767-787
1100	1070-1095	1090-1115	900	850-870	867-887
1200	1170-1195	1190-1215	1000	950-970	967-987

■ TDN2




TDN2	X (mm)
800	1060–1110
900	1160–1210
1000	1260–1310
1100	1360–1410
1200	1460–1510

■ TCW1




Variant	Y (mm)
800	770–795
900	870–895
1000	970–995
1200	1170–1195
1400	1370–1395

■ TBS




Variant	X (mm)
800	767–792
900	867–892
1000	967–992

■ AMR2N




Variant	X (mm)	Y (mm)
900	866-876	885-895
1000	966-976	985-995

■ AMD2




Variant	Y (mm)
1200	1100-1200
1300	1200-1300
1400	1300-1400
1500	1400-1500
1600	1500-1600
1700	1600-1700
1800	1700-1800

■ AMD2 + AMB




Variant	X (mm)	Y (mm)
800	766-776	—
900	866-876	—
1200	—	1100-1200
1300	—	1200-1300
1400	—	1300-1400
1500	—	1400-1500

■ AMB + AMD2 + AMB




Variant	X (mm)	Y (mm)
800	766-776	—
900	866-876	—
1200	—	1100-1200
1300	—	1200-1300
1400	—	1300-1400
1500	—	1400-1500

PXR2N




Variant	X (mm)	Y (mm)
800	780–805	780–805
900	880–905	880–905
1000	980–1005	980–1005

PXS2L + PXS2P




Variant	X (mm)	Y (mm)
800×800	786–810	786–810
900×900	886–910	886–910
1000×1000	986–1010	986–1010

PXDO1N / PXDO1N + PXBN




Variant	X (mm)	Y (mm)	Variant	Z (mm)
800	772–822	775–800	700	680–705
900	872–922	875–900	800	780–805
1000	972–1022	975–1000	900	880–905
1100	1072–1122	1075–1100	1000	980–1005

PXD2N / PXD2N + PXBN




Variant	X (mm)	Y (mm)	Variant	Z (mm)
1100	1080–1130	1085–1110	700	680–705
1200	1180–1230	1185–1210	800	780–805
1300	1280–1330	1285–1310	900	880–905
1400	1380–1430	1385–1410	1000	980–1005
1500	1480–1530	1485–1510		
1600	1580–1630	1585–1610		

■ LYE4 + LYE4




Variant	X (mm)	Y (mm)	S (mm)	C (mm)
800	758-783	767-792	243-268	510
900	858-883	867-892	343-368	510
1000	958-983	967-992	443-468	510
1100	1058-1083	1067-1092	443-468	610
1200	1158-1183	1167-1192	443-468	710

■ LYE4 + LYSW1S




Variant	X (mm)	Y (mm)	V (mm)	Z (mm)	S (mm)	C (mm)
800	758-783	767-792	761-786	770-795	243-268	510
900	858-883	867-892	861-886	870-895	343-368	510
1000	958-983	967-992	961-986	970-995	443-468	510
1100	-	-	1061-1086	1070-1095	443-468	610
1200	-	-	1161-1186	1170-1195	443-468	710

■ LYE2 + LYE2





Variant	X (mm)	Y (mm)	C (mm)
800	758-783	767-792	690
900	858-883	867-892	790
1000	958-983	967-992	890

■ LYE2 + LYSW1S





Variant	X (mm)	Y (mm)	V (mm)	Z (mm)	C (mm)
800	758-783	767-792	761-786	770-795	690
900	858-883	867-892	861-886	870-895	790
1000	958-983	967-992	961-986	970-995	890

■ LYE4 + LZ





Variant	Y (mm)	C (mm)	S (mm)
800	780-815	510	243-268
900	880-915	510	343-368
1000	980-1015	510	443-468
1100	1080-1115	610	443-468
1200	1180-1215	710	443-468

■ LYE2 + LZ





Variant	Y (mm)	C (mm)
800	780-815	690
900	880-915	790
1000	980-1015	890

■ LYR4




Variant	X (mm)	Y (mm)	S (mm)	C (mm)
800	758-783	767-792	243-268	395
900	858-883	867-892	343-368	395
1000	958-983	967-992	443-468	395

■ LYP2




Variant	Y (mm)	C (mm)
800	760-810	320
900	860-910	370
1000	960-1010	420
1100	1060-1110	470
1200	1160-1210	520

■ LYP2 + LYSW1AP2




Variant	X (mm)	Y (mm)	V (mm)	Z (mm)
750	—	—	725-750	735-760
800	749-789	760-800	775-800	785-810
900	849-889	860-900	875-900	885-910
1000	949-989	960-1000	975-1000	985-1010
1100	1049-1089	1060-1100	—	—
1200	1149-1189	1160-1200	—	—

■ LYSW1AP2 + LYP2 + LYSW1AP2




Variant	X (mm)	Y (mm)	V (mm)	Z (mm)
750	—	—	725-750	735-760
800	762-792	784-814	775-800	785-810
900	862-892	884-914	875-900	885-910
1000	962-992	984-1014	975-1000	985-1010
1100	1062-1092	1084-1114	—	—
1200	1162-1192	1184-1214	—	—

■ LLR2




Variant	X (mm)	Y (mm)
800	776-798	776-798
900	876-898	876-898

■ LLD01




Variant	X (mm)
700	675-707
800	775-807
900	875-907
1000	975-1007

■ LLD02




Variant	X (mm)
700	672-704
800	772-804
900	872-904
1000	972-1004

■ LLD01 + LLB, LLD02 + LLB




Variant	X (mm)	Y (mm)
700	679-705	675-705
750	729-755	-
800	779-805	775-805
900	879-905	875-905
1000	979-1005	975-1005

■ LLD2 + LLB




Variant	X (mm)	Y (mm)
700	679-705	-
750	729-765	-
800	779-805	-
900	879-905	-
1000	979-1005	970-1005
1200	-	1170-1205
1400	-	1370-1405
1600	-	1570-1605

■ LLD2




Variant	Xa (mm)	Xb (mm)
1000	970-1005	978-1005
1200	1170-1205	1178-1205
1400	1370-1405	1378-1405
1600	1570-1605	1578-1605
1700	1670-1705	1678-1705
1800	1770-1805	1778-1805

■ LLS2 - preassembled




Variant	X (mm)	Y (mm)
800x800	775-790	775-790
900x900	875-890	875-890

■ LLS2 - standard




Variant	X (mm)	Y (mm)
1000x800 (800x1000)	975-990 (775-790)	775-790 (975-990)
1200x800 (800x1200)	1175-1190 (775-790)	775-790 (1175-1190)
1200x900 (900x1200)	1175-1190 (875-890)	875-890 (1175-1190)

■ LLD4




Variant	X (mm)
1100	1080-1110
1200	1180-1210
1300	1280-1310
1400	1380-1410
1500	1480-1510
1600	1580-1610

■ PD3N + LLBD



PD3N	X (mm)	Z (mm)	LLBD	Y (mm)
800	750-805	775-830	700	675-695
900	850-905	875-930	750	725-745
1000	950-1005	975-1030	800	775-795
			900	875-895
			1000	975-995



Roth Energy and Sanitary Systems

Generation

Solar systems <
Heat pump systems <

Storage

Storage systems for
Domestic & heating water <
Combustibles and biofuels <
Rainwater and waste water <

Application

> Radiant heating and cooling systems
> Pipe installation systems
> Shower systems



Technical service (guarantee cases, professional installation, technical assistance):

Roth Czech s.r.o.

Třebařov 160
569 33 Czech Republic
Phone.: +420 461 353 611
Email: objednavky@roth-czech.cz
www.roth-czech.cz/lt
www.roth-czech.cz/lv

LITHUANIA

UAB „Rollechnik Lietuva“
569 33 Czech Republic
Mob.: +370 67354186
Email: info@rollechnik.lt

LATVIA

SIA „Ideal Install“
569 33 Czech Republic
Mob.: +371 26466655
Email: gatislange@inbox.lv